



CHEMPAC DIV.

ACCEPTED

NOV 21 1973

UNDER THE FEDERAL REGISTERED
 FUNGICIDE AND PESTICIDE ACT
 FOR CONTROL OF PERSONS REGISTERED
 ED UNDER NO. 10812 SUBJECT
 TO ATTACHED COMMENTS

[23611-3]

VAPO-CON

EPA Reg. No. 23611-3

An Effective Semi-Concentrated Pyrenone³ Insecticide.

For Application in Specialized Mechanical, Thermal or Compressed Air Fogging Equipment such as Tifa Fog, Challenger, Microsol, Tornado, Halaby Klip-On or Bes-Kill Aerosol Generator.

For Use in Bakeries, Food Plants, Restaurants, Hotels, Motels, Hospitals, Schools, Office Buildings and Food Processing or Handling Plants.

| | | |
|--------------------------------|-------|-------|
| ACTIVE INGREDIENTS: | | 100% |
| Pyrethrins | | 0.3% |
| *Piperonyl Butoxide, Technical | | 2.4% |
| Petroleum Distillate | | 97.3% |

*Equivalent to 1.92% of (butylallyl) (6-propylpiperonyl) ether and 0.48% of related compounds.

PYRENONE - Registered Trademark of FMC Corp.

CAUTION

Keep Out of Reach of Children

See this part of the label for directions.

Net Contents 6 1/2 lbs

MANUFACTURED BY

FMC CHEMICALS
 ...

DIRECTIONS

This ready-to-use concentrate may be dispersed through good mechanical, thermal, or compressed air fogging or spraying equipment.

Remove pets, birds, and cover fish aquaria before spraying.

The use of this product in food processing plants should be confined to time periods when the plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using.

SPACE TREATMENT: Close doors and windows and shut off ventilating systems. Apply as a fog or fine mist, distributing the spray throughout the area. Use at a rate of 1 ounce per 1000 cubic feet of space. Direct spray behind and under obstructions and contact crawling insects wherever possible. Keep area closed for 10 to 15 minutes. Ventilate treated area and ventilate before reoccupying. Repeat treatment as necessary.

The above described application will kill accessible, exposed stages of flight, including fruit flies, wasps, bees, silverfish, flying ants, gnats, crickets, cockroaches, beetles, houseflies, bees, bumble bees, wasps, flies, and other flying insects, and eggs and larvae in stored product pests, pantry pests, rice weevils, stored flour beetles, grain weevils, meal moths, cigarette beetles, flour beetles, booklice, silverfish, cigarette beetles, flour beetles, stored product pests, stored grain pests, stored flour pests, stored grain pests, and grain mites.

SURFACE APPLICATION: To insure maximum control of crawling insects listed, apply as a coarse mist directed toward insects, into cracks, crevices, around machinery, around containers of stored products and other areas wherever these insects may hide. Pests driven out of hiding places should be sprayed directly. Repeat as necessary.

CAUTION: Harmful if swallowed. Avoid contamination of feed or feedstuffs.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Do not reuse empty containers. Destroy by crushing or crushing and burying in a safe place or return to the manufacturer.