For most effective results rgainst the active stages of flying insects use a good sprayer adjusted to deliver a fine mist. For running and crawling insects use a coarse wet spray.

Treat in ested areas thoroughly and whenever possible, keep doors and windows closed for 10 minutes after spraying.

Flying Insects: For control of flies, fruit flies, mosquitoes, gnats, sand flies, direct the spray toward the upper portions of the room and saturate the atmosphere with the mist, using 1 to 2 ounces to each 1000 cubic feet of space.

Crawling Insects: To control reaches, silverfish, crickets, and spiders, spray infested areas thoroughly and direct the liquid behind baseboards, moldings, cabinets, shelves, sinks, door and window frames, and pipes, toward drains and dark corners, and into cracks, crevices, recesses and similar hiding places hitting insects with spray whenever possible.

Against ant infestations, treat shelves, cabinets and storage areas; spray ant runs, trails, baseboards, thresholds and other places of entry, and treat nests liberally.


In controlling fleas and Brown Dog ticks in houses, direct the application toward the lower wall portions, baseboards, rugs, carpets and floors of infested areas. Animal quarters, kennels and bedding should also be sprayed

. To control bedbugs effectively, apply liberally to top, ends, sides and bottom of mattresses, spraying thoroughly all tufts, seams and folds. Spray springs and frame, idirecting the liquid into all cracks and lock foints. Treat walls, baseboards, moldings, moors, closets and bedroom furniture, picture frames, with particular attention to protected bedbug hiding and breeding t arms

ct Contents

Callens

Manufactured by DELTA CHEMICALS CHEMPAC DIVISION 1 LUCON DRIVE DEER PARK, NY 11729





EPA Reg. No. 23611-4

Effective, Fast Acting Insecticide. For Use in Homes, Institutions, Restaurants

and Food Processing Plants.

Centains PYRENONE®

Kil	Is on contact expo	osed or accessible	stages of:
Roaches Silverfish Crickets Spiders	Files Mosquitoes Skippers	Sand Flies Clothes Moths	Carpet Beetles Fless Brown Dog Ticks in Buildings
Ants	Gnats	Bedbugs Meal Moths	Spider Beetles
Mediterra	Meal Woms inean flour r	Grain Mites	Cheese Mites
ACTIVE INGREDIENTS:		cigarette beetles	
Pyreth Pipero		chnicele	

*Equivalent to 0.14% (buty!carbity!) (6-propylplperoay!) ether and to 0.14% of related compounds.



CAUTION

Knop Out Of Reach Of Children

Harmful if swallowed. Do not spray near or toward an open flame. Avoid contamination of feed and foodstuffs.

Do not remain in treated areas and vent ... e the area after treatment is completed. The use of this product in food processing plants should be confined to time periods when the plant is not in operation. Foods should be emoved or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME. DO NOT REUSE EMPTY CONTAINER. DESTROY IT BY PERFORATING OR CRUSHING, BURY OR DISCARD IN A SAFE PLACE AWAY FROM WATER S' ... IES.

Cameraman & Note Poor Copy

For most effective control of clothes mot and carpat beetles, remove infested article from storage, brush thoroughly and, if p. sible, air several hours in direct sunlig Apply spray liberally in empty ches closets, bureaus and storages, directing t liquid into cracks, joints and crevices. Af: ziring, infested articles may be treated ! holding the spray nozzle at least 3 feet aw from the fabric and applying the liqu lightly to the seams to avoid the possibili of staining. Treat both sides of rugs, carps and pads, and all exposed and accessit surfaces of overstuffed furniture. Do n overspray if products are made of rubber are rubber coated, to prevent expansion swelling. Repeat treatments monthly unk the articles are stored in moth-tight co tainers.

Home and institutional pantries and fo storages frequently become infested w granary weevils, rice weevils, confus flour beetles, rust red flour beetles, se toothed grain beetles, sugoumois gra moths and Mediterranean flower moths. avoid sources of reinfestation, wormy flo grain and cereals should be destroyed before treatment To kill exposed acces stages of insects named

Spray thoroughly all surfaces shelves, bins, cupboards, cabinets, pantr lockers and similar storages, with particattention to cracks, niches, crevices other hiding places. hitting insects spray whenever possible.

ACTI-CIDE is an excell insecticide for use as a vapor, fog or r spray in special generators.

Application sho be sufficient to fill the enclosure with fog, mist or vapor.

PYRENONE is a registered trademark of

FMC Corporation