


[23611-6]
Page (1 of 2)



CHEMPAC DIV.

EQUESTICIDE SPONGE ON

Kills and Repells Stable Flies, Horn Flies, House Flies, Face Flies, Horse Flies, Deer Flies, Mosquitoes, and Gnats

Also a Grooming Aid and Coat Conditioner

Contains Stabilene[®], & PYRENONE[®].

ACTIVE INGREDIENTS

Pyrethrins	.160%
*Piperonyl Butoxide, Technical	1.280%
Butoxypolypropylene Glycol	17.600%
Mineral Seal Oil	80.800%
INERT INGREDIENTS	.160%

*Equivalent to 1.02% (butylcarbityl)(6-propylpiperonyl) ether and to 0.26% related compounds

CAUTION (18 pt type) KEEP OUT OF REACH OF CHILDREN (12 pt type)

See rear panel for additional precautions

Net Contents:

EPA Reg. No. 23611 - 6

STABILENE - Registered trademark of Union Carbide Corporation

PYRENONE - Registered Trademark of FMC Corporation

Manufactured by: DELTA CHEMICALS
CHEMPAC DIVISION
1 LUCON DRIVE
DEER PARK, NY 11729

Page (2 of 2)

DIRECTIONS FOR USE

This product has been especially developed for use on horses. It provides a protective hair coating against flies while imparting a high sheen to the hair when brushed out. 1-2 ounces per head per day gives adequate protection. Apply by either soft cloth or fine mist spray.

TO SPONGE ON

First, brush to remove excess dirt and dust. Moisten (but do not wet to the point of dripping) a soft cloth and rub over the hair. It is best to apply by rubbing against the hair growth. Give special attention to the legs, shoulders, shanks, neck and facial areas where flies most often are seen.

Only a light application is required. Avoid using an excessive amount on your horses. Do not wet skin.

After application, brush out thoroughly to bring out bright sheen on the coat.

Repeat daily or as required.

USE AS A SPRAY

This product may be applied as a fine mist spray to stable areas and over and around stabled horses for fast paralysis and kill of flies. Do not wet horse's skin or exceed two ounces per application.

CAUTION.....COMBUSTIBLE

Harmful if swallowed. Keep out of reach of children. Do not spray this material on or near open flame. Remove or cover exposed foods before spraying. Do not apply to dairy animals.

Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place. Drums may be returned to drum re-
conditioner.