

total for lawns

total
for lawns

10-6-4 Lawn Fertilizer

Kills Broadleaf Weeds

Prevents Crabgrass — Kills Living Crabgrass

Contains Sulfur, Iron, Manganese, Zinc

CAUTION: KEEP OUT OF REACH OF CHILDREN

Avoid contact with skin, eyes, or clothing. Harmful if swallowed. Avoid contact with food. Wash thoroughly after use. Do not breathe dust. Keep children and pets off treated areas until material is watered in lawn and allowed to dry.

Keep out of eyes, clothing or pets. Do not apply when rain is likely to occur. Do not contaminate water by loading of equipment or disposal of wastes. Apply this product only as specified on this label. Avoid drift to susceptible plants.

Do not use near farm, yard, or garden. Do not use on lawns or lawns. Do not use on lawns. Destroy when empty.

KELLY WESTERN SEED DIVISION OF THE FAY COMPANY
200 West 10th Street, Omaha, Nebraska 68102
© 1964 Kelly Western Seed Co.

ACTIVE INGREDIENTS:


Naale, 1,1-propylnedamine salt of 2, 4-dichlorophenoxyacetic acid* 0.433%
Dimethylnedamine salt of 2,4-dinitro-4-chlorophenoxyacetic acid** 0.483%
Dimethyl 2,4-dinitrophenylphosphorothioate*** 2.070%
Hexachlorocyclopentadiene 1,3-dithiolane**** 1.500%

INERT INGREDIENTS:

Total 94.065%
Total active ingredients 0.415%
Total inert ingredients 93.650%
Total 100.065%
*Patented under U.S. Patent 2,942,441.
**Patented under U.S. Patent 2,942,441.
***Patented under U.S. Patent 2,942,441.
****Patented under U.S. Patent 2,942,441.

GUARANTEED FERTILIZER ANALYSIS:

Total Nitrogen	10.00%
Total Phosphorus	6.00%
Total Potash	4.00%
Total Sulfur	1.00%
Total Iron	0.10%
Total Manganese	0.10%
Total Zinc	0.10%



total for lawns

KELLY WESTERN
total for lawns

PSLC-E-603-68E

FREIGHT SHIPPING BAG
Meeting requirements of
APPLICABLE FREIGHT CLASSIFICATION
Guaranteed by ST. REGIS PAPER CO.

KELLY KW WESTERN for total lawns

WHEN TO APPLY

For use on all bladegrass lawns. DO NOT USE ON THESE GRASSES: St. Augustine, Tifgreen and other fine-bladed Bermuda, bentgrass, carpetgrass, or Dichondra.

To prevent crabgrass, foxtail, common chickweed, Johnsongrass, purslane and other susceptible weed seeds from growing, apply New KW Total for Lawns in late winter or in spring.

To fill existing broadleaf weeds such as dandelions, plantain, buckhorn, shepherd's purse, clover, and filaree, apply New KW Total any time weeds are actively growing. Be sure weed leaves are moist before application.

To control existing crabgrass, apply New KW Total as soon as crabgrass is noticed. Apply twice, when foliage is moist from dew, rain or sprinkling. A repeat application in four weeks will assure best results on stubborn plants.


THREE EASY STEPS TO A BETTER LAWN:



1 Before spreading New KW Total, moisten the lawn with a fine spray or a sprinkler system. Do not allow water to puddle. Then, when the lawn is moist, apply New KW Total with a broadcast spreader. Do not water for 48 hours after application.



2 Before spreading New KW Total, moisten the lawn with a fine spray or a sprinkler system. Do not allow water to puddle. Then, when the lawn is moist, apply New KW Total with a broadcast spreader. Do not water for 48 hours after application.



3 Get the best spreader as suggested below. For best results, use the spreader pattern as shown above. Greater settings are for coarse granulated material.

SUMMER APPLICATIONS

1. Water lawn thoroughly the day before New KW Total application.
2. Apply New KW Total in the morning or evening.
3. Water lawn thoroughly the day after application.

SUGGESTED SPREADER SETTINGS

For the best results, use the suggested settings for the spreader you are using. The settings are for a broadcast spreader. For a hand broadcast spreader, use the following settings:

Lawn Beauty	Scott	Jackson	Modern	Central	Sears
18-57	7	35-8	7 1/2	18-20	6-8
		35-3	7		

All the settings are for a broadcast spreader. For a hand broadcast spreader, use the following settings: 18-57 for Lawn Beauty, 35-8 for Scott, 35-3 for Jackson, 7 1/2 for Modern, 18-20 for Central, and 6-8 for Sears.

total
for lawns

WESTERN

total for lawns


WESTERN
KELLY
KW



1 For maximum effect, less water than normal, two days before application. Water the area to be covered measure if necessary. (For example, 40' x 50') One 16 lb. bag may cover 2000 sq. ft. New KW Total will not burn when applied at recommended rate.



2 Before spreading KW Total, moisten the lawn with a fine spray or a sprinkler system. Do not allow water to puddle or flood. The moist lawn insures maximum effectiveness of KW Total. After application, do not water for 24 hours then resume normal watering practice.



3 Set the spreader at suggested rate for best results. See diagram pattern on shown above. Spread settings below are for crisscross patterns.

SUMMER APPLICATIONS

1. Water lawn thoroughly the day before KW Total application.
2. Do not apply on days when temperatures are 65 degrees or above.

SUGGESTED SPREADER SETTINGS

Spreading rate may vary with the age, model and condition of the spreader. Check your spreader by spreading a known size area. (8 lb. bag covers 1000 sq. ft.)

Lawn Beauty		Scott		Jackson		Modern		Central		Sears	
MODEL	SETTING	MODEL	SETTING	MODEL	SETTING	MODEL	SETTING	MODEL	SETTING	MODEL	SETTING
18-57	7	35-8	7 1/2	18 in.	6 3/4	18 in.	6 3/4	20 in.	8	452-19191	6 3/4
		35-3	7								

Above settings are for crisscross applications. If your spreader is not included above, set spreader opening at lowest setting which gives even flow, usually about 1/3 open. Spread in one direction and then crisscross. Continue crisscrossing until proper amount is applied. Broadcast spreaders are not recommended.

Some Common Weeds Killed

young crabgrass	black medic	panicum sp.
young foxtail	dandelion	English daisy
stirweed	speedwell	henbit
cleweed	plantain	lambquarters
plantain	buckhorn	goosegrass
young barnyard grass	shepherd's purse	redroot
grass	clover	pigweed
carpetweed	filaree	young witchgrass
st. daisy	spotted spurge	yarrow
	ground ivy	sorrel

NOTICES

WATERING: After application do not water or mow lawn for 24 hours; then resume normal watering practice.

SEEDING: If spring seeding is desired, apply seed as early as possible and wait until new grass has been well established before applying New KW Total. After an application of this product wait ten days before reseeding.

RAKING: Complete any planned raking or digging of the lawn before you apply KW Total. Disturbing the soil surface after the application may lessen the effectiveness of the product.

SHRUBS AND FLOWERS: Avoid making applications on flowers, shrubs, or other ornamental plantings. Avoid applications on a windy day.

Some Common Weeds Prevented

crabgrass
barnyard grass
spotted spurge
panicum sp.
goosegrass
witchgrass
foxtail
stinkgrass
Johnson grass (from seed)

HEAT AND HUMIDITY: Succulent, tender grass may be discolored temporarily by applications during periods of high humidity and heat.

Manufacturer makes no express warranties of any kind, except those set forth in the printed and affirmations of facts made on the label. The warranty of merchantability and other implied warranties and liability of the manufacturer without fault are expressly disclaimed. Buyer assumes all risk of personal injury or damage to property, except for negligent mislabeling of the product. All claims must be presented to Manufacturer in writing within thirty days from the date a breach is discovered and an action thereon must be commenced within one year after the cause of action has accrued.

total for lawns