[24] -3 Page (10f2)

FORMULA K

INSECT SPRAY

DIRECTIONS

FOR MOST EFFECTIVE RESULTS AGAINST THE ACTIVE STAGES OF FLYING, RUNNING AND CRAWLING INSECTS, USE IN A GOOD SPRAYER ADJUSTED TO DELIVER A FINE MIST.

TREAT INFESTED AREAS THOROUGHLY AND WHENEVER POSSIBLE KEEP DOORS AND WINDOWS CLOSED FOR 10 MINUTES AFTER SPRAYING.

FLYING INSECTS, For control of Flies, Mosquitoes, Wasps, Gnats, and Hornets, direct the spray toward the upper portions of the room and saturate the atmosphere with the mist, using 1 to 2 ounces to each 1000 cubic feet of space.

CRAWLING INSECTS: To control Rollings, Ants, Stverfish, Crickets, and Spiders, spray infested areas thoroughly managed the bravial behind base boards, moldings, can be still a to the last of a new ces, rices as and similar hiding places.

CAUTION KEEP OUT OF REACH OF CHILDREN


Herefolder fata if sweet we to the experience of the experience of the A_{2} constraints of the experience of the exp

The first of the second

SAN JOAQUIN SUPPLY CO., INC.

FRESNO MERIED SAN AUTOBORO MODERO BAKERSHED RODERON

- Auxe 20t2





NET CONTENTS
1 U.S. GALLON

Forstulated especially for use in power aprayers for large areas, restaurants, bars, hotels, motels, ware houses, packing sheds, schools, bareries, vegetable stands, kitchens hatcheries, dairies and wineries

CAUTION KEEP OUT OF REACH OF CHILDREN See back for additional prosquitions

See back for additional precautions.

ACTIVE INGREDIENTS:

Pyrethrins	0.10 %
Piperonyl Butoxide Technical*	1.00 ° 2
Petroleum Hydrocarbons	98.90 1

^{*}Equivalent to 0.80% of (buty care to bid perony!) ether and to 0.20% of related compounds.

Poor Copy

DIRECTIONS

FOR MOST EFFECTIVE RESULTS AGAINST THE ACTIVE STAGES OF FLYING, RUNNING AND CRAWLING INSECTS, USE IN A GOOD SPRAYER ADJUSTED TO DELIVER A FINE MIST.

TREAT INFESTED AREAS THOROUGHLY AND WHENEVER POSSIBLE KEEP DOORS AND WINDOWS CLOSED FOR 10 MINUTES AFTER SPRAYING.

FLYING INSECTS: For control of Flies, Mosquitoes, Wasps, Gnats, and Hornets, direct the spray toward the upper portions of the room and saturate the atmosphere with the mist, using 1 to 2 ounces to each 1000 cubic feet of space. CRAWLING INSECTS: To control Roaches, Ants, Silverfish, Crickets, and Spiders, spray infested areas thoroughly and direct the liquid behind baseboards, moldings, cabinet shelves, sinks, door and window frames, pipes, and toward drains and dark corners, and into cracks, crevices, recesses and similar hiding places.

SAN JOAQUIN SUPPLY CO.

FRESNO - MERCED - SAN LUIS OBISPO MODESTO - BAKERSFIELD - STOCKTON

ACC

UNDER THE FUNGE TO A FOR &C DMII UNDER TO

DIRECTIONS


FOR MOST EFFECTIVE RESULTS AGAINST THE ACTIVE STAGES OF FLYING, RUNNING AND CRAWLING INSECTS, USE IN A GOOD SPRAYER ADJUSTED TO DELIVER A FINE MIST.

TREAT INFESTED AREAS THOROUGHLY AND WMENEVER POSSIBLE KEEP DOORS AND WINDOWS CLOSED FOR 10 MINUTES AFTER SPRAYING.

FLYING INSECTS: For control of Flies, Mosquitoes, Wasps, Gnats, and Hornets, direct the spray toward the upper portions of the room and saturate the atmosphere with the mist, using 1 to 2 ounces to each 1000 cubic feet of space. CRAWLING INSECTS: To control Roaches, Ants, Sitverfish, Crickets, and Spiders, spray infested areas thoroughly and direct the liquid behind baseboards, moldings, cabinet shelves, sinks, door and window frames, pipes, and toward drains and dark corners, and into cracks, crevices, recesses and similar hiding places.

SAN JOAQUIN SUPPLY CO.

FRESNO - MERCED - SAN LUIS OBISPO MODESTO - BAKERSFIELD - STOCKTON



CAUTION

Harmful or fatal if swallowed. If swallowed, do not induce vomiting. Avoid contamination of food. Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product as a space spray, use only when food processing is not underway. Do not spray on plants and animals. Do not spray near open flame.

U.S.D.A. Registration No. 9975-1



STANDARDIZED SANITATION SYSTEMS, INC.