

[24909-5]

Knapp Drione[®] INSECTICIDE

ACTIVE INGREDIENTS

Pyrethrins	1.00
Piperonyl Butoxide Technical*	10.00
Ammonium Fluosilicate	1.88
Amorphous Silica Gel	38.12
Petroleum Hydrocarbons	49.00
	<hr/> 100.00

*Equivalent to 8.0% (butylcarbityl) (6-propylpiperonyl) ether and 2.0% of related compounds.

U.S.D.A. Registration No. 9975-4

DRIONE -- Registered Trademark of FMC Co.

CAUTION:

KEEP OUT OF REACH OF CHILDREN
AVOID INHALATION. DO NOT RE-USE CONTAINER.
DESTROY WHEN EMPTY.

NET WEIGHT: 4 OUNCES

Distributed by

SAN JOAQUIN SUPPLY CO.

Fresno -- San Luis Obispo -- Merced

Modesto -- Bakersfield -- Stockton

ACCEPTED
5/4/70
FOR USE IN PESTICIDE
FOR REGISTERED USE
ED UNREGISTERED SUBJECT
TO ATTACHED COMMENTS

This product is a finely divided powder which combines the flushing and killing powers of pyrethrins and piperonyl butoxide with the dehydrative principle of thermally attrited hydrogel. It is relatively odorless and non-staining and may be used in accordance with directions in homes, restaurants, stores, hotels, offices, plants and warehouses. When used as directed, it is highly effective in controlling such insects as ants, roaches, silverfish, bed bugs, and fleas. Do not apply KNAPP DRIONE[®] in the edible products area of food processing plants.

DIRECTIONS FOR USE

To control such running and crawling insect life as ants, cockroaches, silverfish, and fleas, distribute Drione at the rate of 2 ounces per 100 square feet of surface area. Apply a continuous visible film underneath and behind stoves, refrigerators and appliances. Treatment, around and behind moulding, shelving, baseboards, pipe openings, cracks, crevices and other areas where insects may hide. For severe infestations apply Drione behind cabinets and walls, crawl spaces and attics, at the rate of 16 ounces per 1000 square feet of surface area. Repeat treatment as necessary.

BED BUGS

Take bed apart. Dust into joints and channels. If hollow, such as square or round tubing, see that the interior of framework is well dusted. Mattress should be dusted, especially tufts, folds and edges. Picture frame mouldings and all cracks and crevices in the room should be treated.

FLEAS -- Dogs and Cats

Liberaly apply powder to the animal, rubbing thoroughly to the skin. Begin with the neck and include the underbody, legs, feet, and the base of the tail. Repeat as necessary. Surfaces of kennels should be dusted at rate of one ounce per 50 square feet. Heavily infested lawns, basements and crawl spaces should be dusted at rate of 16 ounces per 1000 square feet. Repeat as necessary.