

U.S. ENVIRONMENTAL PROTECTION AGENCY  
OFFICE OF PESTICIDES PROGRAMS  
REGISTRATION DIVISION (MH-567)  
WASHINGTON, D.C. 20460

EPA REGISTRATION NO.  
25014-8

DATE OF ISSUANCE  
JUL 24 1985

TERM OF ISSUANCE  
Conditional

NOTICE OF PESTICIDE:  REGISTRATION  
 REREGISTRATION

NAME OF PESTICIDE PRODUCT  
Enterprise Clear Wood  
Preservative

(Under the Federal Insecticide, Fungicide,  
and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

The Enterprise Company  
1191 S. Wheeling Road  
Wheeling, IL 60090

160 149953  
18 1

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/deregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec.

3(c)(7)(A) provided that you:


1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Add the phrase "EPA Registration No. 25014-8" to your label before you release the product for shipment.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

Henry M. Jacoby  
Product Manager (21)  
Fungicide-Herbicide Branch  
Registration Division (TS-767)



Enclosure

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

*HMA*

DATE 7/24/85

2065  
PM 21

25014-8

FRONT

COPY: JT 17013 LR 634

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

FRONT CENTER

LOGO: (PU - Enterprise)

BOLD: Clear  
Wood  
Preservative

JUL 24 1985

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, this pesticide  
registered under Reg. No.  
25014-8

BOLD: KEEP OUT OF THE REACH OF CHILDREN  
WARNING! CONTAINS PETROLEUM DISTILLATES  
COMBUSTIBLE  
SEE ADDITIONAL PRECAUTIONS ON BACK OF  
LABEL  
EPA REG. NO. 25014-

COPY: ACTIVE INGREDIENTS:  
3-Iodo-2-Propynyl Butyl  
Carbamate 0.57%  
INERT INGREDIENTS 99.43%  

---

100.00%


BOLD: One Gallon (3.785 Liters)

SIDE FRONT

BOLD: ■ Oil Base  
■ Water Repellent  
■ Contains Polyurethane  
■ Retards Aging (Silvering)  
Process of New Wood  
■ Resists Mildew, Rot & Decay  
■ Dries Quickly to a Clear  
Protective Finish  
■ Ideal for Decks

COPY: Manufactured for  
BOLD: Enterprise Paint Company  
COPY: by The Enterprise Companies  
Wheeling, Illinois 60090  
(PU Insilco Logo)

COPY: EPA EST. NO. 9232-IL-1



BACK

**BOLD:** Type of Finish  
**COPY:** Clear

**BOLD:** Where to Use  
**COPY:** For use only above ground on bare exterior wood surfaces -- structural lumber, wood siding, decks, shingles, fences, doors, frames, sashes and porches. No sealers are necessary for frequent dermal contact surfaces.

DO NOT USE on interior surfaces. DO NOT USE on previously stained, painted, varnished or sealed surfaces, hardboard siding or on wood used for food, feed or potable water contact. Cover desirable plants and shrubs to avoid possible injury. This product should not be used where dairy and farm animals may come in contact with the treated wood. Do not mix Clear Wood Preservative with any other product.

**BOLD:** Coverage  
**COPY:** Approximately 200-400 sq. ft. (18.6-37.2m<sup>2</sup>) per gallon depending on method of application, porosity and density of wood. Do not thin. Do not tint.

**BOLD:** Drying Time  
**COPY:** Dries to touch rapidly. Complete drying requires 24 hours. For extra protection apply a second coat within 48 hours of the first coat.

**BOLD:** Cleanup  
**COPY:** Clean equipment promptly with brush and roller cleaner or mineral spirits.

**BOLD:** Extractive Bleeding  
**COPY:** New as well as old redwood, cedar and Douglas fir woods contain natural water-soluble materials which "bleed" or migrate through to the surface. This bleeding is normally reddish brown in fir and cedar and black in redwood. It must be removed with a mild, nonabrasive detergent solution before Clear Wood Preservative is applied. Cleaned wood must dry at least 24 hours before applying Clear Wood Preservative.

**BOLD:** Clear Wood Preservative  
**COPY:** Clear Wood Preservative dries quickly to a clear protective finish. It effectively seals your wood, resisting moisture penetration, rotting and decay. Exceeds water repellency requirements of the Federal Spec. TT-W-572b, 3.7. It also retards the aging (silvering) process of new wood. Contains an effective fungicide that resists mildew and a UV screener that filters out the sun's rays.  
**IMPORTANT:** Although this product preserves and beautifies your wood, it cannot do so indefinitely.

**BEST AVAILABLE COPY**



When wood first begins to "silver" or darken with age, reapply Clear Wood Preservative. Before reapplying, all unweathered and protected areas must be well sanded to allow for penetration of the new application of Clear Wood Preservative. If painting is desired, surfaces must be well weathered. Sand protected areas. Apply an exterior oil base primer. Then paint.


**BOLD:** Directions for Use  
**COPY:** It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**COPY:** Stir product thoroughly before using. Apply liberally by brush, roller or spray. Begin application at the corner of a few boards and continue until you reach a window or door frame. Do not apply in direct sunlight or on days when air or surface temperatures are below 50°F (10°C). **IMPORTANT: ALLOW WOOD TO DRY 2 TO 3 DAYS AFTER RAIN BEFORE APPLYING CLEAR WOOD PRESERVATIVE.**

**BOLD:** Surface Preparation  
**COPY:** Clean discolored areas with detergent and water to remove dirt. If discoloration is due to resin bleed, remove by sanding. Dark mildew discoloration may be present in new or old wood. It must be removed before applying this product. Scrub surfaces with a solution of 1 part household bleach and 3 parts water. (Protect eyes and skin while using bleach solution.) Rinse well. Then allow to dry thoroughly. Replace rotted boards and wash surrounding areas with above 1-to-3 solution. (Wood turned dark from mildew must be bleached before application to kill the fungus.) Seal cracks around openings with caulking. Be sure surface is clean and dry. To insure the proper penetration of Clear Wood Preservative into the wood, smooth, new wood must be sanded to remove the mill glaze.

**BOLD:** STORAGE AND DISPOSAL  
**COPY:** Store product in original container within locked storage area. Dispose of container and any unused product by securely wrapping container in several layers of newspaper. Then discard in trash. **DO NOT REUSE CONTAINER.**

**BEST AVAILABLE COPY**



BOLD: Precautionary Statements  
 BOLD: HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
 BOLD: WARNING: CONTAINS PETROLEUM DISTILLATES  
 COPY: May be fatal if swallowed. Avoid contact with skin, eyes, or clothing. Avoid breathing of spray mist. Use with adequate ventilation. Avoid contamination with food. First Aid: If swallowed, do not induce vomiting.

Drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water.

BOLD: GET MEDICAL ATTENTION IMMEDIATELY  
 COPY: In case of eye contact, flush with plenty of water for at least 15 minutes and get medical attention. In case of contact with skin or clothing, remove contaminated clothing and wash skin with soap and water.

BOLD: ENVIRONMENTAL HAZARDS  
 COPY: This product is toxic to fish. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this product only as specified on this label.

BOLD: PHYSICAL AND CHEMICAL HAZARDS. COMBUSTIBLE  
 DO NOT USE, POUR, SPILL  
 OR STORE NEAR HEAT  
 OR OPEN FLAME.

BEST AVAILABLE COPY

