

WARRANTY STATEMENT

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such of the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility including injury or damage, resulting from the misuse as such or in connection with other materials.

PRECAUTIONARY STATEMENT

HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Avoid contamination of feed and foodstuffs. Remove pets, birds, and cover fish aquaria before spraying.

FIRST AID

If swallowed, induce vomiting by sticking finger in back of throat or administration of syrup of ipecac, get medical attention. If in eyes, flush with water for 15 minutes and see a physician. For skin, wash with plenty of soap and water. If irritation develops, get medical attention.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, ponds, or streams. Do not contaminate water by cleaning of equipment or disposal of wastes, when used on ships do not wash or flush freshly sprayed surfaces into adjacent waters. Apply this product only as directed on the label.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with the labeling.

STORAGE AND DISPOSAL

Store at temperatures above 32°F. Do not reuse empty container. Wrap container and put in trash container.



InsectAway Multi-Purpose Insecticide II

A CONCENTRATED EMULSION
STABLE AND LEAVES NO OILY
OR OBJECTIONABLE RESIDUE

Active Ingredients

Pyrethrins 1.25%
*Piperonyl butoxide, technical 12.50%
Petroleum distillate 5.00%

Inert Ingredients 81.25% w/w
100.00%

*Equivalent to 10.00% (butylcarbityl) 6-propyl-piperonyl either and 2.5% related compounds.

CAUTION
KEEP OUT OF REACH OF CHILDREN
SEE SIDE PANEL FOR ADDITIONAL CAUTION

Can be used in homes, institutions, restaurants, food processing plants, dairies, livestock, and outdoors for fly and mosquito control.

MANUFACTURED BY

Environmental Insect Control Systems, Inc.
P.O. Box 40076
Houston, Texas 77040

EPA Reg. No. 25026-6
EPA Est. No. 25026-1

Net Contents

DIRECTIONS FOR USE INDOOR APPLICATION:

Dilute to 10% by adding 11 1/2 gallons of water per 1 gallon of concentrate. Use only at diluted levels.

The use of this product in food processing establishments should be confined to time periods when the plant is not in operation. Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using.

Vacate treated areas and ventilate before reoccupying.

For maximum effectiveness, a combination of spot surface treatment and fogging is recommended.

SURFACE SPRAYING: To control roaches, ants, silverfish, spiders, crickets, clover mites, chiggers, grassy weevils, rice weevils, confused flour beetles, rust red flour beetles, carpeted grain beetles, spider beetles, cigarette beetles, drugstore beetles, meal worms, grain mites and scabies: Use a good sprayer adjusted to a coarse wet spray. Direct the spray into hiding places, cracks, and crevices, under pallets, around containers of stored foods, around the base of machinery, behind shelves and drawers. For silverfish, spray bookcases. For ants, spray trails, nests, and points of entry. If surface application only is to be used, spray floors and other surfaces applying at a rate of 1 gallon to 750 square feet of surface.

To control carpet beetles: Spray edges of carpeting and under carpeting and rugs. Make localized application to floor and baseboards. Spray directly into cracks, closets and infested areas of shelving. Repeat treatment as needed.

To control bedbugs: Spray mattresses lightly, particularly around tufts and seams. Take beds apart and spray in all joints. Treat baseboards, moldings and floors. Repeat treatment as needed.

To control fleas and brown dog ticks: Thoroughly spray infested areas, pet beds, nesting quarters, nearby cracks and crevices, along and behind baseboards, moldings, windows and door frames, and localized areas of floor and floor covering. Fresh bedding should be placed in animal quarters following treatment. Concurrent treatment of animals with an approved insecticide is recommended. Repeat treatment as needed.

To control clothes moths: Remove any infested articles from storage. Brush thoroughly and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storage directing the spray into cracks, joints, and crevices. After airing, infested articles may be treated lightly keeping nozzle at least three feet from fabric to avoid staining.

SPACE SPRAYING: Close doors and windows and shut off ventilating systems. Apply with a good machine adjusted to deliver a fine mist of fog. For rapid control of houseflies, fruit flies, gnats, mosquitoes, stable flies, house flies, hornets, Argentine grain moths, Mediterranean flour moths, Indian meal moths, and tobacco moths: Direct spray at an upward angle distributing it uniformly throughout the entire area at a rate of 3-6 ounces per 1000 cubic feet of space.

FOGGING: To kill exposed or accessible stages of the above named crawling insects, use a rate of one gallon to 20,000 to 40,000 cubic feet of space. Contact insects directly whenever possible.

ON ANIMALS: To protect cattle and horses from horn flies, house flies, mosquitoes and gnats, apply a light mist sufficient to wet the surface of the hair. To control stable flies, houseflies, and cow flies: Apply at rate of 2 ounces per adult cow or horse, sufficient to wet the hair thoroughly. Repeat treatment daily or at intervals necessary to give continued protection.

To control blood-sucking flies, apply to the infested areas of the animal, using a stiff brush to get the spray on the base of the hair. Repeat every 2 to 3 weeks if required.

OUTDOOR ADULT MOSQUITO CONTROL: Apply at a fine mist to thoroughly treat the entire area. For best results, treat when the wind velocity does not exceed 5 miles per hour. Treat shrubbery or vegetation where mosquitoes may rest, low marshy places, stagnant pools or ponds and shore lines. Apply at a rate of 1/2 gallon concentrate - 4 ounces per 1000 square feet.

WARRANTY STATEMENT

Environmental Insect Control Systems, Inc. warrants that the product described herein is free from adulteration and is of the quality and strength of the material described on the label. This warranty is limited to the product as described on the label. It does not extend to any damage or injury resulting from the use of the product in violation of the label instructions. This warranty is void where prohibited by law.

PRECAUTIONARY STATEMENT

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid contact with food and foodstuffs. Remove pets and animals from area before spraying.

FIRST AID

If swallowed, induce vomiting by striking the back of the throat or administration of syrup of ipecac; get medical attention if the eyes flush with water for 15 minutes and see a physician for skin wash with plenty of soap and water. If treated, get medical attention.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, ponds, or streams. Do not contaminate water by cleaning of equipment or disposal of wastes when used or shipped. Do not wash or flush freshly sprayed surfaces into adjacent waters. Apply this product only as directed on the label.

DIRECTIONS FOR USE

This is a violation of Federal law to use this product in a manner inconsistent with the label.

STORAGE AND DISPOSAL

Keep this product in original container. Store in a cool, dry place. Do not use if the container is damaged. Do not use if the label is missing or illegible.



InsectAway Multi-Purpose Insecticide II

A CONCENTRATED EMULSION
STABLE AND LEAVES NO OILY OR OBJECTIONABLE RESIDUE

Active Ingredients

Pyrethrin	5.00%
Pyrethroid	1.50%
Inert Emulsifier	5.00%
Inert Ingredients	81.25% w/w
	100.00%

Equivalent to 10.5% active ingredient in 10.5% pyrethrin emulsion and 5.9% treated emulsions.

CAUTION

KEEP OUT OF REACH OF CHILDREN
SEE SIDE PANEL FOR ADDITIONAL CAUTION

MANUFACTURED BY

Environmental Insect Control Systems, Inc.

10000 S. 17th St.
Scottsdale, Arizona 85260

DIRECTIONS FOR USE INDOOR APPLICATION

Apply this product in the following manner: Roaches, ants, silverfish, spider mites, chestnut bark beetles, grubs, weevils, rice weevils, confused flour beetles, rust red flour beetles, sawtoothed grain beetles, spider beetles, cigarette beetles, drugstore beetles, meal worms, gran mites and chalcids. Mix and spray as directed. Spray liberally on surfaces, cracks and crevices, especially in the kitchen and dining areas. This product is stable and leaves no oily or objectionable residue. For control of fleas on dogs and cats, apply liberally to the fur and skin. For control of ticks on dogs and cats, apply liberally to the fur and skin. For control of bedbugs, apply liberally to the mattress, box spring, and bed. For control of flies, apply liberally to the breeding areas. For control of mosquitoes, apply liberally to the breeding areas. For control of moths, apply liberally to the clothing and fabrics. For control of beetles, apply liberally to the surfaces. For control of ants, apply liberally to the trails and nests. For control of spiders, apply liberally to the webs and harborage areas. For control of fleas and ticks, apply liberally to the animals. For control of silverfish, apply liberally to the aquarium. For control of chestnut bark beetles, apply liberally to the wood. For control of grubs, apply liberally to the soil. For control of weevils, apply liberally to the grain. For control of sawtoothed grain beetles, apply liberally to the grain. For control of spider beetles, apply liberally to the wood. For control of cigarette beetles, apply liberally to the wool. For control of drugstore beetles, apply liberally to the wood. For control of meal worms, apply liberally to the grain. For control of gran mites and chalcids, apply liberally to the wood.

carpet beetles - Apply liberally to the carpet, rug, and floor. For control of ticks on dogs and cats, apply liberally to the fur and skin. For control of bedbugs, apply liberally to the mattress, box spring, and bed. For control of flies, apply liberally to the breeding areas. For control of mosquitoes, apply liberally to the breeding areas. For control of moths, apply liberally to the clothing and fabrics. For control of beetles, apply liberally to the surfaces. For control of ants, apply liberally to the trails and nests. For control of spiders, apply liberally to the webs and harborage areas. For control of fleas and ticks, apply liberally to the animals. For control of silverfish, apply liberally to the aquarium. For control of chestnut bark beetles, apply liberally to the wood. For control of grubs, apply liberally to the soil. For control of weevils, apply liberally to the grain. For control of sawtoothed grain beetles, apply liberally to the grain. For control of spider beetles, apply liberally to the wood. For control of cigarette beetles, apply liberally to the wool. For control of drugstore beetles, apply liberally to the wood. For control of meal worms, apply liberally to the grain. For control of gran mites and chalcids, apply liberally to the wood.

bedbugs - Apply liberally to the mattress, box spring, and bed. For control of ticks on dogs and cats, apply liberally to the fur and skin. For control of bedbugs, apply liberally to the mattress, box spring, and bed. For control of flies, apply liberally to the breeding areas. For control of mosquitoes, apply liberally to the breeding areas. For control of moths, apply liberally to the clothing and fabrics. For control of beetles, apply liberally to the surfaces. For control of ants, apply liberally to the trails and nests. For control of spiders, apply liberally to the webs and harborage areas. For control of fleas and ticks, apply liberally to the animals. For control of silverfish, apply liberally to the aquarium. For control of chestnut bark beetles, apply liberally to the wood. For control of grubs, apply liberally to the soil. For control of weevils, apply liberally to the grain. For control of sawtoothed grain beetles, apply liberally to the grain. For control of spider beetles, apply liberally to the wood. For control of cigarette beetles, apply liberally to the wool. For control of drugstore beetles, apply liberally to the wood. For control of meal worms, apply liberally to the grain. For control of gran mites and chalcids, apply liberally to the wood.

flea and brown dog ticks - For control of ticks on dogs and cats, apply liberally to the fur and skin. For control of fleas and ticks, apply liberally to the animals. For control of silverfish, apply liberally to the aquarium. For control of chestnut bark beetles, apply liberally to the wood. For control of grubs, apply liberally to the soil. For control of weevils, apply liberally to the grain. For control of sawtoothed grain beetles, apply liberally to the grain. For control of spider beetles, apply liberally to the wood. For control of cigarette beetles, apply liberally to the wool. For control of drugstore beetles, apply liberally to the wood. For control of meal worms, apply liberally to the grain. For control of gran mites and chalcids, apply liberally to the wood.

clothing moths - Remove any infested articles from store and wash thoroughly and air for several hours in sunlight. For control of moths, apply liberally to the clothing and fabrics. For control of beetles, apply liberally to the surfaces. For control of ants, apply liberally to the trails and nests. For control of spiders, apply liberally to the webs and harborage areas. For control of fleas and ticks, apply liberally to the animals. For control of silverfish, apply liberally to the aquarium. For control of chestnut bark beetles, apply liberally to the wood. For control of grubs, apply liberally to the soil. For control of weevils, apply liberally to the grain. For control of sawtoothed grain beetles, apply liberally to the grain. For control of spider beetles, apply liberally to the wood. For control of cigarette beetles, apply liberally to the wool. For control of drugstore beetles, apply liberally to the wood. For control of meal worms, apply liberally to the grain. For control of gran mites and chalcids, apply liberally to the wood.

SPACE SPRAYING - Close doors and windows and shut off ventilation systems. Apply with a gas machine adjusted to deliver a rate of 1.0 to 1.5 gallons per 1000 cubic feet of space. For control of mosquitoes, apply liberally to the breeding areas. For control of flies, apply liberally to the breeding areas. For control of moths, apply liberally to the clothing and fabrics. For control of beetles, apply liberally to the surfaces. For control of ants, apply liberally to the trails and nests. For control of spiders, apply liberally to the webs and harborage areas. For control of fleas and ticks, apply liberally to the animals. For control of silverfish, apply liberally to the aquarium. For control of chestnut bark beetles, apply liberally to the wood. For control of grubs, apply liberally to the soil. For control of weevils, apply liberally to the grain. For control of sawtoothed grain beetles, apply liberally to the grain. For control of spider beetles, apply liberally to the wood. For control of cigarette beetles, apply liberally to the wool. For control of drugstore beetles, apply liberally to the wood. For control of meal worms, apply liberally to the grain. For control of gran mites and chalcids, apply liberally to the wood.

ON ANIMALS - For control of fleas on dogs and cats, apply liberally to the fur and skin. For control of ticks on dogs and cats, apply liberally to the fur and skin. For control of fleas and ticks, apply liberally to the animals. For control of silverfish, apply liberally to the aquarium. For control of chestnut bark beetles, apply liberally to the wood. For control of grubs, apply liberally to the soil. For control of weevils, apply liberally to the grain. For control of sawtoothed grain beetles, apply liberally to the grain. For control of spider beetles, apply liberally to the wood. For control of cigarette beetles, apply liberally to the wool. For control of drugstore beetles, apply liberally to the wood. For control of meal worms, apply liberally to the grain. For control of gran mites and chalcids, apply liberally to the wood.

cloud picking lice - Apply liberally to the feathers. For control of cloud picking lice, apply liberally to the feathers. For control of fleas and ticks, apply liberally to the animals. For control of silverfish, apply liberally to the aquarium. For control of chestnut bark beetles, apply liberally to the wood. For control of grubs, apply liberally to the soil. For control of weevils, apply liberally to the grain. For control of sawtoothed grain beetles, apply liberally to the grain. For control of spider beetles, apply liberally to the wood. For control of cigarette beetles, apply liberally to the wool. For control of drugstore beetles, apply liberally to the wood. For control of meal worms, apply liberally to the grain. For control of gran mites and chalcids, apply liberally to the wood.

OUTDOOR ADULT MOSQUITO CONTROL - Apply liberally to the breeding areas. For control of mosquitoes, apply liberally to the breeding areas. For control of flies, apply liberally to the breeding areas. For control of moths, apply liberally to the clothing and fabrics. For control of beetles, apply liberally to the surfaces. For control of ants, apply liberally to the trails and nests. For control of spiders, apply liberally to the webs and harborage areas. For control of fleas and ticks, apply liberally to the animals. For control of silverfish, apply liberally to the aquarium. For control of chestnut bark beetles, apply liberally to the wood. For control of grubs, apply liberally to the soil. For control of weevils, apply liberally to the grain. For control of sawtoothed grain beetles, apply liberally to the grain. For control of spider beetles, apply liberally to the wood. For control of cigarette beetles, apply liberally to the wool. For control of drugstore beetles, apply liberally to the wood. For control of meal worms, apply liberally to the grain. For control of gran mites and chalcids, apply liberally to the wood.