

**PRECAUTIONARY STATEMENTS**

HAZARDOUS TO HUMANS  
(AND DOMESTIC ANIMALS)

**DANGER**



Persons using sprays, aerosols, emulsions, or other formulations should wear protective clothing and equipment. Persons using sprays, aerosols, emulsions, or other formulations should wear protective clothing and equipment. Persons using sprays, aerosols, emulsions, or other formulations should wear protective clothing and equipment.

Persons using sprays, aerosols, emulsions, or other formulations should wear protective clothing and equipment.

Persons using sprays, aerosols, emulsions, or other formulations should wear protective clothing and equipment. Persons using sprays, aerosols, emulsions, or other formulations should wear protective clothing and equipment. Persons using sprays, aerosols, emulsions, or other formulations should wear protective clothing and equipment.

**WORK SAFETY RULES**

Persons using sprays, aerosols, emulsions, or other formulations should wear protective clothing and equipment. Persons using sprays, aerosols, emulsions, or other formulations should wear protective clothing and equipment. Persons using sprays, aerosols, emulsions, or other formulations should wear protective clothing and equipment.



**POISON SIGNS - Symptoms**

Persons using sprays, aerosols, emulsions, or other formulations should wear protective clothing and equipment. Persons using sprays, aerosols, emulsions, or other formulations should wear protective clothing and equipment. Persons using sprays, aerosols, emulsions, or other formulations should wear protective clothing and equipment.

**POISON**

ATROPINE IS AN ANTIDOTE  
CONSULT PHYSICIAN FOR  
EMERGENCY SUPPLY

CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED METHYL PARATHION POISONING.

Persons using sprays, aerosols, emulsions, or other formulations should wear protective clothing and equipment. Persons using sprays, aerosols, emulsions, or other formulations should wear protective clothing and equipment. Persons using sprays, aerosols, emulsions, or other formulations should wear protective clothing and equipment.

**NOTE TO PHYSICIAN**

Persons using sprays, aerosols, emulsions, or other formulations should wear protective clothing and equipment. Persons using sprays, aerosols, emulsions, or other formulations should wear protective clothing and equipment. Persons using sprays, aerosols, emulsions, or other formulations should wear protective clothing and equipment.

**REENTRY STATEMENT**

Persons using sprays, aerosols, emulsions, or other formulations should wear protective clothing and equipment. Persons using sprays, aerosols, emulsions, or other formulations should wear protective clothing and equipment. Persons using sprays, aerosols, emulsions, or other formulations should wear protective clothing and equipment.

**ATTENTION**

Persons using sprays, aerosols, emulsions, or other formulations should wear protective clothing and equipment. Persons using sprays, aerosols, emulsions, or other formulations should wear protective clothing and equipment. Persons using sprays, aerosols, emulsions, or other formulations should wear protective clothing and equipment.

**ENVIRONMENTAL HAZARD**

Persons using sprays, aerosols, emulsions, or other formulations should wear protective clothing and equipment. Persons using sprays, aerosols, emulsions, or other formulations should wear protective clothing and equipment. Persons using sprays, aerosols, emulsions, or other formulations should wear protective clothing and equipment.

**RESTRICTED USE PESTICIDE**  
For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification

**Methyl Parathion 4 Lb. Emulsifiable Concentrate**

For control of BOLL WEEVIL, COTTON APHID, COTTON FLEA-HOPPER, THRIPS, COTTON LEAFWORM, COTTON LEAF PERFORATOR. And Some Species of SPIDER MITES ON COTTON AND CERTAIN INSECTS ATTACKING SMALL GRAINS AND SOY-BEANS.

**ACTIVE INGREDIENTS**

O,O-dimethyl O-p-nitrophenyl Phosphorothioate*	42.2%
Related Compounds	2.3%
Aromatic Petroleum Solvent	48.2%
<b>INERT INGREDIENTS</b>	7.3%
<b>TOTAL</b>	<b>100%</b>

\*Methyl Parathion  
CONTAINS 4 LBS METHYL PARATHION PER GALLON

**KEEP OUT OF REACH OF CHILDREN**



**DANGER--POISON--PELIGRO**

**PRECAUCION A LUSUARIO:**  
este Si usted no lee ingles, no use producto hasta que la etiqueta le haya sido explicada ampliamente.

**STATEMENT OF PRACTICAL TREATMENT**

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to methyl parathion and describe his condition. If doctor cannot come, take victim to clinic or hospital. Move patient immediately from the area where methyl parathion is present.

**IF INHALED** remove victim to fresh air. If not breathing immediately give artificial respiration, preferably mouth-to-mouth, and maintain until doctor sees victim. If breathing is difficult, give oxygen.

**IF IN EYES OR ON SKIN** immediately flush with plenty of water for at least 15 minutes while removing contaminated personal clothing and shoes to avoid continued possible exposure to victim or persons in attendance.

**IF SWALLOWED** induce vomiting immediately by giving two glasses of water and by touching back of throat with finger. **DO NOT INDUCE VOMITING OR GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.** Have victim lie down and keep quiet.

SEE LEFT SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

FPA Reg. No. 2500.1 FPA Est. No. 4261 MS 1

Manufactured For  
**MFC SERVICES (AAL)**  
Madison, Mississippi 39110

**BEST AVAILABLE COPY**

2 of 2

**PHYSICAL OR CHEMICAL HAZARD**

Combustible Do not use, pour, spill or store near heat or flame

In case of

**FIRE**, use water spray foam dry chemical or CO<sub>2</sub>

**SPILL** or **LEAK**, keep all unprotected persons away. Cover with absorbent such as soda ash lime, clay or saw dust. Sweep up and bury. Wash area thoroughly with strong lye solution.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

**STORAGE AND HANDLING**

1. Handle container carefully so as to avoid damage and prevent leakage.
2. Do not use or store in or around the home.
3. Store container in a well ventilated place.
4. Empty container retains vapor and product residue. Observe all label safeguards until container is cleaned, reconditioned or destroyed.
5. Keep out of reach of children and domestic animals.

**DISPOSAL**

Wastes of this pesticide are acutely hazardous. Improper disposal of excess pesticide, spray mixtures or rinsate is a violation of Federal law. If these wastes cannot be disposed of according to label use instructions, contact your state pesticide or Environmental Control Agency or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

Triple rinse empty container with 5% caustic soda solution. Flush with water. Then offer for recycling or reconditioning, or puncture to prevent other use and dispose of in an approved landfill, or by other procedures approved by state and local authorities.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in any manner inconsistent with its labeling.

**MIXING DIRECTIONS**

Mix **RED PANTHER** Methyl Parathion with water by agitation or by circulating the mixture through the spray pump and back into the tank. A proper mixture will have the appearance of a milky emulsion with no free oil on the surface. Agitate before use until a uniform emulsion is formed.

**DIRECTIONS FOR USE**

**COTTON** For control of thrips, lygus bugs, cotton fleahopper, and aphids apply 1.2 to 1.4 pint of **RED PANTHER** MP 4 lb per acre. Make first application when infestation warrants and repeat at 4-5 day intervals as needed.

For control of bollworm, cotton leafworm, garden webworm and some species of spider mites apply 1 pint **RED PANTHER** MP 4 lb per acre. Make first application when infestation warrants and repeat at 4-5 day intervals as needed.

For control of bollworm, tobacco budworm and cotton leaf perforator apply 1 pint **RED PANTHER** MP 4 lb per acre. Repeat at 4-5 day intervals as needed.

If ground equipment is used apply recommended amount of **RED PANTHER** MP 4 lb in 3-6 gallons of water per acre. For airplane application apply recommended amount of **RED PANTHER** MP 4 lb in 1-3 gallons of water per acre.

Do not spray cotton within 7 days of hand picking.

Workers entering treated fields within 48 hours after application should wear clean, tightly woven protective clothing.

Do not feed hedges or gin trash to livestock or other beneficial animals.


**SMALL GRAINS** Wheat, oats, rice and barley. For control of green bug apply 1.2 pint of **RED PANTHER** MP 4 lb per acre. Do not apply within 15 days of harvest.

**SOYBEANS** For control of bollworm apply 1.2 pints **RED PANTHER** MP 4 lb per acre. Do not apply within 20 days of harvest or feeding.

**NOTICE:**

MFC Services AAI warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated in the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied extends to the use of the product, contrary to label instructions or under abnormal conditions or under conditions not reasonably foreseeable to MFC Services, and buyer assumes the risk of any such use. MFC Services shall not be responsible for incidental or consequential damage if any resulting from a breach of warranty.

REGISTERED  
JAN 14 1985  
Under the authority of the  
Function of the State of AR  
or other state or federal  
register of the  
EPA Reg. No. 3503c-3



**METHYL PARATHION MIXTURE, LIQUID**

NA2783, RQ

BEST AVAILABLE COPY

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER



IF SWALLOWED, DO NOT INDUCE VOMITING. IF SWALLOWED, DRINK WATER. IF SWALLOWED, DRINK WATER. IF SWALLOWED, DRINK WATER.

NEVER ONLY WHEN WEARING THE FULL WORK PROTECTIVE EQUIPMENT AND CLOTHING.

Always wear protective gear. Wear a pesticide-resistant suit. Wear a pesticide-resistant hat. Wear a pesticide-resistant mask.

IMPORTANT: Before using, always wash your hands and face. Wash your hands and face after each use.

AFTER WORK, take off all work clothes and shoes. Shower and wash your hair. Wash your hands and face.

WORK SAFETY RULES

RELEASED EXPOSURE TO CHOLINESTERASE INHIBITORS SUCH AS ARE CONTAINED IN THIS PRODUCT MAY WITHOUT WARNING ALSO PROMPTLY SUSCEPTIBILITY TO VERY SMALL DOSES OF ANS CHOLINESTERASE INHIBITOR.

Persons working with this product should have frequent blood tests. If blood cholinesterase levels are low, do not use this product.

If handled indoors, provide mechanical exhaust ventilation. Keep all open treated parts and animals away from treated area.

Do not rub eyes or mouth with hands. If you feel sick in any way STOP work and get help right away. See First Aid. Practice good hygiene.



POISON SIGNS - Symptoms

Methyl parathion is a highly toxic organophosphorus compound. It is highly toxic to humans and animals.

Some of the signs and symptoms of poisoning are: headache, dizziness, nausea, vomiting, diarrhea, muscle twitching, and loss of consciousness.



ATROPIRE IS AN ANTIDOTE CONSULT PHYSICIAN FOR EMERGENCY SUPPLY

CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED METHYL PARATHION POISONING

If symptoms suggest poisoning include: flushed or cold abdominal pain, and a throbbing or numb, hot waist for a while but give no other symptoms. Each 100 grain of 0.85 milligrams at the time of treatment should not exceed five years of age.

NOTE TO PHYSICIAN

Atropine is the most effective antidote for signs of toxicity. It is a parasympatholytic agent which blocks the action of acetylcholine at the neuromuscular junction. It is also a central nervous system depressant.

REENTRY STATEMENT

Atropine is a parasympatholytic agent which blocks the action of acetylcholine at the neuromuscular junction. It is also a central nervous system depressant.

Because of the toxicity of methyl parathion, reentry intervals should be observed. Do not reenter treated areas for 48 hours.

When reentry is required, use appropriate protective clothing. Do not reenter treated areas for 48 hours.

When reentry is required, use appropriate protective clothing. Do not reenter treated areas for 48 hours.

When reentry is required, use appropriate protective clothing. Do not reenter treated areas for 48 hours.

When reentry is required, use appropriate protective clothing. Do not reenter treated areas for 48 hours.

ATTENTION

This product is highly toxic to humans and animals. It is highly toxic to humans and animals.

This product is highly toxic to humans and animals. It is highly toxic to humans and animals.

This product is highly toxic to humans and animals. It is highly toxic to humans and animals.

ENVIRONMENTAL HAZARD

This product is highly toxic to humans and animals. It is highly toxic to humans and animals.

This product is highly toxic to humans and animals. It is highly toxic to humans and animals.

This product is highly toxic to humans and animals. It is highly toxic to humans and animals.

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification

Methyl Parathion 4 Lb. Emulsifiable Concentrate

For control of BOLL WEEVIL, COTTON APHID, COTTON FLEA-HOPPER, THRIPS, COTTON LEAFWORM, COTTON LEAF PERFORATOR, and Some Species of SPIDER MITES ON COTTON AND CERTAIN INSECTS ATTACKING SMALL GRAINS AND SOY BEANS.

Table with 2 columns: ACTIVE INGREDIENTS and PERCENTAGE. Includes O,O-dimethyl O-p-nitrophenyl Phosphorothioate\* (42.2%), Related Compounds (2.3%), Aromatic Petroleum Solvent (48.2%), and INERT INGREDIENTS (7.3%). TOTAL is 100%.

\*Methyl Parathion CONTAINS 4 LBS METHYL PARATHION PER GALLON KEEP OUT OF REACH OF CHILDREN



DANGER -- POISON -- PELIGRO

PRECAUCION A LUSUARIO: este Si usted no lee ingles, no use producto hasta que la etiqueta le haya sido explicada ampliamente.

STATEMENT OF PRACTICAL TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to methyl parathion and describe his condition. If doctor cannot come, take victim to clinic or hospital. Move patient immediately from the area where methyl parathion is present.

IF INHALED, remove victim to fresh air. If not breathing, immediately give artificial respiration, preferably mouth-to-mouth, and maintain until doctor sees victim. If breathing is difficult, give oxygen.

IF IN EYES OR ON SKIN, immediately flush with plenty of water for at least 15 minutes while removing contaminated personal clothing and shoes to avoid continued possible exposure to victim or persons in attendance.

IF SWALLOWED, induce vomiting immediately by giving two glasses of water and by touching back of throat with finger. DO NOT INDUCE VOMITING OR GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. Have victim lie down and keep quiet.

SEE LEFT SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No. 25030-3 EPA Est. No. 42761-MS-1

Manufactured For MFC SERVICES (AAL) Madison, Mississippi 39110

PHYSICAL OR CHEMICAL HAZARD

Combustible. Do not use near open flame or heat or other source of fire.

In case of FIRE, use water spray. In case of spill, use water spray. In case of spill, use water spray.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. STORAGE AND HANDLING: 1. Handle container carefully to avoid damage and prevent leakage. 2. Do not use or store in or around the home. 3. Store container in a well-ventilated place. 4. Empty container retains vapor and product residue. Observe all label safeguards until container is cleaned, reconditioned or destroyed. 5. Keep out of reach of children and other animals.

DISPOSAL: Wastes of this pesticide are acutely hazardous. Improper disposal of excess pesticide, spray mixtures of residue is a violation of Federal law. If these wastes cannot be disposed of according to label use instructions, contact your state pesticide or Environmental Control Agency or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance. Triple rinse empty container with 15% caustic soda solution. Flush with water. Then offer for recycling or reconditioning or puncture to prevent other use and dispose of in an approved landfill, or by other procedures approved by state and local authorities.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in any manner inconsistent with its labeling.

MIXING DIRECTIONS

MFC RED PANTHER Methyl Parathion with water by agitation or by circulating the mixture through the spray pump and back into the tank. A proper mixture will have the appearance of a milky emulsion which will coat on the surface. Agitate for 10 to 15 minutes until emulsion is formed.

DIRECTIONS FOR USE

COTTON: For control of thrips, apply 1/2 to 1 pint of RED PANTHER MP 4 lb per acre. Make first application when infestation warrants and repeat at 4-5 day intervals as needed.

For control of bollworm, cotton leafworm, garden webworm and some species of spider mites, apply 1/2 pint RED PANTHER MP 4 lb per acre. Make first application when infestation warrants and repeat at 4-5 day intervals as needed.

For control of bollworm, tobacco budworm and cotton leaf perforator, apply 2 pints RED PANTHER MP 4 lb per acre. Repeat at 4-5 day intervals as needed.

If ground equipment is used, apply recommended amount of RED PANTHER MP 4 lb in 3-4 gallons of water per acre. For airplane application apply recommended amount of RED PANTHER MP 4 lb in 1-2 gallons of water per acre.

Do not spray cotton within 7 days of hand picking. Workers entering treated fields within 48 hours after application should wear clean, tightly woven protective clothing.

Do not feed forage or gun trash to livestock or other beneficial animals. SMALL GRAINS: Wheat, oats, rice and barley. For control of green bug, apply 1/2 pint of RED PANTHER MP 4 lb per acre. Do not apply within 15 days of harvest.

SOYBEANS: For control of bollworm, apply 2 pints RED PANTHER MP 4 lb per acre. Do not apply within 20 days of harvest or feeding.

NOTICE: MFC Services (AAL) warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions under normal conditions of use. But neither it, its manufacturer, nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions or under abnormal conditions or under conditions not reasonably foreseeable to MFC Services and buyer assumes the risk of any such use. MFC Services shall not be responsible for incidental or consequential damage of any kind resulting from a breach of warranty.

RECORDED JAN 14 1985

METHYL PAR

BEST AVAILABLE COPY

COMPANY NUMBER 25030.

PRODUCT SERIAL NO. 7

LABEL APPROVAL DATE 3-22-84