## BEST DOCUMENT AVAILABLE

 $\omega$ 

8

ALGAECIDE IS EFFICIENT, ECOMOMICAL AND STABLE IN DILUTION,
ALGAECIDE IS COMPATIBLE WITH ALL CHEMICALS USED IN POOL
MATER AND MILL NOT DAMAGE TILE, CONCRETE, METAL OR PLASTICS,
ALGAECIDE INPROVES FILTER OPERATION AND CUTS DOWN MEED FOR
OTHER CHEMICALS.

ALGAECIDE IMPROVES FILTER OPERATION AND CUTS DOWN MEED FOR
OTHER CHEMICALS.

ALGAECIDE IMPROVES FILTER OPERATION AND CUTS DOWN MEED FOR
OTHER CHEMICALS.

CAUTION: DO NOT REUSE EMPTY CONTAINER, DESTROY WHEN EMPTY.
THIS PRODUCT IS TOXIC TO FISH, TREATED FETUENT SHOULD NOT
BE DISCHARGED WHERE IT WILL DRAIN HITO LAKES, STREAMS, PONDS,
OR PUBLIC WATER.

AVOID CONTAMINATION OF FOOD
ACCEPTE

MATERIAL DRAIN HITO LAKES, STREAMS, PONDS,
ON A STREAM OF A S

## LISPAR

# ALGAECIDE 40%

ACTIVE INGREDIENT
Alkyl (50% C)4,40%C)2,10%C)6/dimethyl
benzyl ommonium chloride 40%
MERT INGREDIENTS 60%

## DANGER

## KEEP OUT OF REACH OF CHILDREN

CAUSES EYE DAMAGE AND SKIN IRRITATION, DO NOT GET IN EYES OR ON SKIN, IN CASE OF EYE CONTACT, FLUSH COPIOUSLY WITH WATER AND SEEK MEDICAL ATTENTION IMMEDIATELY, IN CASE OF SKIN CONTACT, FLUSH COPIOUSLY WITH PLENTY OF WATER IMMEDIATELY, HARMFUL IF SWALLOWED, CORROSIVE, DO NOT GET ON CLOTHING, REMOVE AND WASH CONTAMINATED CLOTHING BEFORE REUSE. WEAR GOGGLES OR FACE SHIELD AND RUBBER GLOVES WHEN HANDLING.

## DIRECTIONS

<del>mandalla mandalla ma</del>

<u>Initial Application:</u> To a cleaned pool add one quart to 50,000 gallons of water, or ratio thereof.

Maintenance Dose: Use 1/2 pint per 50,000 gallons of water every 5 to 7 days. When weather is hot or bathing load is heavy use this dosage every 5 days, or as necessary. Booster Dose: Immediately after every rain add 1/2 pint per 50,000 gallons of water as above. (IMPORTANT: FOLLOW DIRECTIONS WITHOUT FAIL, EVEN WHEN POOL IS NOT USED. ALGAE GROWTH MUST BE FOUGHT AT ALL TIMES.)

## \*FIRST AID\*

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Call physician immediately.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

Measures against circulatory shock, respiratory depression and convulsions may be needed.

HOUSE THE CONTRACT SERVICE AS A HALL OF BUILDING DESIGNATION.

ALGALITH I COMPASSED WITE AS CONCRETE, METAL OR PLASTICS

ALGALCIE REERS IN IL MATER FREE AND CLEAR OF VISCHUE ALGAR, SLIME AND GREEN BROWN COLORS.

ALGAE(LDE IMPROVES FILTER OPERATION AND OUTS DOWN NEED FOR OTHER CHEMICALS.

ALCAECTIX IMPARTS FORE AND A PLEASANT FEE. TO SWIMMING FOOL WATER,

AUTION: DO NOT PEUSE EMPTE CONTAINER. DESTRUY WHEN EMPTY. THIS PRODUCT IS TO TO FI H. TREATED EFFLUENT SHOULD NOT BE DISCHARGED WHERE IT WILL ERAIN INTO LAKES, STREAMS, PONDS, LIK FUBLIC WATER.

ACCEPT BY DE CONTAMINATION OF FIFE

ALGAE

AL

<u>, a kiki kiri nga kisikikikiki kibilata kibikiki kibi</u>

DANGER
KEEP OUT OF

ATTHUS OF TAMADE AG.
IN EYES OF ON SKIN, IN
TUPIOUSLY WITH WATER A
TOMEDIATELY, IN CASE
PIDUOLY WITH FIENTY
E CHALLOWED, CORROSIN
MEMOVE AND WASH CONTAM
WEAR GOSGLET OF FACE S
HANDEIS OF

これで含まりますがらいとかり こうかいか

; <u>†</u> -

---