

ACCEPTED
with COMMENTS
In EPA Letter Date:

ALGAECIDE W

MAR 16 1986

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

25889-4

ACTIVE INGREDIENT:

Poly(oxyethylene (dimethyliminio) ethylene-
(dimethyliminio) ethylene dichloride) 10.0 %

INERT INGREDIENT 90.0 %

This product contains 0.85 lb. of active ingredient per gallon and weighs
8.49 lb. per gallon.

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing.

FIRST AID: If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, etc. if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, or ponds. Permits may be required for discharges containing this pesticide into lakes, streams, ponds, or public water. For guidance, contact the regional office of the Environmental Protection Agency.

DIRECTIONS

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Algaecide W

and fungi in recirculating commercial and to its use, systems must be cleaned to remove slime, and other deposits. An initial slug of fluid ounces of Algaecide W

of water to provide a concentration of 4

Algaecide W

in the system, is recommended. Repeat in Subsequent slug additions of 1.53

Algaecide W per

120 parts per million of Algae employed every 2 to 5 days, or as needed upon the relative amount of bleedoff and the problem. Slug additions should be made in the

Algaecide W is

air-washing systems that maintain effective to its use, systems should be cleaned to remove deposits. An initial slug dose of 24.7

Algaecide W

recommended. Repeat initial dosage until concentrations of 16.9 to 41.2 fluid ounces per 1000 gallons of water should be employed. Frequency of addition depends upon the severity of the bacterial problem. Slug additions may be made in collection trays of the airwash system.

STORAGE AND

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Do not stack more than four drums high. Leaky drums for disposal. Spills should be absorbed in sawdust or other material and the container closed when not in use.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product should be disposed of by a registered waste disposal facility.

CONTAINER DISPOSAL:

• **PLASTIC** Triple rinse (or equivalent). Then offer for recycling, if available, or by other procedures approved by state or local authorities.

• **METAL** Triple rinse (or equivalent). Then offer for recycling, if available, or by other procedures approved by state or local authorities.

Manufactured by

Ace Chemical Products

4237 2nd Street, N.E.

Minneapolis, MN

EPA REG. NO. _____

NET CONTENTS _____