ALGAECIDE N

ACCEPTED

MAR 1 4 1986

Under the Federal Insent tide, Fungitide, and Rodoutide Act, as amended, for the pendide registered under EPA Reg. No. 258895

ACTIVE INGREDIENTS:	
Disodium cyanodithioimidocarbonate 4.9	<u>0</u> %
Potassium N-methyldithiocarbamate	<u>6</u> %
INERT INGREDIENTS	<u>4</u> %
TOTAL <u>100.0</u>	<u>0</u> %
This product contains <u>1.03</u> lb. of active ingredients per gallon and we <u>8.88</u> lb. per gallon.	eighs

KEEP OUT OF REACH OF CHILDREN

WARNING

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

STATEMENT OF PRACTICAL TREATMENT: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce comiting by foliching back of throat with linger. Do not induce comiting or give anything by nooth to an unconstitute poson.

ENVIRONMENTAL "HAZAROS: This posticide is toxic to fish. Do not discharge effluent containing this active ingredient into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product toware systems without profices by notifying the sewage treatment plant authority. For guidance contact your state Weier Board on Regional Office of the EPA.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

sistent with its labeling.
is used to control algae and bacteria in recirculating commercial and industrial water cooling towers. Prior to its use, systems must be cleaned to remove algal growth, microbiological slime, and other deposits. An initial slug addition of 5.1 to 10.2 fluid ounces of Algaecide N per 1000 gallons of water is recommended. Repeat initial dosage until control is evident. Subsequent slug additions of 1.7 to 10.2 fluid ounces of Algaecide N per 1000 gallons of water should be employed every 1 to 5 days, or as needed. The frequency of addition depends upon relative amount of bleedoff and the severity of the microbiological problem.
STORAGE AND DISPOSAL
Do not contaminate water, food, or feed by storage or disposal. STORAGE: Do not expose to extreme temperatures. Do not stack more than five drums high. Drums should be opened in well-ventilated areas. Leaking or damaged drums should be placed in overpack drums for disposal. Spills should be absorbed in sawdust or sand and disposed of in a sanitary landfill. Keep container closed when not in use. PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at your EPA Regional Office for guidance. CONTAINER DISPOSAL: METAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Delatic: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.
Manufactured by: Ace Chemical Products, Inc. 4237 2nd Street, N.E. Ninneapolis, NN 55421 EPA REG. NO. EPA EST. NO.
•
NET CONTENTS