

BEST DOCUMENT AVAILABLE

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

DANGER: Corrosive, may cause severe skin irritation, chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams or ponds. Treated effluent may not be discharged into lakes, streams, ponds or public waters without a valid discharge permit. For guidance, contact the local office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS:

STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with gross fertilizers, urea, etc., or with ammonia, acids, detergents or other chemicals may release hazardous gases irritating to eyes, nose and mucous membranes.

EPA REG NO _____ EPA EST NO _____
NET CONTENTS _____

Handwritten: 100% STABILIZED

"FOR SWIMMING POOL CHLORINATION AND SANITIZING."

ACTIVE INGREDIENT
SODIUM HYPOCHLORITE 12.5%
INERT INGREDIENTS 87.5%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk, or gelatin solution or, if these are not available, drink large quantities of water. Do NOT give vinegar or other acids. Do NOT induce vomiting. Get prompt medical attention.

See additional precautions on side panel.

DIRECTIONS FOR GENERAL CLASS

IT IS A VIOLATION OF FEDERAL LAW IN A MANNER INCONSISTENT WITH THE FEDERAL INSECTICIDE ACT TO USE THIS PESTICIDE IN A MANNER INCONSISTENT WITH THE DIRECTIONS FOR SWIMMING POOL CHLORINATION AND SANITIZING.

For a new pool or for spring start up, superchlorinate with sodium hypochlorite solution for each 3000 gallon pool 5 ppm available chlorine by weight.
For Pool Maintenance:
(A) Adjust pool water pH to 7.6-7.8 range and maintain.
(B) Adjust manually or by a feeder device this product to maintain an available chlorine residual of at least 0.2 ppm in this sodium hypochlorite solution for each 4000 gallon pool. Frequency of available chlorine will depend on temperature to make certain pH and chlorine residual are maintained.

DIRECTIONS FOR DISINFECTING AT WATER TREATMENT PLANTS

Dilute this sodium hypochlorite solution in the ratio of 10 to 11 parts soft water. Mix sodium hypochlorite and bring resulting solution with a hypochlorite available chlorine residual of at least 0.2 ppm and distribution system, as determined by a DPD chlorimeter, must be conducted at a frequency no less than that required by the "Primary Drinking Water Regulations." Check with local health department for further information.

DIRECTIONS FOR SANITIZING OR DAIRY EQUIPMENT

Clean equipment in the normal manner. Just before use with this sodium hypochlorite solution containing contact with a solution for a minimum of two treatments with sodium hypochlorite solution. Dry or 12 hours of this sodium hypochlorite solution. NOTE: This product degrades with age. Use a chlorine test kit to determine the required level of available chlorine.

STORAGE AND DISPOSAL

Direct sunlight, increase of soil, flood areas with water. Do not mix with water and either return to trash collection or burying in an approved landfill. Should be diluted with water and disposed of in food, or feed by a bridge, disposer or cleaning of

BEST DOCUMENT AVAILABLE

26153-

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (WH-567) WASHINGTON, D.C. 20460	EPA REGISTRATION NO.	DATE OF ISSUANCE
	TERM OF ISSUANCE	NOV 2 1982
	NAME OF PESTICIDE PRODUCT	
NOTICE OF PESTICIDE: <input type="checkbox"/> REGISTRATION <input checked="" type="checkbox"/> REREГИSTRATION <i>(Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended)</i>		
NAME AND ADDRESS OF REGISTRANT (include ZIP code)		
<p>NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.</p> <p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p> <p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p> <p>Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p>		
<input type="checkbox"/> ATTACHMENT IS APPLICABLE		
SIGNATURE OF APPROVING OFFICIAL		DATE
		NOV 2 1982



BEST DOCUMENT AVAILABLE

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

ANGER: Corrosive, may cause severe skin irritation, chemical burns to broken skin. Causes eye damage. Do not get eyes, on skin or on clothing. Wear goggles or face shield and other gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as feasible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams or ponds. Treated effluent may be discharged into lakes, streams, ponds or public waters only if a valid discharge permit. For guidance, contact the local office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS:
STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with gross lumps of feces, urine, etc., or with ammonia, acids, detergents or other chemicals may release hazardous gases irritating to eyes, nose and mucous membranes.

Handwritten notes:
1. 10/11/72
2. 10/11/72
3. 10/11/72

PA REG. NO. _____ EPA EST. NO. _____
NET CONTENTS _____

AGRI-SEARCH 14 CILOR

**"FOR SWIMMING POOL CHLORINATION
AND SANITIZING."**

ACTIVE INGREDIENT:
SODIUM HYPOCHLORITE..... 12.5%

INERT INGREDIENTS..... 87.5%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention if swallowed, drink large quantities of milk, or gelatin solution or, if those not available, drink large quantities of water. Do NOT give vinegar or other acids. Do NOT induce vomiting. Get prompt medical attention.

See additional precautions on side panel.

**DIRECTIONS FOR USE
GENERAL CLASSIFICATION**

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

DIRECTIONS FOR SWIMMING POOL CHLORINATION
For a new pool or for spring start up, superchlorinate with one (1) pound sodium hypochlorite solution for each 3000 gallons of water. This dosage is 5 ppm available chlorine by weight.
For Pool Maintenance:
(a) Adjust pool water pH to 7.6-7.8 range and maintain.
(b) Add manually or by a feeder device this sodium hypochlorite solution at an available chlorine dosage of 0.6 to 0.8 ppm. One fourth this sodium hypochlorite solution for each 4000 gallons of water will available chlorine by weight. Frequency of additions to maintain available chlorine will depend on temperature and number of swimmers. To check available chlorine and chlorine residual see the proper test kit.

DIRECTIONS FOR DISINFECTION OF POTABLE WATER AT WATER TREATMENT FACILITIES
Dilute this sodium hypochlorite solution in the ratio of one part sodium hypochlorite to 11 parts soft-rod water. Mix sodium hypochlorite solution and original feeding solution with a hypochlorinator in the existing plant or available chlorine residual of at least 0.7 ppm and at least 0.2 ppm distribution system, as determined by a 0.05 chlorine test kit. Disinfection must be conducted at a frequency no less than that prescribed by the Primary Drinking Water Regulations. Check water frequently with a test kit.
*Contact your local health Department for further details.

DIRECTIONS FOR SANITIZING FOOD PROCESSING OR DAIRY EQUIPMENT
Clean equipment in the normal manner. Just before using, spray all parts with this sodium hypochlorite solution containing 200 ppm available chlorine and contact with disinfectant for a minimum of two minutes. Do not use treatment with sodium hypochlorite solution. Do not use overnight. Add one (1) ounce of this sodium hypochlorite solution per 5 gallons of water. Approximately 200 ppm available chlorine by weight.
NOTE: This product generates heat when mixed. Always use the least amount necessary to obtain the required level of available chlorine.

STORAGE AND DISPOSAL: Store in a cool, dry place, away from direct sunlight. In case of spill, flood area with large quantities of water. Flush thoroughly with water and allow to return to normal temperature of water. Wash all clothing thoroughly in an approved laundry. Product residues should be diluted with water and disposed of in sanitary manner. Do not pour or leave by stream, disposal or cleaning of equipment.

ACCEPTED
with COMMENTS
in EPA Letter Dated:

NOV 2 1972

Handwritten:
240153-1

BEST DOCUMENT AVAILABLE

