




ANOTHER QUALITY PRODUCT FROM

RED CIRCLE RAT and MOUSE PELLETED BAIT

RED CIRCLE PELLETED RAT and MOUSE BAIT DIRECTIONS



MANUFACTURED BY

B.S.P. MARKETING, INC.

P.O. Box 42075 Houston, Tx. 77042

EPA EST NO 12455-WI-1

ACCEPTED

MAR 6 1981
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 26675-9

PRECAUTIONARY STATEMENTS: HAZARD TO HUMANS & DOMESTIC ANIMALS:

CAUTION: Keep away from humans, domestic animals and pets. If swallowed by humans, domestic animals or pets, this material may reduce the clotting ability of the blood and cause bleeding. In such case, intravenous and/or oral administration of Vitamin K, combined with blood transfusions and indicated, as in the case of hemorrhage caused by over doses of bromadiolone.

ENVIRONMENTAL HAZARD:
Keep Out of Lakes, Streams or Ponds

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS- For control of Norway rats, Roof rats and House mice in homes, industrial and agricultural buildings and similar man-made structures. For indoor use only. Treated baits must be placed in tamper-proof bait boxes or in locations not accessible to children, pets, domestic animals or wildlife. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in contact with food.

SELECTION OF TREATMENT AREAS- After removing as much food, water and harborage as possible, determine areas where rats or mice will most likely find and consume the bait. Generally these areas are along walls by gnawed openings in or beside burrows, in corners and concealed places, between floors and walls or in location where rodents or their signs have been observed.

RED CIRCLE



FOUR
4 OZ.
BAGS
ONE LB.

RAT-MOUSE PELLETED BAIT

ACTIVE INGREDIENTS:
Warfarin, (3-(Alpha-Acetylonyl Benzyl)-4-Hydroxy)

INERT INGREDIENTS

TOTAL



* TOX MID - Wisconsin Alumni Research Foundation
TOX MID - Trademark of Wisconsin Alumni Research Foundation

CAUTION KEEP OUT OF REACH OF CHILDREN
See additional cautions on label

ACCEPTED

MAR 6 1961

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 26695-9



**PRECAUTIONARY STATEMENTS:
HAZARD TO HUMANS & DOMESTIC ANIMALS:**

CAUTION: Keep away from humans, domestic animals and pets. If swallowed by humans, domestic animals or pets, this material may reduce the clotting ability of the blood and cause bleeding. In such case, intravenous and/or oral administration of Vitamin K₁ combined with blood transfusions and indicated, as in the case of hemorrhage caused by over doses of coumatetralyl, is advised.

ENVIRONMENTAL HAZARD:
Keep Out of Lakes, Streams or Ponds

**DIRECTIONS FOR USE
GENERAL CLASSIFICATION**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS- For control of Norway rats, Roof rats and House mice in homes, industrial and agricultural buildings and similar man-made structures. For indoor use only. Treated baits must be placed in tamper-proof bait boxes or in locations not accessible to children, pets, domestic animals, or wildlife. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in contact with food.

SELECTION OF TREATMENT AREAS- After removing as much food, water and harborage as possible, determine areas where rats or mice will most likely find and consume the bait. Generally these areas are along walls by gnawed openings in or beside burrows in corners and concealed places between floors and walls or in location where rodents or their signs have been observed.

RED CIRCLE



FOUR
4 OZ.
BAGS
ONE LB.

**RAT-MOUSE
PELLETED BAIT**

Ready
To Use!

ACTIVE INGREDIENTS:
Warfarin, (3-(Alpha-Acetyl)-Benzyl)-4-Hydroxycoumarin . . . 0.025%
INERT INGREDIENTS: . . . 99.975%
TOTAL . . . 100.000%

* TOX-HID - Wisconsin Alumni Research Foundation - Patent Pending
TOX-HID - Trademark of Wisconsin Alumni Research Foundation

CAUTION KEEP OUT OF REACH OF CHILDREN
See additional cautions on side panel

A TOX-HID COATED WARFARIN PELLETED BAIT
Kills Norway Rats, Roof Rats and House Mice.
FOR INDOOR USE ONLY

Each particle of the Warfarin in this product has been specially coated with a material that reduces detection of the Warfarin by the rodents at the time the bait is consumed. The coating may help assure greater acceptance of the bait in cases where rodent awareness of uncoated Warfarin is responsible for low bait acceptance.

APPLICATION DIRECTIONS

RATS- Apply 4 to 16 ounces of bait per placement. Maintain an uninterrupted supply of fresh bait for at least 10 days.

MICE- Apply 1 to 2 ounce (1-2 level tablespoons) of bait at 8 to 12 foot intervals. Maintain an uninterrupted supply of fresh bait for at least 15 days.

RATS & MICE- Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and unconsumed bait properly. Repeat treatment when infestation recurs. Where continuous source of infestation is present, establish permanent bait stations and replenish bait as needed.

DISPOSAL

Do not reuse empty container. Wrap container and put in trash collection.
EPA REG. NO. 26695-9



30