ALGAECIDE No. 15

Use Directions

BONCO ALGAECIDE-SLIMICIDE No. 15 is used to control algae, bacteria, and fungi in recirculating commercial and industrial water cooling towers. Prior to its use, systems must be cleaned to remove algal growth, microbiological slime and other deposits. An initial slug addition of 4.0 to 10.0 fluid ounces of BONCO ALGAECIDE-SLIMICIDE No. 15 per 1000 gallons of water to provide a concentration of 32 to 80 parts per million of BONCO ALGAE-CIDE-SLIMICIDE No. 15 based on the total weight of water in the system is recommended. Repeat initial dosage until control is evident. Subsequent slug additions of 1.0 to 10.0 fluid ounces of BONCO ALGAE-CIDE-SLIMICIDE No. 15 per 1000 gallons of water (8 to 80 parts per million of BONCO ALGAECIDE-SLIMICIDE No. 15) should be employed every 2 to 5 days or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. PTED

Slug additions should be made in the sump

of water cooling towers.

BONCO

ALGAECIDE-S!IMICIDE NIO. 15

ACTIVE INGREDIENT	
Poly[oxyethylene(dimeth dimethyliminio)ethylene	
INERT INGREDIENT	85.0%
Weight per gallon	8.58 pounds
Weight of active ingredier	nt
per gallon	1.29 pound

CAUTION:KEEP OUT OF THE REACH OF CHILDREN

See Right Panel for Additional Caution Statements.



Manufactured by BONCO MANUFACTURING CORPORATION

CONTENTS:

GALLONS

ALGAECIDE No. '

CAUTION: Harmful if swallowed. A contact with skin and eyes. In calcontact flush with plenty of water 1 least 15 minutes. If eye irritation per get medical attention. Avoid contamination of food.

This product is toxic to fish. To effluent should not be discharged who will drain into lakes, streams, poncoublic water. Do not contaminate by cleaning of equipment or disposaste. Use only as directed on label not reuse container. Destroy when er

Manufactured by
BONCO MANUFACTURING CORPORA
P. O. Box 521
Jefferson, Georgia 30549

EPA REGISTRATION No. 26884

BONCO

ALGAECIDE-SLIMICIDE NO.15


Poly[oxyethylene(dimethyliminio)ethylene

(dimethyliminio)ethylene dichloride] 15.0% INERT INGREDIENT........ 85.0%

Weight per gallon 8.58 pounds Weight of active ingredient per gallon. 1.29 pound

CAUTION: KEEP OUT OF THE REACH OF CHILDREN

See Right Panel for Additional Caution Statements.



Manufactured by **BONCO MANUFACTURING CORPORATION**

GALLONS

September 13, 1913 CONTENTS: THROUGH ANT B DENTY DE ACT A RECORD OF BUILDING BEACH IF ALBEY

ould be made in the sump PTED

CIDE No. 15

CIDE-SLIMICIDE No. 15

I algae, bacteria, and fungi

commercial and industrial

wers. Prior to its use,

cleaned to remove algal

ological slime and other

tial slug addition of 4.0 to

of BONCO ALGAECIDE-

15 per 1000 gallons of

a concentration of 32 to

lion of BONCO ALGAE-

No. 15 based on the total

in the system is recom-

initial dosage until control

sequent slug additions of

ounces of BONCO ALGAE-

No. 15 per 1000 gallons

80 parts per million of

CIDE-SLIMICIDE No. 15)

ed every 2 to 5 days or as

uency of addition depends

amount of bleedoff and

towers.

Directions

ALGAECIDE No. 15

CAUTION: Harmful if swallowed. Avoid contact with skin and eyes. In case of contact flush with plenty of water for at least 15 minutes. If eye irritation persists get medical attention. Avoid contamination of food.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. Do not contaminate water by cleaning of equipment or disposal of waste. Use only as directed on label. Do not reuse container. Destroy when empty.

Manufactured by BONCO MANUFACTURING CORPORATION P. O. Box 521 Jefferson, Georgia 30549

EPA REGISTRATION No. 26884-1