

USE DIRECTIONS

Badly fouled systems should first be cleaned and then treated as follows:

INITIAL DOSE

In a clean system, with no algae or bacterial slime growth visible, add three gallons of BONCO ALGAECIDE-SLIMICIDE NO. 10 per 10,000 gallons of cooling water at a point in the system where maximum distribution can occur.

If algae and slime growth are visible, add six gallons of BONCO ALGAECIDE-SLIMICIDE NO. 10 per 10,000 gallons of cooling water. Repeat until control is achieved.

SUBSEQUENT TREATMENT

Towers With Continuous Feed Equipment

After the initial dose, maintain a concentration of 10 ppm active ingredient by continuously feeding BONCO ALGAECIDE-SLIMICIDE NO. 10 at a rate of one gallon per 10,000 gallons "bleed-off." If algae or slime growth becomes visible, add three gallons of BONCO ALGAECIDE-SLIMICIDE NO. 10 per 10,000 gallons of cooling water as a "slug dose." This "slug dose" should be followed with the regular maintenance concentration of 10 ppm active ingredient.

Towers Without Continuous Feed Equipment

After the initial dose, add one to three gallons of BONCO ALGAECIDE-SLIMICIDE NO. 10 per 10,000 gallons of cooling water once per week or more often if needed to prevent algae or slime growth. If growth becomes visible, a "slug dose" of three to six gallons of BONCO ALGAECIDE-SLIMICIDE NO. 10 per 10,000 gallons cooling water should be added. This Algaecide-Slimicide No. 10 "slug dose" should then be followed by the regular maintenance dose.

BONCO ALGAECIDE-SLIMICIDE NO. 10


ACTIVE INGREDIENT 10%
n-Alkyl(50% C₁₄, 40% C₁₂, 10% C₁₆) dimethyl
benzyl ammonium chloride
INERT INGREDIENTS 90%

DANGER

KEEP OUT OF REACH OF CHILDREN

CORROSIVE. Causes severe eye and skin damage. Do not get in eyes, on skin or clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food. See right panel for additional precautions.

ACCEPTED
1/9/74
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND ROSENICIDE ACT
FOR ECONOMIC POISON REGISTER
UNDER NO. 26884-2 SUBJECT
TO ATTACHED COMMENTS.



Manufactured by
BONCO MANUFACTURING CORPORATION
P. O. Box 521
Jefferson, Georgia 30549

CONTENTS: _____ GALLONS

BONCO ALGAECIDE-SLIMICIDE NO. 10 controls algae and bacterial slime on the wetted surfaces and in the recirculating water in cooling towers. The growth of algae and bacterial slimes can reduce the efficiency of the entire cooling system. This situation can be avoided by the proper use of BONCO ALGAECIDE-SLIMICIDE NO. 10.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before re-use.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock as well as oxygen and measures to support breathing manually or mechanically may be needed. If persistent, convulsions may be controlled by the cautious intravenous injection of a short-acting barbiturate drug.

NOTE:

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. Do not contaminate water by cleaning of equipment or disposal of waste. Use only as directed on label. Do not reuse container. Destroy when empty.

EPA REGISTRATION NO. 26884-2