

DIRECTIONS FOR USE

Apply BONCO INDUSTRIAL ALGAECIDE when the system is in jeopardy of becoming affected or after cleaning system whose efficiency is already impaired.

Initial Dose: 1-2 gallons BONCO INDUSTRIAL ALGAECIDE to each 5,000 gallons of water contained in the system (20-40 ppm active quaternaries). Repeat until control is evident.

Periodic Dose: When system is in control, add 1-3 quarts BONCO INDUSTRIAL ALGAECIDE to each 5,000 gallons of water (5-15 ppm active quaternaries) contained in the system every 7 days or sooner should visible growth appear.


For best results, clean heavily contaminated systems before treatment with this product. If soap or anionic detergent is used, rinse thoroughly before charging with BONCO INDUSTRIAL ALGAECIDE. Apply this product at a point in the system where uniform mixing will take place.

Do not be alarmed with the sudden appearance of organic debris in the system during the first week of operation. This is normal and is a good indication that BONCO INDUSTRIAL ALGAECIDE has effectively penetrated and dislodged dead organic material which tenaciously adheres to metal and wooden surfaces as living matter. This debris should be removed from the system to avoid clogging of screens and pipes.

Fish and/or Wildlife Precautions

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public waters. Apply this product only as specified on this label.

Rinse empty container thoroughly with water and discard.



BONCO INDUSTRIAL ALGAECIDE

Concentrated Algaecide for industrial re-circulating water cooling towers.


ACTIVE INGREDIENTS:

n-Alkyl (60% C₁₄, 30% C₁₆, 5% C₁₂, 5% C₁₈)
dimethyl benzyl ammonium chlorides 5%

n-Alkyl (68% C₁₂, 32% C₁₄) dimethyl
ethylbenzyl ammonium chlorides 5%

INERT INGREDIENTS: 90%
100%

DANGER
KEEP OUT OF REACH OF CHILDREN
See Other Precautionary Statements on Right Side Panel.



Manufactured by
BONCO MANUFACTURING CORPORATION
P. O. Box 521
Jefferson, Georgia 30549

CONTENTS: GALLONS

When BONCO INDUSTRIAL ALGAECIDE is used as directed, it will aid in controlling and/or preventing the development of unsanitary algal-slime conditions which are unsightly, produce foul odors and which are often the cause of equipment breakdown.

BONCO INDUSTRIAL ALGAECIDE is compatible with virtually all corrosion inhibition additives, but should not be used in the presence of soap or other anionic detergents. BONCO INDUSTRIAL ALGAECIDE at use dilution is non-corrosive to inanimate hard surfaces.

DANGER:

Keep Out of Reach of Children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

EPA REGISTRATION No. 26884-4