HAZARD TO HUMANS L DOMESTIC ANIMALS

CAUTION

May cause initation of eyes, nose, throat and skin. Awaid breathing dust. Avoid contact with skin, eyes or clothing. Wash thoroughly after landling.

ENVIRONMENTAL HAZARD

Do not apply directly themy body of water Do not contaminate wear by cleaning of equipment or disposal of teste

DIRECTIONS FOR UNE

It is a violation of federal laws to the this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE:

To maximize the shelf life of this product, store in dry area where the container is not likely to come in contact with moisture DISPOSAL:

Do not contaminate water, food or feed by storage or disposal

Wastes resulting from this product may be disposed of on site or at an approved waste disposal facility.

(For Plastic Buckets) Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a senitary landfill or incineration, or, if allowed by state and local authorities by burning. If bucked, stay out of amoke

(For Bogs) Completely empty bag into application equipment. Then dispose of beg in a sanitary landfill or by incineration, or, if allowed by state and local authorizes, by burning. If burned, stay out of smoke

WEED BL WEED F

Active Ing
Bromacil (5-bromo-3-sec-butyl-6-m
Diuron [3-(3,4-dichlorophenyl)-1, 1
Inert Ingredients
Total

KEEP OUT OF REAC

CAU

STATEMENT OF PRACE

If in eyes: Flush with plenty of untation persists.

on skin: Wash with plenty c

ge side panel for additiona

NET CONTENT

ANUFACT

MOBILTY CHE

3800 Ston Road

EPAREC "RATION NO. 6932-1

ACCEPTED

JUNE 1 CA

Uniter use Federal Insecticide frameride 874 Rodenticide Act, as amended, for the pesticide regime of under 274 Rog. No. 26932 -/

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS

& DOMESTIC ANIMALS

CAUTION

May cause irritation of eyes, nose, throat and skin. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling.

ENVIRONMENTAL HAZARD

Do not apply directly to any body of water. Do not contaminate water by cleaning of equipment or disposal of waste

DIRECTIONS FOR USE

It is a violation of federal laws to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE:

To maximize the shell life of this product, store in dry area where the container is not likely to come in contact with moisture DISPOSAL:

Do not contaminate water, food or feed by storage or disposal.

Wastes resulting from this product may be disposed of on site or at an approved waste disposal facility.

(For Plastic Buckets) Triple rinse for equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary lamiful or incineration, or, if allowed by state and local authorities by burning. If bucked, stay out of smoke

(For Bags) Completely empty bag into application equipment. Then dispose of beg in a sanitary land? For hydroning random and local authorizes, by burning. If burned, stay out of smoke

WEED BLAST 4-G WEED KILLER

Active Ingredients

	7n
Bromacil (5-bromo-3-sec-butyl-6-methyluracil)	%
Inert Ingredients 969	χ,
Total 100°	Ж

BEST AYAILABLE COPY

KEEP OUT OF REACH OF CHILDREN

CAUTION!

STATEMENT OF PRACTICAL TREATMENT

If in eyes: Flush with plenty of water. Get medical attention if irri-

tation persists.

If on skin: Wash with plenty of soap and water. Get medical

attention if irritation persists.

See side panel for additional precautionary statements.

NET CONTENTS: 50 POUNDS

MANUFACTURED FOR MOBLEY CHEMICALS, INC.

3800 Stone Road • Kilgore, Texas 75662

EPA REC RATION NO. 26932-1 EPA ESTABLISI ENT NO. 39578-TX-1

NON-CROP WEED CONTROL INDUSTRIAL USE ONLY

Weed clast 4-G is a non-selective herbicide for controlling a wide range of annual and perennial weeds and grasses. It is recommended only for noncropland areas such as railroad, utility and highway rights of ways and industrial areas 200 to 400-pound applications of Weed Blast 4-G per acre usually result in a nonproductive condition of the soil for a period of a year or more. The duration of non-productivity is dependent upon rainfall, soil type and other conditions.

Weed Blast 4-G should be applied as furnished with a seed spreader, a fertilizer spreader, or with any equipment which will distribute the chemical uniformly over the area to be treated. For the control of annual and most perennial weeds and grasses. apply Weed Blast 4-G at the rate of 200 to 400 pounds per acre; on small plots 1/4 to 1 pound per 100 square fee! Repeat spot treatment may be required when deeprooted perennial weeds are present. To obtain the best results. Weed Blast 4-G should be applied to the ground where it will be absorbed by the roots. Applications made early in the season have been found to give results superior to applications at a later seasonal date. Weed Blast 4-G may. however, be applied at any time of the year except when the ground is frozen. Maximum effectiveness in arid regions is obtained when application is made just prior to the rainy season. Users should consult state agricultural experimental stations or extension service weed specialists for recommendations as to use in their particular area or write to this manufacturer.

IMPORTANT: Do not apply on or near valuable woody or herbaceous plants or on areas where their roots may extend because of possible injury to such plants. Thoroughly clean spreading equipment with a suitable chemical cleaner before using for other purposes (or do not use same spreading equipment for other purposes). Dispose of rinsate according to "Pesticide Disposal" instructions found under "Storage and Disposal" heading. Do no concroplands or any land to be used for subsequent cropping. Keep animals off treated areas.