POOL PRIDE ALGICIDE

ACTIVE INGREDIENT

Poly (oxyethylene (dimethyliminio) othylene (dimethyliminic) athylene dichloride)

30.0%

INERT INGREDIENT 9

0

70.0%

This product contains 2.67 lb, of active ingredient per gathen and weighs 8.90 lb. per gallon.

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing.

FIRST AID: If swallowed, drink promptly a large quantity of milk. egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician im mediately.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, or ponds. Permits may be required for discharges containing this pesticide into lakes, streams, ponds or public water. For guidance, contact the regional office of the Environmental Protection Agency

DIRECTIONS FOR USE GENERAL CLASSIFICATION

this a violation of Federal law to use this product in a manner inconsistent a tri en tabating

FOOL PRIDE At GICIDE is used to control the growth of algae in swimmany prior. For maximum effectiveness, pools containing heavy growth of ergae should be cleaned prior to using POOL PRIDE ALGICIDE.

For poors having just visible algae growth add an initial dose of 23.5 to 36 A fluid pances of POOL PRIDE ALGICIDE per 10,000 gallons of water and remove settind algae debris by cleaning.

For treatment of a freshly cleaned and filled pool, add initially 12.8 to 23.5 Hum Junites of POOL PRIDE ALGICIDE per 10,000 gallons of water. To maintain pools free of visible algae growth, subsequent additions

et 4.3 to 8.6 fluid ounces of POOL PRIDE ALGICIDE per 10,000 gallons of water should be made every 5 to 7 days after the initial treatment.

POOL PRIDE ALGICIDE is compatible with those chemicals normally uses, to treat pools and effective at both acid and alkaline pH. POOL PRIDE AUGICIDE can be used in pools treated with chlorine chemicals and may reduce the amount of those chemicals normally required. However, do not mix POOL PRIDE ALGICIDE with concentrated dry or liquid entorine products.

STORAGE & DISPOSAL: Keep container closed when not in use, Do not contaminate water, food, or feed by storage, disposal, or cleaning of equipment. Do not reuse empty container, Triple rinse (or equivalent) and dispose of container in an incinerator or in an approved landfill, or bury in a safe place. Rinsate that cannot be used or reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Open dumping is prohibited.

Manufactured by CENTRAL POOL SUPPLY, INC. PFORIA, IL 61615

EPA REG NO. 27029-4

Under the Fe total Inscalation, EPA EST. Registrio. at.! Refendede Act. de comence!. let the posicide registered under EPA Reg. No.

ACCEPTED 27029-4 0013 1980

NET CONTENTS ...

BEST BUCHNENT AVAILABLE

POOL PRIDE ALGICIDE

This product contains 2.67 lb of active ingredient per gallor, and weighs 8.90 lb. per gallon.

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing. FIRST AID: If swallowed, drink promotly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol, Call a physician immediately. ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of takes, streams, or ponds. Permits may be required for discharges containing this pesticide into takes, streams, ponds or public water. For guidance, contact the regional office of the Environmental Protection Agency.

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of flederal law to use that product in a primary inconsistent with its labeling.

POOL PRIDE ALGICIDE is used to control the growth of signe in journing pools. For maximum effectiveness, pools containing heavy growth of algae should be Jean Piper to use in POOL PRIDE ALGICIDE.

For pools having just visible algaingment add area, that duby of \$6.4 from ounces of POOL PRIDE ALGICIDE per

10,000 gallons of water and remove settled algae details by againing

For treatment of a freshly cleaned and fill if post add in tady 12 81 (23.5 fluid ounces of POOL PRIDE ALGICIDE per 10,000 gallons of water.

To maintain pools free of visible algae growth. Labfriquest additions of 4 s to 8.6 fluid ounces of POOL PRIDE ALGICIDE per 10,000 gallons of water should be made every 5 to 7 days after the initial treatment

POOL PRIDE ALGICIDE is compatible with those chemicals normally used to treat nools and effective at both acid and alkaline pH, POOL PRIDE ALGICIDE can be used in profits treated with obtonine chemicals and may reduce the amount of those chemicals normally required. However, do not true POOL PRIDE ALGICIDE with concentrated dry or liquid chlorine products.

STORAGE & DISPOSAL: Keep container closed when not in use. Do not contaminate water, food, i'r feed by storage, disposal, or cleaning of equipment. Do not reuse empty container. Triple rinse (or equivalent) and dispose of container in an incinerator or in an approved landfill, or bury in a safe place. Rinsate that cannot be used or reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Open dumping is prohibited.

Manufactured by: CENTRAL POOL SUPPLY, INC **PEORIA, IL 61615**

EPA REG. NO. 27029 4

EPA EST NO 09137 L02

NET CONTENTS

Under the Pederel Insecti-

Furtiside, and Redunders de cas amended, for the pass. St. EPA Rog. No.