

1/1 27581-17. PM-32

MIDLAND 652P

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals.

DANGER

Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

ACTIVE INGREDIENT

Sodium Dichloro-s-triazinetriene Dihydrate	20%
INERT INGREDIENTS.....	80%
TOTAL.....	100%

Provides 11% available chlorine.

KEEP OUT OF REACH OF CHILDREN

DANGER STATEMENT OF PRACTICAL TREATMENT

If swallowed: feed bread soaked in milk followed by olive oil or cooking oil. Call a physician immediately. If on skin, brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention. If in eyes, flush with cold water for at least 15 min. Get medical attention.

**See Side Panel For
Additional Precautionary Statements**

Manufactured by




**MIDLAND
RESEARCH
LABORATORIES, INC.**

10850 Mid America Avenue
Lenexa, Kansas 66219

913-888-0560

A subsidiary of:
Associated Chemicals
And Services, Inc.



E.P.A. Establishment No. 27581-KS-01

E.P.A. Registration No. 27581-17

Net Contents: Solid ...

See Markings on Top of Drum for Net Weight

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Industrial Cooling Tower Water

For badly fouled systems, add 7.5 to 15 lbs of MIDLAND 652P daily for each 10,000 gallons of system water. This provides 10 ppm and 20 ppm available chlorine respectively. Repeat each day until the system is free of visible fungi and algal slime. This condition is usually indicated when a free available chlorine residual of at least 1 ppm is found four hours after the treatment. When a system is under control, add 1.6 to 3.2 lbs of MIDLAND 652P per 10,000 gallons of system water to provide 2 or 4 ppm free available chlorine respectively. These amounts may be raised or lowered as required and indicated by water conditions and by test for chlorine residual. Reliable test kits for testing free available chlorine are available and should be used. MIDLAND 652P should be added directly from the container to a place in the system where it will be evenly mixed with the water.

Water for Air Washers

In starting up a new system, add 2.5 to 3.75 lbs. of MIDLAND 652P per 10,000 gallons of water in the system. This provides 4 or 5 ppm of free available chlorine respectively. For routine control, add 6.25 to 12.5 oz. of MIDLAND 652P per 10,000 gallons of water daily. This will provide 0.5 or 1.0 ppm free available chlorine. These amounts may be raised or lowered as required and indicated by water conditions and tests for free available chlorine. Reliable test kits are available for testing chlorine and should be used.

STORAGE AND DISPOSAL: Keep product dry in tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat and open flame. Do not contaminate water, food or feed by storage or disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative of the nearest EPA Regional Office for guidance. Do not reuse empty container. Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities. Dispose of drum in the same manner.

EMERGENCY HANDLING: In case of contamination or decomposition of product, do not re-seal container. If possible, isolate container in open and well-ventilated area. Flood with large volumes of water. Dispose of contaminated material in an approved landfill area.

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material, when such use and/or handling is contrary to label instructions.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES permit. For guidance, contact your Regional Office of EPA.

PHYSICAL AND CHEMICAL HAZARDS

Strong oxidizing agent. Mix only with water. Use clean utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with generation of heat, generation of hazardous gases and possible generation of fire explosion. In case of contamination or decomposition do not re-seal container. If possible, isolate container in open air or well ventilated area. Flood with large volume of water if necessary.