TM BIOCONTROL-1 BIOLOGICAL INSECTICIDE FOR THE DOUGLAS-FIR TUSSOCK MOTH

KEEP OUT OF REACH OF CHILDREN CAUTION

See other panel for additional Precautionary statement.

DIRECTOR FOR USE GENERAL CLASSIFICATION

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

For population reduction of the Douglas-Fir tussock moth, apply by air at the rate of one package (31g.) TM Biocontrol-1 in 100 to 200 gallons finished spray per 100 acres. Stickers and u.v. protectants may enhance performance of this product. Refer to technical bulletin for mixing and application instructions. Spray tank mixture pH should be 6.0 to 7.2 NEVER USE CHLORINATED WATER IN THE SPRAY FORMULATION.

PRECAUTIONARY STATEMENTS CAUTION ENVIRONMENTAL HAZARDS

FOR USE IN ONLY WIDE-AREA GOVERNMENT SPONSORED PEST CONTROL PROGRAMS.

NOTICE: The U.S. Forest Service makes no warranty, express or implied including the warranties of merchantabitilty and/or fitness for any particular purpose, concerning this material except those which are contained on the U.S. Forest Service's label.

EPA REG. No. 27586-1

Processed and Packaged for The USDA Forest Service.

BY:Espro, Inc.

8980 Oakland Ctr.

Route 108

Columbia, MD 21045

EPA EST. NO. 58971-MD-001 NET WEIGHT: 31 Grams LOT NO. 9001 Avoid application to lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE AND DISPOSAL

Activity may be impaired by storage above 80*F.

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Do not reuses empty container.

Pesticide, spray mixture, or rinsate that cannot be used should be disposed of in a landfill approved for pesticides or buried in a safe place away from the water.

Container disposal: Triple rinse and dispose of in an approved landfill or bury in a safe place.

Consult Federal, State, or local disposal authorities for approved alternative procedures.

