

WARNING

- MAY BE FATAL IF SWALLOWED
- DO NOT BREATHE SPRAY MIST
- MAY BE ABSORBED THROUGH SKIN
- DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING
- AVOID CONTAMINATION OF FEED AND FOOD-STUFFS
- WASH THOROUGHLY AFTER USING

DO NOT use in or near

Do not, when using,

NOTICE

See on guarantee, the terms and conditions of this warranty and subject thereto. This warranty applies only to persons or property, and does not cover or handle, and accepts the product in the area of use.

WARNING

This product is for use on and only on the areas where bees are actively visiting the area.

TOXAPHENE EM-6

Emulsifiable Liquid
(Contains 6 lbs. Toxaphene Per Gal.)
AN AGRICULTURAL INSECTICIDE

ACTIVE INGREDIENTS

Toxaphene* 5.8 lb

Xylene Range Aromatic Hydrocarbon Solvent 37 lb

NEE* INGREDIENTS 1.4 lb

TOTAL 100.0%

*Net Weight of Active Ingredients: Content 67% to 69%

"DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME."


PROTECT FROM TEMPERATURES BELOW 0°F

WARNING: KEEP OUT OF REACH OF CHILDREN.

SEE SIDE PANEL FOR OTHER WARNINGS

ARIES ALPHA, INC.
P.O. Box 590
Tifton, Georgia

EPA No. 27997-1



Pour recommended amount of tator running during filling, or mix readily, but tends to separate emulsifiable liquids with well mixed has proved them to be

OBSERVE THE USE PRECA

DO NOT use this product on fish, dairy animals, or the animal daughter.

This product is toxic to fish, birds and other wildlife if killed. Keep out of lakes, streams, apply where runoff is likely when weather conditions favor. Do not contaminate water or disposal of wastes, as specified on this label.

Observe all instructions given on the label.

The Federal Food and Drug Administration has established a tolerance for this product that may be used on and in certain crops. For more information, contact the EPA.

APHENE EM-6

Emulsifiable Liquid
(6 lbs. Toxaphene Per Gal.)
AGRICULTURAL INSECTICIDE

ic Hydrocarbon Solvent
90%
Toxaphene 10%

DO NOT STORE NEAR HEAT, OPEN FLAME
OR HIGH TEMPERATURES BELOW 100°F.
KEEP OUT OF REACH OF CHILDREN.
SEE REVERSE PANEL FOR OTHER WARNINGS

ALPHA, INC.
P.O. Box 590
Tifton, Georgia

PA No. 27997-1



DIRECTIONS FOR USE

Pour recommended amount of this material into nearly filled spray tank. Add balance of water to fill tank. Keep agitator running during filling, mixing, and spraying operations. DO NOT allow mixture to stand. If mixture does not mix readily, but tends to separate as an oily layer, DO NOT use as injury to plants may result. DO NOT combine emulsifiable liquids with wettable powders in the same spray tank unless previous use of the materials being combined has proved them to be physically compatible.

OBSERVE THE FOLLOWING USE PRECAUTIONS

DO NOT use this product on feed or forage to be fed to dairy animals or to animals being finished for slaughter.

This product is toxic to fish, birds and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Observe use limitations given on the label for specific crops.

The Federal Food and Drug Administration has set official tolerances for certain pesticide residues in order that residues on food and forage crops will not exceed established tolerances, save only at the recommended rates, and DO NOT apply at lower than specified rates.

Consult the State Agricultural Extension Service for additional information, for the timing and number of applications consistent with label directions, for varying local conditions.

RECOMMENDATIONS

On crops are given in terms of quarts per acre. Use in sufficient water for thorough coverage. (Approximately 100-125 gallons).

For any late application use approximately 3 to 10 gallons of water per acre consistent with top growth and good coverage.

COTTON For control of Armyworms, Bollworm, Climbing Cutworms, Grasshoppers, apply 1 1/2 quarts per acre. DO NOT graze dairy animals or animals being finished for slaughter on cotton or cotton trash treated late in the season.

Batch No.

GAL. NET