

FLOWABLE SULFUR

RECOMMENDATIONS

Use of this material in a manner other than in accordance with the label may cause serious plant, crop, or personal injury, excessive residues, unsatisfactory control or other unintended consequences.

Unless otherwise specified for specific tree fruits, dosage rates are given in fluid ounces of FLOWABLE SULFUR per 100 gallons of water for use in a thorough coverage spray.

APPLE:

Scab: Pre-bloom through Calyx sprays...24 to 56 fl. ozs.
Cover Sprays.....16 to 32 fl. ozs.

Powdery Mildew:

Pre-bloom through Calyx sprays...40 to 48 fl. ozs.
Cover sprays.....32 fl. ozs.

PEACH:

Powdery Mildew, Brown Rot, Scab:

Pink and bloom sprays.....24 to 32 fl. ozs.
Petal fall, shuck & cover sprays.16 to 28 fl. ozs.

CITRUS: (Grapefruit, Lemons, Lime, Oranges, Tangelos and Tangerines)

Rust Mite.....16 to 64 fl. ozs.
DO NOT apply within 4 weeks of an oil application.


PEANUTS:

Rust: Apply 32 to 64 fluid ounces per acre in sufficient water for thorough coverage. Begin applications approximately 6 weeks after planting. Repeat at 7 to 10 day intervals as long as rust control is required. Do not apply within 4 weeks of an oil application.

Consult your State Agricultural Experiment Station or State Extension Specialist for complete details on the spraying program best suited to your local conditions

ACTIVE INGREDIENT:
SULFUR, elemental.....58.0%
INERT INGREDIENTS.....42.0%
TOTAL 100.0%

Contains 6 lbs. of Elemental Sulfur per gallon)



CAUTION

KEEP OUT OF REACH

Harmful if swallowed. Avoid breathing spary mist. May cause irritation of nose, throat or skin. Avoid contact with eyes, skin and clothing. Do not contaminate feed and foodstuffs. Do not apply to any area not specified on label. Do not reuse empty drum. Return to drum reconitioner or destroy by perforating or crushing and burying in a safe place away from water supplies.

MANUFACTURED BY:

ARIES ALPHA, INC.
P. O. Box 1463
Tifton, Georgia

EPA. Reg. No. 27997-3
EPA. Est. No. 27997-GA. 01

NET CONTENTS 5 GALLONS
NET WEIGHT 52 LBS.

CAUTION: Some fruits and other plants are susceptible to injury from sulfur under certain climatic conditons. The user is advised not to use sulfur on any crop unless local use has proven that sulfur is safe in that locality.

During periods of high temperatures sulfur may burn foliage and fruit. Do not make sulfur applications at excessively high temperatures. Do not use FLOWABLE SULFUR with oil or within 4 weeks or an oil application.

DIRECTIONS FOR MIXING
BEFORE USING, STIR, UNTIL SMOOTH

Pour the recommended amount of FLOWABLE SULFUR into partially filled spray tank. KEEP AGITATOR RUNNING during filling and spraying operation. DO NOT ALLOW MIXTURE TO STAND. Failure to maintain agitation will cause FLOWABLE SULFUR to settle and may necessitate manual stirring to redisperse.

FLOWABLE SULFUR displays strong adhesive properties and acts as a sticker on the plant, and the sticking characteristics necessitates the flushing of equipment with water after each day's use. Sulfur in any form is corrosive and to reduce this effect, EQUIPMENT SHOULD BE THOROUGHLY WASHED OUT AFTER EACH USE.


NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on this label when used in accordance with directions under normal conditions of use; but neither this warranty or any other warranty of merchantability of fitness for a particular purpose expressed or implied extends to the use of this product contrary to label instructions not reasonably foreseeable to the seller; and buyer assumes the risk of any such use.



QUANCIDE-1

FUNGICIDE CONCENTRATE

CONTROLS SAPSTAIN AND MOLD
IN FRESH CUT LUMBER AND
OTHER WOOD PRODUCTS



FOR INDUSTRIAL USE ONLY

INGREDIENTS

ACTIVE INGREDIENTS	
Tetrachlorophenol.....	28.1%
Other chlorinated phenols...	7.6%
INERT INGREDIENTS	
	64.3%
Total	100.0%

QUANCIDE-1 must be diluted with water for use. Mixed as directed, the ready-to-use solution controls stain and mold fungi that infect lumber and other wood products.

DIRECTIONS

See BULLETIN #1 for general directions for use including proper dilution with water, application methods and factors that influence the amount of fungicide needed for stain and mold control.

For best results at least cost, specific recommendations should be obtained from QUANTEX based on analysis of the on-site facilities and operating conditions.

REFER TO BULLETIN #1 BEFORE HANDLING OR USE.

WARNING

KEEP OUT OF REACH OF CHILDREN

See other precautions on side panel.

NOTICE: Buyer assumes all risks of use, storage and handling not in strict accordance with directions provided by Seller and with the warning and cautionary statements herein.

EPA Reg. No. 30940-4

WARNING

FLAMMABLE! KEEP AWAY FROM HEAT OR OPEN FLAME
Do not get in eyes, on skin or clothing. Do not breathe fumes. Harmful if swallowed. Wear goggles and rubber gloves when handling. In case of skin contact, wash with soap and water. For eye contact, flush at least 15 minutes with water and get medical attention. If swallowed, induce vomiting by sticking finger down throat or by giving strong soapy or salty water to drink ----- CALL PHYSICIAN IMMEDIATELY.

CAUTION

This product is toxic to fish and wildlife. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Keep out of water supplies. Avoid contact with feed or foodstuffs. Do not reuse containers -- destroy by perforating or crushing and burying in a safe place.

LOT NO.

THE QUANTEX CORPORATION
MEMPHIS, TENNESSEE 38107

NET CONTENTS