

1877 100 6 1/2

UNICORN

SPRAY FOR CATS & DOGS

KILLS: Ticks, Fleas, Lice and especially designed for the control of Brown Dog Ticks.

REPELS TEMPORARILY: Gnats, Mosquitoes, Flies.

DEODORIZES: Imparts a Clean, Fresh Aroma.

ACTIVE INGREDIENTS:

Carbaryl (1 Naphthyl N Methylcarbamate.....	2.50%
Pyrethrens.....	0.06%
Piperonyl Butoxide Technical*.....	0.60%
Butoxypolypropylene glycol.....	5.00%

INERT INGREDIENTS:.....	<u>91.84%</u>
	100.00%

* Equivalent of .48% (butylcarbityl) (6-propylpiperonyl) ether and .12% related compounds.

Keep Out of Reach of Children

CAUTION

See Side/Back Panel for Additional Precautionary Statements

NET CONTENTS: 1 PINT

ACCEPTED

Under the Federal Insecticide, Fungicide, and Rodenticide Act, this pesticide is registered under EPA Reg. No. 28293-5

WARNING: Contains methyl chloroform, a substance which harms public health and environment by destroying ozone in the upper atmosphere.

MANUFACTURED BY:

Unicorn Laboratories
13535 Feather Sound Drive, Suite 400
Clearwater, Florida 34622-5587

**EPA REG. NO. 28293-5 (E:6/82)
(PRN 93-5)**

**EPA EST. NO. 62470-FL-1A
44616-MO-1B**

Subscript used is first letter of run code on container.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed or inhaled. Avoid skin contact. Avoid contact with eyes. In case of contact, flush with plenty of water. Avoid contamination of food stuffs. Wash hands with soap and water after treating animals. Do not treat kittens and puppies less than 4 weeks of age. DO NOT spray eyes, face or genitals of animal. DO NOT treat nursing kittens or puppies.

Physical and Chemical Hazards

FLAMMABLE: Keep away from heat or open flame.

Statement of Practical Treatment

- IF SWALLOWED: Call physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger.
- IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.
- IF ON SKIN: Wash with soap and water.
- IF IN EYES: Flush eyes with plenty of water. Call physician if irritation persists.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Dogs and Cats: Remove protection tab from top of pump sprayer. Holding the bottle upright, point nozzle opening in direction spray is desired and pump the cap up and down with forefinger to create spray. From a distance of 6 to 12 inches, direct the spray over the animal until the entire coat is damp. On a heavily coated animal, ruffle the coat and spray against the lay of the hair. For best results in controlling ticks, spray directly on the tick.

Pet Sleeping Quarters: Thoroughly spray interior of kennel or other sleeping quarters. Repeat treatment as necessary, but not more often than once weekly. Old bedding of pets should be removed and replaced with clean bedding after treatment of pet area.

STORAGE AND DISPOSAL

Do not reuse container. Wrap empty container in newspaper and put in trash collection.