

UNICORN

DAIRY & FOOD PLANT AEROSOL

An Industrial Strength Insecticide.

Low Dosage Required.

**For Use in Non-Residential Food Handling Areas
including Dairies and Milkrooms.**

**Kills Flies, Mosquitos, Gnats, Wasps
and Small Flying Moths.**

Non-Aqueous, Low Oil Pyrenone Insecticide.

ACTIVE INGREDIENTS:

Pyrethrins.....	0.5%
Piperonyl Butoxide, Technical*.....	5.0%

INERT INGREDIENTS:.....	<u>94.5%</u>
--------------------------------	---------------------

100.0%

*Equivalent to 4.0% (butylcarbityl) (6-propylpiperonyl) ether and 1.0% related compounds.

**Contains petroleum distillates

This product contains Chlorofluorocarbon-11 and Chlorofluorocarbon-12.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side/Back Panel for Additional Precautionary Statements.

NET CONTENTS: 2-1/4 POUNDS


MANUFACTURED BY:

Unicorn Laboratories
1002 118th Avenue North
St. Petersburg, Florida 33716

EPA REG. NO. 28293-9

EPA EST. NO. 28293-FL-1

Not Reviewed. Registrants to be in accordance with
Registration of Pesticide Products Guidance for Phase 2
Status.



PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Avoid contamination of feed and foodstuffs. The use of this product in food processing establishments should be confined to time periods when the plant is not in operation. Food should be removed or covered during treatment. Any exposed utensils or food handling surfaces should be thoroughly cleaned before reuse.

Remove pets, birds and cover fish aquaria before spraying.

Environmental Hazards

This product is toxic to fish. Keep out of lakes, streams or ponds.

Physical or Chemical Hazards

Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator.

DIRECTION FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Hold container upright, nozzle away from you and press actuator button -- spraying as directed.

IN DAIRIES AND MILK ROOMS:

For rapid control of house flies, mosquitos, gnats, wasps and small flying moths: Close windows and doors and spray at a rate of one second per 1000 cubic feet of space. For best results, keep area closed for 10 minutes after spraying. Do not remain in treated area and ventilate after treatment is completed.

IN FOOD PLANTS:

Flies, Mosquitos, Gnats, Wasps and Small Flying Moths: Close all doors and windows and spray room at the rate of one second per 1000 cubic feet. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Keep room closed for 10 to 15 minutes after treatment. Repeat treatment as necessary.

Indian Meal Moths, Angoumois Grain Moths: Close doors and windows, direct spray into all parts of rooms, especially around stored food product containers, pallets and darkened areas. Spray 7 to 10 seconds for each 1000 cubic feet of space. Keep areas closed for 15 minutes following treatment. Do not remain in treated areas and ventilate after treatment. Repeat application weekly or as needed.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Do not reuse container. Dispose of container in trash collection.

