

PM 19

28293-14

Page 173

**UNICORN
FLEA & TICK POWDER FOR DOGS AND CATS #3**

Sold to Graduate Veterinarians Only

KILLS FLEAS, LICE AND TICKS ON DOGS

ACTIVE INGREDIENTS:

Carbaryl (1-naphthyl N-methylcarbamate)	12.50%
Methoxychlor, 1,1,1-trichloro-2, 2-bis(p-methoxyphenyl) ethane	0.25%

INERT INGREDIENTS: 87.25%

Total: 100.00%

Keep Out of Reach of Children

CAUTION

See Back Panel for Additional Cautions

NET WEIGHT: 10 Ounces

MANUFACTURED BY:

Unicorn Laboratories
13535 Feather Sound Drive, Suite 400
Clearwater, Florida 34622-5587
(813) 578-4545

REC'D LIA/SP/DPDI
96 NOV -6 P 1:17

ACCEPTED
FEB 11 1997

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 28293-14

293

BEST AVAILABLE COPY

- ☑ READ ENTIRE LABEL BEFORE EACH USE.
- ☑ USE ONLY ON DOGS OR CATS.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Avoid breathing of dust when you apply powder. Harmful if swallowed. Keep out of reach of children. Consult a veterinarian before using this product on debilitated, aged, pregnant or nursing animals or animals on medication. Sensitivities may occur after using **ANY** pesticide product for pets. If signs of sensitivity occur bathe pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

USER SAFETY REQUIREMENTS
<ul style="list-style-type: none">■ Wear long-sleeved shirt, long pants, shoes plus socks and household latex or rubber gloves when applying this product.■ Change clothing as soon as possible after use.■ Wash the outside of gloves before removing. As with any pesticide product, wash hands thoroughly immediately after handling and before eating, smoking or using the toilet.

Environmental Hazards

This pesticide is toxic to fish and aquatic invertebrates. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

Statement of Practical Treatment

- IF SWALLOWED:** Drink 1 or 2 glasses of water and induce vomiting by touching finger to back of throat. Never give anything by mouth to an unconscious person. Call a physician.
- IF ON SKIN:** Wash with soap and water.
- IF IN EYES:** Flush with plenty of water. If irritation persists, see a physician.

Do not use this product on animals simultaneously or within 30 days before or after treatment with or exposure to cholinesterase inhibiting drugs, pesticides or chemicals. However, flea and tick collars may be immediately replaced.

NOTICE TO PHYSICIAN and VETERINARIAN: Carbaryl is a cholinesterase inhibitor. Atropine is antidotal.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

How to Use: Use product only outside or in a well-ventilated area. Wearing household latex or rubber gloves, dust entire animal, avoiding pet's eyes, nose, mouth and genital areas. Rub or brush pet's hair to work dust down to the skin. Do not use on pregnant dogs. Do not use on kittens

or puppies under twelve (12) weeks of age. Repeat as needed, but not more often than once weekly.

STORAGE AND DISPOSAL

STORAGE: Store in original container in cool, locked storage area.

DISPOSAL: Do not reuse container. Empty completely, wrap in newspaper before discarding in trash.

BEST AVAILABLE COPY