

14. 17 28293-17

UNICORN

PET SPRAY

For Control of Resistant Ticks & Fleas


ACTIVE INGREDIENTS:

Carbaryl (1-Naphthyl-N-Methyl-Carbamate).....	0.500%
Pyrethrins.....	0.050%
Piperonyl Butoxide, Technical*.....	0.100%
N-Octyl Bicycloheptene Dicarboximide.....	0.166%

INERT INGREDIENTS:..... 99.184%

100.000%

\* Equivalent to 0.08% (Butylcarbityl) (6-Propylpiperonyl) Ether and to 0.02% related compounds.



KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Cautions

NET WEIGHT: 11 OUNCES

**WARNING:** Contains methyl chloroform, a substance which harms public health and the environment by destroying ozone in the upper atmosphere.

MANUFACTURED BY:

Unicorn Laboratories  
 13535 Feather Sound Drive, Suite 400  
 Clearwater, Florida 34622-5587

EPA REG. NO. 28293-17(E:2/86)  
 (PRN 93-5)

EPA EST. NO. 62478-FL-1A  
 44616-MO-1B

Subscript used is first letter  
 of run code on container.

## PRECAUTIONARY STATEMENTS

### Hazards to Humans and Domestic Animals

**CAUTION:** Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with skin and eyes. Wash hands with soap and water after using or handling. Do not use on kittens or puppies less than four weeks of age. Do not use on pregnant dogs. Keep out of reach of children.

**Notice to Physician:** Carbaryl is a moderate reversible cholinesterase inhibitor. Atropine Sulfate is antidotal.

### Statement of Practical Treatment

**IF INHALED:** Remove victim to fresh air. Apply artificial respiration if indicated.

**IF ON SKIN:** Remove contaminated clothing and wash affected areas with soap and water.

**IF IN EYES:** Flush eyes with plenty of water. Get medical attention if irritation persists.

### Physical or Chemical Hazard

FLAMMABLE. Contents under pressure. Do not use near fire, sparks or flame. Do not puncture or incinerate. Exposure to temperatures above 130°F may cause bursting.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Remove cap and press down button with hole away from you. Hold container approximately 6 inches from animal. Work from rear of animal towards the head, fluffing the hair to permit the spray to penetrate to the skin. Spray only enough to slightly dampen the hair and skin. Wet ticks with the spray. Do not get spray in eyes or on scrotum.

Use spray on the basis of 4 to 6 seconds for a 5 pound cat and 20 to 30 seconds for a 25 pound dog. Repeat treatment if necessary; but not more than once a week. (The hissing sound and the cool sensation caused by the spray may temporarily frighten nervous pets; however, they are expected to become accustomed to the treatment.) Treat bedding, interior of kennels and other places where ticks and fleas congregate to help prevent reinfestation.

### STORAGE AND DISPOSAL

**Storage:** Store in original container in cool, locked storage area.

**Disposal:** Replace cap and discard container in trash. Do not incinerate or puncture.