KILLS FLEAS, LICE AND TICKS ON DOGS

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Avoid Breathing of dust when applying powder. May be harmful if swallowed. Wash hands with soap and water after dusting animals. Do not use on kittens or nursing puppies. Do not use on kittens or puppies less than 4 weeks of age. Do not use on pregnant dogs. Keep out of reach of children.

Notice to Physician: Carbaryi is a cholinesterase inhibitor Atropine is antidotal.

STATEMENT OF PRACTICAL TREATMENT
IF SWALLOWED: Drink 1 or 2 glasses of water
and Induce vomiting by sticking linger down throat, Naver
give anything by mouth to an
unconscious person. Call
Physician.

IF ON SKIN: Wash with soap and water, IF IN EYES: Flush with planty of water, If Irritation peralsts see Physician.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its tabeling.

How to Use: For best results to kill Fleas, Ticks and Lice on Dogs, dust powder liberally over the entire body. Rub dust into hair and around the feet, pads and between the toes so that they are well treated. Take care not to get the powder in animal's eyes, nose or mouth. Dust bedding and kennel and sleeping area regularly. Repeat as needed, but not more often than once weekly.

STORAGE AND DISPOSAL

Store in original container in cool, locked storage area.
Do not reuse bottle. Empty completely, wrap in newspaper before discarding in trash.

EPA Reg. No. 28293-18 EPA Est. 28293-TX-1



FLEA & TICK POWDER DOGS & CATS

SOLD TO
GRADUATE VETERINARIANS ONLY

ACTIVE INGREDIENTS:
Carbaryl (I-naphthyl N
methylcarbamate).....10.00%
INERT INGREDIENTS:90.00%

KEEP OUT OF REACH OF CHILDREN CAUTIONS
See Back of Panel For Additional Cautions.
Not. Wt. 10 Oz.

Manufactured By
UNICORN LABORATORIES
P.O. Box 90014 • Houston, TX 77090

ACCEPTED

FEB 2 8 1986

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No.