

UNICORN RID RTU

Contains Diazinon

FOR INDOOR USE ONLY

**For Use in Homes, Hotels, Motels, Offices, Warehouses,
Institutions, Restaurants, Industrial Plants.**

ACTIVE INGREDIENTS:

Diazinon O,O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl)
phosphorathioate..... 0.50%

INERT INGREDIENTS:*..... 99.50%

100.00%

* Contains petroleum distillates.

Keep Out of Reach of Children

CAUTION

See Side/Back Panel for Additional Precautionary Statements

NET CONTENTS: GALLONS


MANUFACTURED BY:

Unicorn Laboratories
1002 118th Avenue North
St. Petersburg, Florida 33716

EPA REG. NO. 28293-23(E:RS)

EPA EST. NO. 28293-FL-1

Not Reviewed. Registrant claims to be in accordance with
Registration of Pesticide Product Guidelines for Phase 2
Pesticides. Pesticide is not subject to Inert Change in Status.



PRECAUTIONARY STATEMENTS

Statement of Practical Treatment

IF SWALLOWED: Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. **DO NOT INDUCE VOMITING:** Vomiting may cause aspiration pneumonia.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

NOTE TO PHYSICIAN: 2 PAM is antidotal and may be administered in conjunction with Atropine Sulfate.

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. May cause contact sensitization following repeated contact with skin in susceptible individuals. Avoid repeated contact with skin. If sensitization reactions result consult a physician. May be absorbed through the skin. Do not breathe spray mist. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling and before eating or smoking. Avoid contamination of food and feed. For spot treatment only. Do not use as a space spray.

Physical or Chemical Hazards

Do not use or store near heat or open flame.

Environmental Hazards

This pesticide is highly toxic to birds, fish, and wildlife including waterfowl. Birds and waterfowl feeding or drinking on treated areas may be killed. Because of the migratory habits of certain Atlantic Coast waterfowl, do not apply this product in Nassau County, New York between November 1 and May 20. Do not exceed maximum permitted label rates. Application rates above those recommended significantly increase potential hazard to birds and waterfowl. Avoid overlapping of sprays. Where irrigation (watering) is recommended apply a minimum of 0.25 inches of water immediately after application. Stop irrigation before puddling occurs. Keep out of lakes, streams, ponds, tidal marshes and estuaries (except for effluents from treated watercess beds). Do not apply to water that will be used for recreational purpose and human and livestock consumption. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where fish, shrimp, crab and other aquatic life are important resources.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not use in food areas of food handling establishments, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

NON-FOOD AREAS: Includes garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, mop closets and storage (after canning or bottling).

NON-FOOD AREAS - SPOT TREATMENT: As a spot treatment apply Unicorn RID RTU as a coarse low pressure fan spray to floor surface areas around water pipes, beneath cabinets, refrigerators, sinks, stoves, storage areas, and similar areas where cockroaches, ants, spiders, and silverfish hide.

Do not apply this pesticide in the immediate area when occupants are present.


INDOOR DOMESTIC USE: Do not spray in the immediate area when others are present. After application open windows and/or doors to provide adequate fresh air ventilation to the room(s). Remove clothing after spraying and launder before reuse. Do not allow children or pets onto a treated area until the spray has dried.

Apply Diazinon as a coarse spray to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter.

NOTE: The solvent used in this formulation is a petroleum distillate which may stain certain plastic, rubber, and asphalt materials such as tiles and floor coverings. Do not treat such materials. When used in dwellings, care should be taken to avoid deposits which could be frequently contacted by children. Do not allow children or pets into treated areas until the spray has dried. Do not contaminate food, food containers, or cooking utensils.

Cockroaches (waterbugs), Ants and Silverfish: Make spot applications of Diazinon as a coarse spray to baseboards, areas around water pipes, cracks and crevices, surfaces behind and beneath cabinets, refrigerators, sinks, stoves and similar areas where these insects hide.

Carpet Beetles: Apply a Diazinon spray in spot applications along baseboards, and edges of carpeting, under carpeting and rugs and furniture, in closets and on shelving, and wherever these insects are seen or suspected.



Spiders and Scorpions: Apply Diazinon spray around windows, doors and along baseboards. Make spot applications to other areas over which these pests may crawl.

Pantry Pests - Exposed Stages (Saw-Toothed Grain Beetle, Flour Beetle, Rice Weevil, Cigarette Beetle, Drugstore Beetle, Indian-Meal Moth): Apply a Diazinon spray to shelves and cupboards where food containers suspected of being infested are stored. Remove all food and shelving paper before spraying. Do not replace the food packages until spray has dried. Cover shelves with shelving paper. This treatment is supplemental to good housekeeping, since it will have no effect on insects breeding within food packages. Infested food packages should be destroyed.

Brown Dog Ticks and Fleas in Buildings: Make thorough application of a Diazinon spray to infested areas around baseboards, window and door frames, wall cracks, sleeping quarters of household pets, and localized areas of floors and floor covering. Fresh bedding should be placed in animal quarters following treatment. Do not treat animals with this formulation.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage and disposal.

PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to label instructions must be disposed of according to applicable Federal, state or local procedures.

CONTAINER DISPOSAL: For pint, quart and gallon sizes, do not reuse empty container. Wrap empty container and put in trash collection.

SMALLER CONTAINER: Triple rinse or equivalent and offer for recycling, reconditioning or disposal in approved landfill, or bury in a safe place.

GENERAL: Consult Federal, State or Local disposal authorities for approved alternative procedures.

NOTE: UNICORN RID RTU is not recommended for use in conduits, motor housing, junction or switch boxes because of shock hazard.

