216 V V MN

91293-29 y 1.43.41

UNICORN

PET DRIP

Controls Ticks, Fleas & Lice

on

Cats & Dogs

ACTIVE INGREDIENTS:

• •

Pyrethrins Piperonyl Butoxide Technical*	1.18% 11.84%
INERT INGREDIENTS: **	86.988
	100.00%

- * Equivalent to 9.47% (butylcarbityl) (6propylpiperonyl) ether and 2.3% related compounds.
- ****** Contains Petroleum Distillates

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Precautions

NET CONTENTS: 8 FLUID OUNCES

MANUFACTURED EY:

Unicorn Laboratories 1002 118th Avenue North St. Petersburg, Florida 33716

EPA EST. NO. 28293-FL-1

•....

•••••

Not Fliviewed. Registrant claims to be in accordance with restration of Passicide Product Guidance for Phase 2 Functional, Page 2.12, Active to Inert Change in Status,

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with eyes. In case of contact, immediately flush eyes with plenty of water. Obtain medical attention if irritation persists. If swallowed, do not induce vomiting. Call a physician immediately. Avoid contamination of feed and foodstuffs.

Statement of Practical Treatment

- **IF SWALLOWED:** Call physician at once. Do not induce vomiting unless directed by a physician. Vomiting may cause aspiration pneumonia.
- **IF ON SKIN:** Wash with soap and water.
- **IF IN EYES:** Flush with plenty of water. Get medical attention if irritation persists.

Chemical and Physical Hazards

Do not use or store near heat or open flame.

Environmental Hazards

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of waste.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

<u>DIP OR SPONGE BATH:</u> <u>To Control Ticks, Fleas and Lice on cats and dogs</u>, dilute this concentrate at the rate of 2 fluid ounces to 1-3/4 gallons of water and mix well to form a creamy emulsion dip. Dip or sponge the animal with this solution being careful to thoroughly wet the entire animal. Do not rinse. Allow solution to remain on animal. Do not treat kittens or puppies less than four weeks old.

<u>SPRAY:</u> For Control of Fleas, Ticks and Lice, dilute at the rate of 1 ounce to 16 ounces of water. To insured thorough coverage, part the hair by stroking against the lay of the hair as spray is applied. Spray ticks directly. Apply to moisten the hair lightly.

FPA EST. NO. 28293-BL-1

EPA REG. NO. 28293-29(E)


<u>KENNEL:</u> For Control of Insects in animal guarters and sleeping <u>areas</u>, dilute 1 ounce to 16 ounces of water and spray as a course spray. Spray cracks and crevices and other places insects can hide. Bedding should be removed and sprayed thoroughly.

Remove pets before treating and ventilate before allowing them to re-enter.

STORAGE AND DISPOSAL

Store in original container away from heat or open flame, in locked storage area.

Do not reuse bottle. Rinse thoroughly, wrap in newspaper before discarding in trash



EPA REG. NO. 28293-29(E)

1. .