
UNICORN

PET DIP

Kills Ticks, Fleas & Lice

OD

Cats & Dogs



1343

ACTIVE INGREDIENTS:

Pyrethrins Piperonyl Butoxide Technical*	1.18 % 11.84 %
INERT INGREDIENTS: **	86.981
	100.00%

- Equivalent to 9.47% (butylcarbityl) (6propylpiperonyl) ether and 2.37% related compounds.
- •• Contains Petroleum Distillates

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Precautions

NET CONTENTS: 8 FLUID OUNCES

NANUFACTURED BY:

Unicorn Laboratories 1002 118th Avenue North St. Petersburg, Florida 33716

EPA REG. NO. 28293-29-RA(E:12/4/89)

BPA BST. NO. 28293-FL-1

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with eyes. In case of contact, immediately flush eyes with plenty of water. Obtain medical attention if irritation persists. If swallowed, do not induce vomiting. Call a physician immediately. Avoid contamination of feed and foodstuffs.

Statement of Practical Treatment

IF SWALLOWED: Call physician at once. Do not induce vomiting unless directed by a physician. Vomiting may cause aspiration pneumonia.

IF ON BKIN: Wash with soap and water.

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

Chemical and Physical Hazards

Do not use or store near heat or open flame.

Environmental Hazards

This product is toxic to fish. Do not apply directly to water. \times Do not contaminate water by cleaning of equipment or disposal of waste.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DIP OR SPONGE BATH: To Control Ticks, Fleas and Lice on cats and dogs, dilute this concentrate at the rate of 1 fluid ounces to 1 gallon of water and mix well to form a creamy emulsion dip. Dip or sponge the animal with this solution being careful to thoroughly wet the entire animal. Do not rinse. Allow solution to remain on animal. Do not treat kittens or puppies less than four weeks old.

<u>SPRAY:</u> For Control of Fleas, Ticks and Lice, dilute at the rate of 1 ounce to 16 ounces of water. To insure thorough coverage, part the hair by stroking against the lay of the hair as spray is applied. Spray ticks directly. Apply to moisten the hair lightly.

EPA REG. NO. 28293-29(E)

EPA EST. NO. 28293-FL-1



KENNEL: For Control of Insects in animal quarters and sleeping areas, dilute 1 ounce to 16 ounces of water and spray as a course spray. Spray cracks and crevices and other places insects can hide. Bedding should be removed and sprayed thoroughly.

Remove pets before treating and ventilate before allowing them to re-enter.

STORAGE AND DISPOSAL

Store in original container away from heat or open flame, in locked storage area.

<u>Disposal:</u> Do not reuse bottle. Rinse thoroughly, wrap in newspaper before discarding in trash

old athirdly bidly

EPA REG. NO. 28293-29(E)

Ţ

EPA EST. No. 28293-11-1