# **UNICORN PET DIP**

Kills Ticks, Fleas & Lice

on

Cats & Dogs

### **ACTIVE INGREDIENTS:**

| Pyrethrins                    | 1_18%   |
|-------------------------------|---------|
| Piperonyl Butoxide Technical* |         |
| INERT INGREDIENTS:**          |         |
| Total:                        | 100.00% |

<sup>\*</sup> Equivalent to 9.47% (butylcarbityl) (6-propylpiperonyl) ether and 2.37% related compounds.


# KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Panel for Additional Precautions

NET CONTENTS: 8 FLUID OUNCES

### **MANUFACTURED BY:**

Unicorn Laboratories 12385 Automobile Blvd. Clearwater, Florida 33762-4426 (727) 578-4545



EPA EST. NO. 62478-FL-1A
44615-MO-18
Subscript used is first
letter of run code on container

<sup>\*\*</sup> Contains Petroleum Distillate

- READ ENTIRE LABEL BEFORE EACH USE.
- USE ONLY ON CATS OR DOGS.

#### PRECAUTIONARY STATEMENTS

## Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with eyes. In case of contact, immediately flush eyes with plenty of water. Obtain medical attention if irritation persists. If swallowed, do not induce vomiting. Call a physician immediately. Avoid contamination of feed and foodstuffs. Do not use on kittens or puppies under twelve (12) weeks of age. Consult a veterinarian before using this product on debilitated, aged, pregnant or nursing animals or animals on medication. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

| continue, consult a veterinarian immediately. |   |  |
|---|---|--|
| FIRST AID                                     |   |  |
| If Swallowed:                                 | • Immediately call poison control center or doctor immediately for treatment advice.  |  |
|   | • Do not induce vomiting unless told to do so by a poison control center or doctor.   |  |
|   | Do not give any liquid to the person.   |  |
|   | Do not give anything by mouth to an unconscious person.   |  |
| If On Skin:                                   | Take off contaminated clothing.   |  |
|   | <ul> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> </ul>  |  |
|   | Call a poison control center or doctor for treatment advice.  |  |
| If In Eyes:                                   | <ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> </ul> |  |
|   | Call a poison control center or doctor for treatment advice.  |  |
| Have the product cont                         | tainer or label with you when calling a poison control center or doctor, or going   |  |
| for treatment.                                |   |  |
|   | NOTE TO PHYSICIAN   |  |
| Contains petroleum d                          | listillate – vomiting may cause aspiration pneumonia.   |  |

# Chemical and Physical Hazards

Do not use or store near heat or open flame.

## Environmental Hazards

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of waste.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DIP OR SPONGE BATH: To Control Ticks, Fleas and Lice on cats and dogs, difute this concentrate at the rate of 1 fluid ounces to 1 gallon of water and mix well to form a creamy emulsion dip. Dip or sponge the animal with this solution being careful to thoroughly wet the entire animal. Do not rinse. Allow solution to remain on animal. Reapply every two (2) weeks as needed.

EPA EST. NO. 62/178-FL-1A

445/16-MO-1B

Subscript used is first

Letter of run code on-container.

...

SPRAY: For Control of Fleas, Ticks and Lice, dilute at the rate of 1 ounce to 16 ounces of water. To insure thorough coverage, part the hair by stroking against the lay of the hair as spray is applied. Spray ticks directly. Apply to moisten the hair lightly. Reapply every two (2) weeks as needed.

KENNEL: For Control of Insects in animal quarters and sleeping areas, dilute 1 ounce to 16 ounces of water and spray as a course spray. Spray cracks and crevices and other places insects can nide. Bedding should be removed and sprayed thoroughly. Remove pets before treating and ventilate before allowing them to re-enter.

## STORAGE AND DISPOSAL

Storage: Store in original container away from heat or open flame, in locked storage

area.

Disposal: Do not reuse bottle. Rinse thoroughly, wrap in newspaper before discarding

in trash.

, , , , , ,