

28293-35

10/23/98

PM 04

B 183

## UNICORN

### 30 FLEA SPRAY

Kills Fleas Up to 30 Days

Controls Pests in and around Households as listed  
FLEAS - ANTS - CRICKETS - COCKROACHES - SPIDERS -  
SILVERFISH - BROWN DOG TICKS

#### ACTIVE INGREDIENT:

Chlorpyrifos [O,O-Diethyl-O-(3,5,6-trichloro-2-pyridyl) phosphorothioate] ..... 0.255%

INERT INGREDIENTS: ..... 99.745%

Total: ..... 100.000%


Contains Dursban<sup>®</sup>, a Registered Trademark of DowElanco

**Keep Out of Reach of Children**

#### CAUTION

See Back Panel for Additional Precautions

NET CONTENTS: 1 PINT



#### MANUFACTURED BY:

Unicorn Laboratories  
12385 Automobile Blvd.  
Clearwater, Florida 33762

283

## **PRECAUTIONARY STATEMENTS**

### **Hazards to Humans and Domestic Animals**

**CAUTION:** Harmful if swallowed. Avoid contact with eyes, skin or clothing. Do not breathe spray mist. Do not contaminate food, foodstuffs or water supplies.

### **Statement of Practical Treatment**

**IF ON SKIN:** Wash thoroughly with soap and water.

**IF IN EYES:** Flush with plenty of water. Get medical attention if irritation persists.

**NOTE TO PHYSICIANS:** Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine by injection is antidotal only if symptoms of cholinesterase inhibitor are present.

## **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### **INDOORS**

**GENERAL INFORMATION:** Use as a spot or crack and crevice treatment to control the pests indicated in the areas as listed below by application of the product as an undiluted spray. Repeat the treatment as needed.

**INDOORS** - Do not apply sprays of this product in conduits, motor housings, junction and switch boxes or other electrical equipment because of possible shock hazard. Do not use in poultry houses or other animal buildings. Do not apply spray to contact food, feedstuffs, and water supplies. Thoroughly wash dishes and food-handling utensils with soap and water if they become contaminated by application of this product. Do not allow children or pets to contact treated surfaces until spray has dried. Remove pets and cover fish bowls (tanks) before spraying. APPLICATION WITHIN RESIDENTIAL BUILDINGS INCLUDING HOMES AND APARTMENT BUILDINGS AND WITHIN NON-FOOD AREAS OF INDUSTRIAL, INSTITUTIONAL, AND COMMERCIAL BUILDINGS INCLUDING HOSPITALS, STORES, MANUFACTURING PLANTS AND WAREHOUSES:

**FOR SPOT TREATMENT ONLY --** Apply as a course spray or with a paint brush to localized areas where cockroaches (including strains resistant to certain other insecticides), ants, clover mites, crickets, firebrats, silverfish, and spiders are found or normally occur, including dark corners of rooms and closets, cracks and crevices in walls along and behind baseboards, beneath and behind sinks, stoves, refrigerators and cabinets; around plumbing and other utility installations.

**FOR ANTS** - Apply to ant trails, also around doors and windows and wherever else these pests may find entrance.

**NOTE:** A period of four to seven days is normally required to have maximum effect on cockroaches.

**FOR CONTROL OF CARPET BEETLES** - Apply as a spray for spot treatment along baseboards and edges of carpeting, under carpeting, rugs and furniture, in closets and on shelving, and wherever else these insects are seen or suspected.

**FOR CONTROL OF FLEAS AND BROWN DOG TICKS** - Apply as a spot or crack and crevice treatment to infested areas such as pet resting quarters; nearby cracks and crevices; along and behind baseboards, window and door frames and localized areas of floor and floor covering where these pests may be present. Old bedding of pets should be removed and replaced with clean, fresh bedding after treatment of pet area. **DO NOT TREAT PETS WITH THIS PRODUCT.** To control the source of flea infestation, pets inhabiting the treated premises should be treated with a product registered for application to animals.

### **OUT-OF-DOORS**

**FLIES, MOSQUITOES** - For outdoor use only as an aid in reducing annoyance from these insects. Spray outside surfaces of screens, doors, window frames or wherever these insects may enter the room. Also treat surfaces around light fixtures on porches, in garages, and other places where these insects alight or congregate. Repeat as necessary.

**ANTS, BROWN DOG TICKS, CRICKETS, FLEAS AND EARWIGS** - For treatment of localized infestations of these insects in outdoor areas where there are weeds or brushy non-crop areas, spray infested areas thoroughly. For ants, thoroughly wet hills and runways. Repeat applications as infestations warrant and as reinfestations occur.

### **STORAGE AND DISPOSAL**

**Storage:** Store in original container in cool, locked storage area.

**Disposal:** Do not reuse container. Rinse thoroughly, wrap in newspaper before discarding in trash.