UNICORN

## MANGE LOTION

FOR

SARCOPTIC MANGE ON DOGS

ACCEPTED with COMMENTS in EPA Letter Dated:

APR 1 1 1984

Under the Federal Insecticide, Fungacide, and Rodent cide Act as amended, for the protocolregistered under EPA Reg. No.

# ACTIVE INGREDIENTS:

KEEP OUT OF REACH OF CHILDREN WARNING

See Back Panel For Additional Precautions

Net Contents: 1 oz.

Manufactured By
UNICORN LABORATORIES
Houston, TX. 77090

#### PRECAUTIONARY STATEMENT

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Harmful if swallowed. Wash hands with soap and water after use and before eating or smoking. Causes eye irritation. Avoid getting into eyes. Avoid contamination of feed or food. Wear protective gloves when applying. For external use only. For animal use only. Never apply to more than the equivalent of 1/3 of the dogs body area at one time. Do not apply to the genitals of animal. Extreme care should be taken when applying near eyes or genitals of animal. Excessive use may cause nausea and depression. Discontinue use if these symptoms occur.

### STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a Physician or Poison Control Center immediately. If

possible vomiting should be induced under medical supervision. Drink one or two glasses of water and place finger in back of

throat. Repeat until vomit fluid is clear. Never give

anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if

indicated.

IF ON SKIN: Wash affected areas with soap and water.

IF IN EYES: Flush eyes with plenty of water. Call a physician immediately.

### PHYSICAL HAZARDS

Flammable! Do not pour, spill or use near heat or open flame.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Cleanse infected area with antiseptic soap, let dry and gently massage lotion over infected area. If a large area is involved it should be divided into separate areas which are treated alternately every other day until mange conditions show improvement. Sarcoptic Mange infestation will generally respond readily and improvement will be apparent following treatment. If no improvement is noted within 10 days, consult your veterinarian. Do not get in dog's eyes or mouth. Do not use on cats or nursing puppies.

### STORAGE AND DISPOSAL

Do not reuse this container. Dispose of empty container in trash collection.

E.P.A. REG. NO 28293-40

E.P.A. EST. NO. 28293-TX-1



# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

11 APR 1984

Mr. James F. White Unicorn Laboratories P.O. Box 90014 Houston, TX 77090

435/112159

OFFICE OF PESTICIDES AND TOXIC SUBSTANCES

Dear Mr. White:

Subject: Lindane RPAR

Unicorn Mange Lotion EPA Reg. No.: 28293-40

Appl. Date: November 15, 1983

17/2

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable provided that you make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

Add the following to appear in the "HAZARDS TO HUMANS AND DOMESTIC ANIMALS" section:

"Avoid exposure to children. Do not allow children to apply or handle this product."

Submit five (5) copies of your revised final printed labeling before you release the product for shipment with the amended labeling.

A stamped copy of the label is enclosed for your records.

If you hold a Federal registration, a supplemental registration, or a Special Local Needs registration, you may continue to produce new stocks of such products, using current labeling, until April 30, 1984. After that date, all remaining inventories of affected products will fall under the Existing Stocks provisions stated in our letter of October 28, 1983.

Sincerely yours,

George T. LaRocca Product Manager (15) Insecticide-Rodenticide Branch Registration Division (TS-767C)

Enclosure