

UNICORN

LINDANE MANGE & LOUSE SPRAY

Only for Sale to, Use and Stored by
Pest Control Operators or other
Commerical and Agriculture Users.

FOR APPLICATION ON ANIMALS AND BUILDINGS

ACTIVE INGREDIENTS:

Gamma isomer of benzene hexachloride from Lindane 12.5%
Xylene 80.5%

INERT INGREDIENTS: 7.0%

100.0%

KEEP OUT OF REACH OF CHILDREN

WARNING

SEE SIDE PANELS FOR ADDITIONAL CAUTIONS

Net Contents: One Gallon

Manufactured By
UNICORN LABORATORIES
Houston, TX. 77090

ACCEPTED
WITH COMMENTS
in EPA REG. DIVISION

MAR 15 1973

Product
EPA Reg. No.
as per 40 CFR
registered under EPA Reg. No.
28293-44

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Maybe absorbed through the skin. Avoid inhalation and skin contact. Harmful if swallowed. In case of contact, wash immediately with soap and water. Avoid contamination of feed and foodstuffs. Do not use on household pets or humans. Keep out of reach of children. Do not use in poultry houses. Do not use as a residual spray for dairy barns or milk rooms. Do not use on feed or forage to be fed to dairy animals.

Do not apply to dairy cattle or dairy goats. Do not use on poultry. Do not apply spray to beef cattle, hogs, sheep and goats within 30 days of slaughter. Do not apply to these animals within 30 days of giving birth to young nor at least 3 weeks thereafter. Do not treat nursing animals. Do not apply to pigs, sheep and goats less than 3 months old. Do not apply to calves less than 5 months old. Do not treat animals in cold, stormy weather. Do not treat overheated or sick animals.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. Do not induce vomiting. Vomiting may cause aspiration pneumonia.

If Inhaled: Remove victim to fresh air. Apply artificial respiration if indicated.

If On Skin: Remove contaminated clothing and wash affected areas with soap and water.

If In Eyes: Flush eyes with plenty of water. Call a physician immediately.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Birds and other wildlife feeding in treated areas may be killed. Do not apply directly to lakes, streams or ponds. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

ANIMAL TREATMENT

To control cattle and hog lice, ticks on beef cattle, and sheep ticks on sheep, thoroughly cover animals with a spray consisting of 1 quart UNICORN Lindane Mange & Louse Spray mixed with 100 gallons of water (1 tablespoonful of product in 1½ gallons of water). To control psoroptic mites (responsible for sheep scabies), thoroughly cover the animal with a spray consisting of 1 quart UNICORN Lindane Mange & Louse Spray mixed with 52 gallons of water (4 tablespoonful of product in 3¼ gallon of water). Repeat application should follow the first by one week.

RESIDUAL SPRAY

Flies, mosquitoes, and gnats can be controlled by spraying walls, ceilings, window ledges, and other resting places of insects in barns and other buildings with a solution of UNICORN Lindane Mange & Louse Spray and water. Usually 1 quart of UNICORN Lindane Mange & Louse Spray diluted with 10 gallons of water (2 tablespoonful of product in 2½ pints of water) will cover 5,000 square feet

RESIDUAL SPRAY Cont.



of surface, or 500 square feet per gallon of diluted material. Remove animals from barn while spraying.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Do not store near heat or open flame.

PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved state procedures under Subtitle C of the Resource Conservation and Recover Act.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then dispose of in a sanitary landfill, or by other approved state and local procedures.

E.P.A. REG. NO. 28293-44

E.P.A. EST. NO. 28293-TX-1

<p align="center">U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION MH-567 WASHINGTON, D.C. 20460</p> <p>NOTICE OF PESTICIDE: <input type="checkbox"/> REGISTRATION <input checked="" type="checkbox"/> REREГИSTRATION <i>(Under the Federal Insecticide, Fungicide and Rodenticide Act as amended)</i></p>	EPA REGISTRATION NO.	DATE OF ISSUANCE
	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT	
<p>NAME AND ADDRESS OF REGISTRANT (Include ZIP code)</p> <div style="border: 1px solid black; padding: 10px; width: fit-content; margin: 0 auto;"> <p align="center">161/86768 18/1</p> </div>		
<p>NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.</p> <p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p> <p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p> <p>Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p>		
<p><input type="checkbox"/> ATTACHMENT IS APPLICABLE</p>		
SIGNATURE OF APPROVING OFFICIAL		DATE