

WARNING: May be harmful if swallowed. Avoid skin contact. Harmful if swallowed. In case of contact, wash immediately with soap and water. Avoid contact with eyes and face. Do not use on household pets or humans. Keep out of reach of children. Do not use in poultry houses. Do not use as a residual spray for dairy barns or milk rooms. Do not use on feed or forage to be fed to dairy animals.

Applicators must wear the following protective clothing during the application process: a light-weight protective suit or coveralls; water-resistant hat; unlined, waterproof gloves; unlined, light-weight boots. Mixers and loaders must also wear goggles or face shield, waterproof gloves and waterproof apron.

Do not apply to dairy cattle or dairy goats. Do not use on poultry. Do not apply spray to beef cattle, pigs, sheep and goats within 30 days of slaughter. Do not apply to these animals within 30 days of giving birth to young nor at least 3 weeks thereafter. Do not treat nursing animals. Do not apply to pigs, sheep or goats less than 3 months old. Do not apply to calves less than 5 months old. Do not treat animals in cold, stormy weather. Do not treat over-heated or sick animals.

#### STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED: Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. Do not induce vomiting. Vomiting may cause aspiration pneumonia.
- IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.
- IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.
- IF IN EYES: Flush eyes with water for 15 minutes. Consult physician immediately.

This product is not to be used on birds, fish, shellfish, birds and other wildlife feeding in the water. Do not apply directly to these streams or ponds. Do not use in conditions favoring drift. Do not use in conditions favoring drift.

Do not use, treat, or store in areas where children play.

It is a violation of Federal law to sell this product in a manner inconsistent with its labeling.

**BEST DOCUMENT AVAILABLE**

To control cattle and pig lice on fields or beef cattle, and sheep ticks or sheep, thoroughly cover animals with a spray consisting of 1 quart UNICOPR Lindane Range & Loose Spray mixer with 10 gallons of water (1 tablespoonful of product in 1 1/2 gallons of water). To control psoroptic mites (responsible for sheep scabies), thoroughly cover the animal with a spray consisting of 1 quart UNICOPR Lindane Range & Loose Spray mixer with 10 gallons of water (4 table-spoonful of product in 1 1/4 gallons of water). Repeat application should follow the first by one week.

#### RESILVA SPRAY

Flies, mosquitoes, and gnats can be controlled by spraying walls, ceilings, window ledges, and other resting places of insects in barns and other agricultural buildings with a solution of UNICORN Lindane Mangle & Louse Spray and water. Usually 1 quart of UNICORN Lindane Mangle & Louse Spray diluted with 10 gallons of water (2 tablespoonsful of product in 2 1/2 pints of water) will cover 5,000 square feet of surface, or 500 square feet per gallon of diluted material. Remove animals from barn while spraying.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Do not store near heat or open flame.

PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved state procedures under Subtitle C of the Resource Conservation and Recover Act.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then dispose of in a sanitary landfill, or by other approved state and local procedures.

E.P.A. REG. NO. ( 28293-44

E.P.A. EST. NO. 28293-TX-1

**BEST DOCUMENT AVAILABLE**



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

11/15/83

MAF

OFFICE OF  
PESTICIDES AND TOXIC SUBSTANCES

Mr. James F. White  
Unicorn Laboratories  
P.O. Box 90014  
Houston, TX 77090

11/15/83  
11/15

Dear Mr. White:

Subject: Lindane RPAR  
Unicorn Lindane Mangle & Louse Spray  
EPA Reg. No. a 28293-44  
Appl. Date: November 15, 1983

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable provided that you make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

1. Be sure to note the type size requirements for the front panel signal word, the "KEEP OUT OF REACH OF CHILDREN" and the headings "STORAGE AND DISPOSAL" (same as for KEEP OUT OF REACH OF CHILDREN) and "RESTRICTED USE PESTICIDE" (same as for front panel signal word).
2. Revise your "STORAGE AND DISPOSAL" in accordance with the enclosure.
3. Note correct spelling of "nursing" in "HAZARDS TO HUMANS AND DOMESTIC ANIMALS" section.

Submit five (5) copies of your revised final printed labeling before you release the product for shipment with the amended labeling.

A stamped copy of the label is enclosed for your records.

If you hold a Federal registration, a supplemental registration, or a Special Local Needs registration, you may continue to produce new stocks of such products, using current labeling, until April 1, 1984. After that date, all remaining inventories of affected products will fall under the Existing Stocks provisions stated in our letter of October 28, 1983.

Sincerely yours,

George T. LaRocca  
Product Manager (15)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767C)

Enclosure