

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Keep out of reach of children. Avoid inhalation. May be harmful if swallowed. Wash thoroughly with soap and water. Wash thoroughly after use. Do not use on horses, dogs, cats, or other animals. Do not use on birds. Do not use on fish. Do not use on shellfish. Do not use on plants. Do not use on food. Do not use on feed. Do not use on bedding. Do not use on clothing. Do not use on furniture. Do not use on walls. Do not use on ceilings. Do not use on floors. Do not use on carpets. Do not use on drapes. Do not use on curtains. Do not use on blinds. Do not use on shades. Do not use on screens. Do not use on mirrors. Do not use on glass. Do not use on plastic. Do not use on metal. Do not use on wood. Do not use on stone. Do not use on brick. Do not use on concrete. Do not use on masonry. Do not use on plaster. Do not use on paint. Do not use on wallpaper. Do not use on fabric. Do not use on leather. Do not use on rubber. Do not use on vinyl. Do not use on wax. Do not use on oil. Do not use on grease. Do not use on dirt. Do not use on mud. Do not use on snow. Do not use on ice. Do not use on frost. Do not use on rain. Do not use on wind. Do not use on sun. Do not use on heat. Do not use on cold. Do not use on humidity. Do not use on dryness. Do not use on moisture. Do not use on dryness. Do not use on humidity. Do not use on moisture. Do not use on dryness. Do not use on humidity. Do not use on moisture.

PHYSICAL OR CHEMICAL HAZARDS

Flammable - contents under pressure. Keep away from fire, sparks or flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not store at temperatures below 35°F. Containers exposed to freezing temperatures should be warmed to room temperature for 4 hours before use.

STATEMENT OF PRACTICAL TREATMENT

- Inhalation: Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.
- Ingestion: Remove victim to fresh air. Apply artificial respiration if indicated.
- On skin: Remove contaminated clothing and wash affected areas with soap and water.
- In eyes: Flush eyes with plenty of water. Call a physician immediately.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABEL.

GENERAL DIRECTIONS: Remove safety cap, hold can about 4 to 6 inches from area to be treated with nozzle pointed at wound. Spray the area until it is completely wet. Three to ten seconds are usually enough. This product is not recommended for use on deep wounds. Use as directed on superficial surface wounds or on ear tick treatment. Some strains of screwworms may develop resistance to lindane. This will be observed by lack of response to treatment.

INFESTED SUPERFICIAL WOUNDS: Spray the wound until it is completely wet. The area around the wound should also be sprayed with particular attention to that area below the wound where drainage might attract flies.

NEW UNINFESTED SURFACE WOUNDS: New superficial wounds should be sprayed promptly to aid in preventing screwworm infestations. For minor wounds such as slight wire cuts, docking, shear cuts, tick bites, abrasions, etc., spray thoroughly as directed.

Treatment should be repeated two times weekly or as needed until healing is complete. Two treatments may be sufficient if no drainage occurs. Flies attracted to the wound for several days after treatment will normally be killed by the toxic residue.

EAR TICKS: Thoroughly spray all the inner surface of the ear. Use enough spray to wet the skin and allow a little to run into the ear. Massage to insure complete coverage. Insecticide must come in contact with some ear ticks to affect all. Experience indicates that a thorough treatment should keep ears free of ticks for about 30 days. Retreat as inspections reveal need.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
Do not use the container. Wash thoroughly in case of spillage.

EPA REG. NO. 10819-01 EPA EST. NO. 1-00001-01



**Unicorn
LINDANE
SCREWWORM SPRAY**

A pressurized Screwworm Killer and Ear Tick Treatment providing a convenient means of killing these pests of beef cattle, horses, swine, sheep and goats.

ACTIVE INGREDIENT

Gamma Isomer of Benzene Hexachloride from Lindane 3.0%
Xylene 15.0%

INERT INGREDIENTS 82.0%

Blue Color Added

Prevent from Freezing

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Side Panel For Additional Cautions

Net Weight: 10 Oz.

UNICORN LABORATORIES
P. O. Box 90014 • Houston, TX 77090

BEST DOCUMENT AVAILABLE



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

433 / 112167
11/1

3 MAR 1984

OFFICE OF
PESTICIDES AND TOXIC SUBSTANCES

Mr. James F. White
Unicorn Laboratories
P.O. Box 90014
Houston, TX 77090

306 / 115140
11/2

Dear Mr. White:

Subject: Lindane RPAR
Unicorn Lindane Screwworm Spray
EPA Reg. No.: 28293-53
Appl. Date: November 15, 1983

The amendment referred to above submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable provided that you make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

Add the following to appear in the "HAZARDS TO HUMANS AND DOMESTIC ANIMALS" section:

"Avoid exposure to children. Do not allow children to apply or handle this product."

Submit five (5) copies of your revised final printed labeling before you release the product for shipment with the amended labeling.

A stamped copy of the label is enclosed for your records.

If you hold a Federal registration, a supplemental registration, or a Special Local Needs registration, you may continue to produce new stocks of such products, using current labeling, until April 1, 1984. After that date, all remaining inventories of affected products will fall under the Existing Stocks provisions stated in our letter of October 28, 1983.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosure

U.S. Environmental Protection Agency statement personnel address indicators must bear the
the following information during the treatment process: allow leaf to
proof level, a distribution of spray, and "lined" interleaf leaf.