UNICORN

PRESSURIZED FOGGER

For Apartments, Homes, Barns, Kennels, and Buildings up to 10,000 Cu. Ft.

This "One-Shot" Insecticide releases the entire contents of the can. The Fog penetrates throughout the entire area.

Kills Exposed Roaches, Ants, Ticks, Fleas, Small Fling Moths, Spiders and Scorpions.

ACTIVE INGREDIENTS:

2,2-dichlorovinyl dimethyl phosphate	0.47%
Related compounds	
Pyrethrins	
Piperonyl butoxide, technical*	
N-Octyl bicycloheptene dicarboximide	1.55%
INERT INGREDIENTS: **	96.75%

- Equivalent to 0.64% (butylcarbityl) (6-propylpiperonyl) ether and 0.16% related compounds.
- ** Contains Petroleum distillates.

"The use of this product may be hazardous to your health. This product contains dichlorvos, which has been determined to cause cancer in laboratory animals. Dichlorvos also causes adverse liver effects in laboratory animals and is a potent cholinesterase inhibitor."

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Precautions

NET WEIGHT: 12 OUNCES AVDP

MANUFACTURED BY:

Unicorn Laboratories 1002 118th Avenue North St. Petersburg, Florida 33716

EPA REG. NO. 28293-78(R87/88)

EPA EST. NO. 28293-FL-1

Not Reviewed. Registrant dams to be in accordance with a contrator of the lighted Permiss Constance for Phase 2 and Active to Inval Channe in Status.

PRECAUTIONARY STATEMENT

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Avoid inhalation, eye, skin and clothing contact. Wash thoroughly after using. Do not contaminate feed, water or foodstuffs. Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using Fogger in these areas, apply only when the facility is not in operation. Remove pets and cover fish tanks or fish bowls before using.

Statement of Practical Treatment

IF SWALLOWED: Calla physician or Poison Control Center immediately. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.

IF INHALED: Remove victim to fresh air. Apply respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes for at least 15 minutes with water. Call a physician immediately.

NOTE TO PHYSICIAN: Solvents present aspiration hazard. Gastric lavage is indicated if material was taken internally. If symptoms of cholinesterase inhibition are present, atropine is antidotal. 2-PAM is also antidotal and may be used in conjunction with atropine.

Physical Hazards

Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperature above 130°F may cause bursting. Never throw container into fire or incinerator.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use one canister for each 10,000 cu. ft. of unobstructed area.

<u>PREPARATION:</u> Open cabinets and doors to areas to be treated. Shut off fans and air conditioners. Put out all open flames except pilot light. Remove pets and cover fish tanks or fish bowls with paper or remove from area. Close exterior doors and windows. Cover exposed foods, dishes, and good handling equipment.

EPA REG. NO. 28293-78(RS)

EPA EST. NO. 28293-RL-1

•••••

3

TO START FOGGING: Place Fogger on table, chair or stand, at least six feet from pilot light. Place several thicknesses of newspapers under canister to prevent marring of surface. Hold can at arm's length, with top of can pointing away from face and eyes. Push down finger pad until it locks - this will start fogging action. Set canister in upright position on table, etc., and leave building at once. DO NOT RE-ENTER BUILDING FOR TWO HOURS, then open exterior doors and windows and allow to air for 30 minutes before re-occupying area.

STORAGE AND DISPOSAL

STORAGE: Store in cool, dry area away from heat and open flame.

<u>DISPOSAL:</u> Do not reuse empty container. Wrap container and put in trash collection.

EPA REG. NO. 28293-78(RS)

EPA EST. NO. 28293-FL-1