

- d. The Statement of Practical Treatment must be revised to read similar to the following statement. However, if your toxicological data suggest otherwise, please submit a draft Statement of Practical Treatment for prior approval:

If swallowed: Call a physician or Poison Control Center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of throat with a finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

If inhaled: Remove victim to fresh air. Apply artificial respiration if indicated.

If on skin: Remove contaminated clothing and wash affected areas with soap and water.

If in eyes: Flush eyes with plenty of water. Call a physician immediately.

NOTE TO PHYSICIAN: Solvent presents aspiration hazard. Gastric lavage is indicated if material was taken internally. If symptoms of cholinesterase inhibition are present, atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

- e. The Pesticide Disposal Statement must be revised to read as follows:

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

f. Revise the Environmental Hazards Paragraph to read:

This pesticide is toxic to fish. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

- g. You must provide a description of your formulation process including order and conditions of mixing and quality control sampling procedures.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosures

UNICORN
DELNAV-V LIVESTOCK SPRAY & DIP
BACKRUBBER CONCENTRATE

ACTIVE INGREDIENTS:

Dioxathion [2,3-p-dioxanedithiol S,S-bis (0,)-diethyl phosphorodithioate]	10.35%	✓
Related compounds	4.35%	✓
2,2-dichlorovinyl dimethyl phosphate	0.93%	✓
Related compounds	0.07%	✓
Xylene	73.00%	✓
INERT INGREDIENTS:	11.30%	✓
	<hr/> 100.00%	

KEEP OUT OF REACH OF CHILDREN

WARNING

See Other Panel For Additional Precautions

STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED: Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Call a physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person.
- IF INHALED: Remove victim to fresh air. Apply respiration if indicated.
- IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.
- IF IN EYES: Flush eyes for at least 15 minutes with water. Call a physician if irritation persists.

NET CONTENTS: 1 Gallon

Manufactured By

UNICORN LABORATORIES


HOUSTON, TX. 77090

ACCEPTED
with COMMENTS
in EPA Letter Dated:

MAY 28 1986

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

28293-60



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: May be fatal if swallowed, inhaled, or absorbed through skin. Rapidly absorbed through skin. Repeated inhalation or skin contact may, without symptoms, be increasingly hazardous. Do not breathe spray mist. Do not get in eyes, on skin, or on clothing. Wear clean natural rubber gloves, clean protective clothing, and goggles. Replace gloves frequently and destroy used gloves. Wear a mask or respirator of a type approved by the Mine Safety and Health Administration or the National Institute for Occupational Safety and Health for organic phosphorous insecticide protection. Do not contaminate feed and foodstuffs. Wash hands thoroughly after using and before smoking or eating. In case of contact immediately remove contaminated clothing and flush skin or eyes with plenty of water; for eyes get medical attention. Wash contaminated clothing with soap and hot water before reuse. Do not allow unprotected persons where this material is being handled.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to lakes, streams or ponds. Apply this product only as specified on this label. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store around heat or open flame.

DIRECTIONS FOR USE

It is violation of Federal law to use this product in a manner inconsistent with its labeling.

Kills resistant and hard to kill external animal parasites. No waiting period between last application and slaughter. One gallon makes 100 gallon of spray. Do not use on dairy animals or in dairy barns.

AS A SPRAY

FOR CATTLE, HORSES, SHEEP, GOATS, HOGS: To control horn flies, cattle lice, ear ticks, Lone Star ticks, Gulf Coast ticks, winter ticks, and cattle fever ticks, KEDS, wool moggots, mix one gallon of Delnav-V LIVESTOCK SPRAY AND DIP with 100 gallons of water and stir well to form a creamy emulsion. Spray animals with a strong spray to penetrate to the skin. Wet all portions of skin thoroughly. Approximately 2 quarts of spray are required for a full grown cow, and proportionately less for smaller animals. Be sure not to overdose young animals. Repeat as necessary but not more often than once every two weeks. One spraying with Delnav-V LIVESTOCK SPRAY AND DIP will control horn flies up to 3 weeks and single application will control lice.

AS A DIP

FOR CATTLE, HORSES, SHEEP AND GOATS: Mix one gallon of Delnav-V with 100 gallons of water. Stir well to form a creamy emulsion. Water animals well before dipping to prevent drinking of dip solution. Hand dipping of young animals will prevent swallowing of dip solution. Do not retreat more often than every two weeks. Do not dip calves less than 3 months of age.

BACK RUBBER APPLICATION

For control of hornflies and lice on cattle, dilute 1 part Delnav-V with 9 parts backrubber oil. Apply with conventional cattle oilers. Do not use on dairy cattle. Do not spray animals with this solution.

REPLENISHMENT

During dipping operation, each time the dip volume is reduced by 1/8 of its initial volume, replenish the bathe by adding 1 gallon of Delvan-V for each 75 gallons of water required to restore the dip to its initial volume.

For dip operations, continue dipping and repeat replenishment procedure each time dip volume is reduced by 1/8 of its initial volume. Vat should be emptied, cleaned and recharged each time: (a) The number of animals dipped equals doubled the number of gallons of water in the initial bath volume; (b) When the dip becomes too foul for satisfactory use; or (c) When the vat has been charged for 60 days, whichever comes first.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Disposal: Pesticide, spray mixture or renstate that can not be used according to label instructions must be disposed of according to Federal, State or Local procedures under the Resource Conservation and Recovery Act.

Container Disposal: Triple rinse and dispose of in a sanitary landfill or by other approved State and Local procedures.

E.P.A. REG. NO. 28293-X

E.P.A. EST. NO. 28293-TX-1

