

SEP 3 1986

Unicorn Laboratories
P.O. Box 90014
Houston, TX 77090

Attention: James F. White


Gentlemen:

Subject: Unicorn Bird Spray
EPA Registration No. 28293-85
Your Letter Dated March 4, 1986

The proposed amendment to the registration of the product cited above, updating the label, is acceptable and a stamped copy is enclosed for your records.

The revised Confidential Statement of Formula is acceptable and has been placed in the file for this product.

Sincerely yours,


Arturo E. Castillo
Acting Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosure

87729:Tavano:G-7:KENCO:8/22/86:9/2/86:bj:jh

CONCURRENCES

SYMBOL	SURNAME	DATE						

UNICORN

BIRD SPRAY

Kills Mites & Red Lice

A special formulation for Canaries, Parakeets and other caged birds.

ACTIVE INGREDIENTS:

Pyrethrins09%
*Piperonyl Butoxide, Technical18%
N-octyl bicycloheptene dicarboximide30%
Petroleum Distillate43%
Triethylene Glycol10%
Propylene Glycol10%

INERT INGREDIENTS: 98.80%

*Equivalent to .144% (butylcarbityl) (6-propyl-piperonyl) ether and .036% related compounds.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Precautions

Net Weight: OZ.


Manufactured By
UNICORN LABORATORIES
Houston, TX. 77090

ACCEPTED
with COMMENTS
in EPA Letter D-86-1

SEP 3 1986

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

28293-85



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing spray mist. Avoid contact with skin. Cover aquariums before spraying. Do not spray on feed or foodstuffs.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

IF ON SKIN: Remove contaminated clothing. Wash affected area with soap and water.

PHYSICAL AND CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F. may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with labeling.

SHAKE WELL..... Spray parakeets, canaries and other caged birds as follows:

FOR CAGE MITE CONTROL: Remove bird and thoroughly spray perches and cage. Clean and spray at regular intervals.

FOR BIRD LICE CONTROL: Leave bird in cage and spray directly on bird, holding container at least 3 feet from bird or any surface. Spray lightly - one burst of 2 or 3 seconds. Apply no more than 2 times per week.

STORAGE AND DISPOSAL

Store in original container away from heat and open flame in locked storage area.

Replace cap and discard container in trash. Do not incinerate or puncture.

E.P.A. REG. NO. 28293-85

E.P.A. EST. NO. 28293-TX-1

