UNICORN

BIRD SPRAY

Kills Mites and Red Lice

A special formulation for Canaries, Parakeets and other caged birds.

ACTIVE INGREDIENTS:

Pyrethrins	
Piperonyl Butoxide, Technical*	.18%
N-Octyl bicycloheptene dicarboximide	
Propylene Glycol	
ricpytene discon	• 10%
INERT INGREDIENTS: **	99.23%
	100.00%

- * Equivalent to .144% (butylcarbityl) (6-propylpiperonyl) ether and .036% related compounds.
- ** Contains Petroleum Distillates

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Precautions

NET WEIGHT: OUNCES

MANUFACTURED BY:

Unicorn Laboratories 1002 118th Avenue North St. Petersburg, Florida 33716

EPA REG. NO. 28293-85(E:12/4/89)

EPA EST. NO. 28293-71-1

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire. Cover fish and turtle bowls when spraying. Do not spray on feed or foodstuff.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with labeling.

SHAKE WELL. Spray parakeets, canaries and other caged birds as follows:

For Cage Mite Control: Remove bird and thoroughly spray perches and cage. Clean and spray at regular intervals.

For Bird Lice Control: Leave bird in cage and spray directly on bird, holding container at least 3 feet from bird or any surface. Spray lightly one burst of 2 or 3 seconds. Apply no more than 2 times per week.

STORAGE & DISPOSAL

Do not store near heat or open flame. Do not use empty container. Wrap container and put into trash collection.

EPA EST. NO. 28293-FL-1

EPA REG. NO. 28293-85(E)