

UNICORN

DAIRY SPRAY

FOR MILK HOUSES AND ANIMALS

**Kills House Flies, Horn Flies, Stable Flies,
Gnats and Roaches**

ACTIVE INGREDIENTS:

Pyrethrins.....	.500%
Piperonyl Butoxide, Technical*.....	4.000%

INERT INGREDIENTS:..... 95.500%**

* Equivalent to 3.2% (Butylcarbityl) (6-propylpiperonyl) ether and .8% of related compounds.

** Contains Petroleum Distillates

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Precautions


NET WEIGHT: 2.5 LBS.

MANUFACTURED BY:

Unicorn Laboratories
1002 118th Avenue North
St. Petersburg, Florida 33716

EPA REG. NO. 28293-86(E)

EPA EST. NO. 28293-FB-1



Use with care

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. Do not apply directly to food. In commercial food handling facilities, cover milking utensils and milk to prevent contamination from spray and dead or falling insects during application. Do not apply while food processing is underway. After space spraying, wash all equipment benches, shelving, etc., where exposed food will be handled, with potable water. When used in enclosed areas, do not remain in treated areas. Ventilate the area after treatment is completed. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.

Remove pets, birds and cover fish aquariums before spraying.

Chemical and Physical Hazards

CAUTION: Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR HOME USE: To Kill Roaches, Spiders and Silverfish, thoroughly spray insects and all possible hiding places such as cracks, baseboards, sinks, cabinets and shelves. Repeat treatment when necessary.

To Kill Wasps and Hornets, apply in late evening when all of the insects have returned to the nest. Spray liberally into hiding places and nests, contacting as many insects as possible.

MILKING PARLOF AND MILK ROOM: Close all windows and doors. Spray at the rate of 1 to 2 seconds per 1000 cubic feet. Stand in center of the room. Direct fog upward and spray in all directions. Keep room closed for 15 minutes after treatment. Do not remain in treated areas. Ventilate the area after treatment is completed.

ANIMAL USE: From approximately 24 inches, thoroughly spray entire animal's face as it is being released to pasture. Spot-treat withers, shoulders and back where saliva accumulates from head tossing. Spray to wet the hair but not the skin.

STANCHION BARN USE: Walk behind animals and direct spray over backs, allowing approximately 1 second per animal. For most effective results, apply each morning.

STORAGE AND DISPOSAL

Do not store near fire or flame. Replace cap and discard container to trash. Do not incinerate or puncture.