UNICORN

HOUSE AND CARPET SPRAY

Provides Flushing Action and Fast Knockdown

Controls Cockroaches, Ants, Silverfish, Spiders, Crickets, Earwigs and Brown Dog Ticks and Fleas.

Use in and around homes, apartments, garages, similar residential structures, institutions, restaurants and food processing plants.

Use outdoors as an aid in reducing annoyance from flies and mosquitoes entering the home.

APPLICATION OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED.

ACTIVE INGREDIENTS:

Pyrethrins Piperonyl butoxide, technical *	0.052% 0.260%
phosphorothioate)	0.500%
INERT INGREDIENTS: **	99.188%

- Equivalent to 0.208% (butylcarbityl) (6-propylpiperonyl) ether and 0.052% related compounds.
- ** Contains Petroleum Distillates

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panel for Additional Precautions

NET WEIGHT: 1 PINT

MANUFACTURED BY:

Unicorn Laboratories 1002 118th Avenue North St. Petersburg, Florida 33716

EPA REG. NO. 28293-87(E)

EPA EST. NO. 28293-FL11

A Perdemad. Registrant of this to be in accordance with the control of the contro

12, Active 3 Status.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Avoid contact with eyes, skin and clothing. Avoid breathing vapors or spray mist. Keep away from food, feedstuffs, and domestic water supplies. Wash thoroughly after handling. Do not allow children or pets to contact treated surfaces until spray has dried. Do not spray air in rooms or use on plants. Apply as a surface spray only as specified on this label. Thoroughly wash dishes and food handling utensils if contaminated with this product.

Environmental Hazards

This product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes.

Physical or Chemical Hazards

Do not use, pour spill or store near heat or open flame.

Statement of Practical Treatment

IF SWALLOWED: Call a physician immediately. If gastric lavage is deemed necessary, undertake if material was taken internally. Do not induce vomiting unless no other treatment is available. Vomiting may cause aspiration pneumonia. If necessary to induce vomiting, give 1 or 2 glasses water and insert finger in back of throat. Repeat until vomit fluid

Atropine Sulfate is antidotal.

IF INHALED: Remove victim to fresh air and apply respiration if

indicated.

is clear.

IF ON SKIN: Wash promptly with soap and water. Rinse

thoroughly.

IF IN EYES: Flush with plenty of water. If irritation persist,

get medical attention.

EPA REG. NO. 28293-87(E)

EPA EST. NO. 28293-FL-1

Contains a cholinesterase inhibitor.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with labeling.

For use in garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Apply to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter. Repeat treatment as required.

BROWN DOG TICKS AND FLEAS: Apply thoroughly as a spot treatment to infested areas such as pet beds and resting quarters, nearby cracks and crevices along and behind baseboards, window and door frames and localized areas of floor and floor covering where these insects may be present. Fresh bedding should be placed in animal quarters following treatment. Do not spray pets with this product.

<u>FLIES AND MOSQUITOES:</u> Use only on outdoor surfaces. Spray outside surfaces of windows and door frames and other areas where these pests may enter the home. Also spray dark corners and localized resting areas, such as under eaves, porches, partitions and in garages where these insects may congregate. Flies and mosquitoes coming to rest on treated surfaces will be killed. Repeat treatment when effectiveness diminishes.

COCKROACHES, ANTS, EARWIGS, WATERBUGS, SILVERFISH, SPIDERS AND CRICKETS: Apply in small amounts directly into cracks and crevices using equipment capable of delivering a pin stream of insecticide, in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases, in conduits, motor housing, junction or switch boxes. Prior to application deenergize electrical equipment. After application allow time for oil to evaporate before starting motors or placing switches in "ON" position. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

FOOD AREAS - APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY: Including areas for receiving, storage, packing (canning, bottling, wrapping, boxing) preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups) and serving areas (when food is exposed and facility is in operation).

<u>SERVING AREAS:</u> Facilities where foods are served such as dining rooms, but excluding areas where foods may be prepared or held, apply as a spot treatment to selective surfaces, such as baseboards, under elements or construction and into cracks and crevices. Avoid treating surfaces likely to be contacted by food. (Do not apply when facility is in operation or foods are exposed.)

STORAGE AND DISPOSAL

Store in original container away from heat or open flame, in locked storage area. Do not reuse container. Rinse thoroughly, wrap in newspaper before discarding in trash.

EPA REG. NO. 28293-87(E)

EPA EST. NO. 28293-FL-1