

US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (TS-767)
WASHINGTON, DC 20460

EPA REGISTRATION NO.

DATE OF ISSUANCE
JUL 10 1987

28293-82

TERM OF ISSUANCE

Until Reregistered

NAME OF PESTICIDE PRODUCT

Unicorn Comaphos
Screwworm Spray

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION

(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Unicorn Laboratories
P.O. Box 90014
Houston, TX 77090

161/160281
18/1

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(C) provided that you:

1. Submit/site all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Provide the names of the sources of methylene chloride and A-4 propellant.
3. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phrase "EPA Registration No. 28293-82."
 - b. Revise the statement on the front panel to read:

THIS PRODUCT CONTAINS ONE TOXIC PESTICIDE
INGREDIENTS: METHYLENE CHLORIDE.

BEST AVAILABLE COPY

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

Alan Howard

G. J. L.

DATE

July 10, 1987

EPA Form 8570-6 (Rev. 5-76)

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

15204:I:Newkirk:LR-7;KENCO:7/8/87;7/16/87;ron:sjh:vo:ek:ron

c. Add the following section to the labeling:

Environmental Hazards

This product is toxic to fish, birds, and other wildlife. Do not apply directly to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

4. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosures

UNICORN
COUMAPHOS
Screwworm Spray

For Treatment and Prevention of Screwworms and
Fly Maggots on Livestock
For Control of Ear Ticks on Beef and Dairy Cattle
For Beef and Dairy Cattle, Sheep, Goats, Swine and Horses

FOR AGRICULTURAL USE ONLY

ACTIVE INGREDIENTS:

0,0-Diethyl 0-(3-chloro-4-methyl-2-oxo-
(2H)-1-benzopyran-7-yl) phosphorothioate 3.0%

INERT INGREDIENTS: 97.0%

CONTAINS THE TOXIC INERT METHYLENE CHLORIDE

KEEP OUT OF REACH OF CHILDREN

DANGER

See Back Panel for Additional Precautions

ACCEPTED
with COMMENTS
FIFRA letter Dated:


JUL 10 1987

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

15293-88

Net Contents: 10 oz.

Manufactured By
UNICORN LABORATORIES
HOUSTON, TX. 77269



HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes irreversible eye damage. Wear safety glasses or goggles when applying. May be harmful or fatal if swallowed, inhaled, or absorbed through skin. Do not get in eyes, on skin or on clothing. Wash hands with soap and water after handling. Wash all contaminated clothing with soap and hot water before reuse. Keep out of reach of children. If poisoning occurs, obtain prompt medical aid. For external insecticidal use only on below specified animals. Do not contaminate feed troughs, water, or water utensils. Provide thorough ventilation while spraying. Use caution when spraying in area of face to avoid exposure to eyes. Do not use on sick, stressed or convalescent animals.

STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED: Call a Physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.
- IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.
- IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.
- IF IN EYES: Flush eyes with plenty of water. Get medical attention immediately.
- NOTE TO PHYSICIAN: Solvent presents aspiration hazard. Gastric lavage is indicated if material was taken internally. If symptoms of cholinesterase inhibition are present, atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

PHYSICAL AND CHEMICAL HAZARDS

Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F. may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SCREWWORMS AND FLY MAGGOTS ON BEEF AND DAIRY CATTLE, SHEEP, GOATS, SWINE AND HORSES: Hold spray nozzle 3 to 10 inches from the wound area to be treated and apply a protective coating on and around the wound.

For the treatment of wounds infested with fly maggots and screwworms on beef and dairy cattle, sheep, goats, swine and horses, spray wound until complete coverage is obtained. Repeat as necessary.

For prevention spray a protective coating on new wounds from dehorning, castration, docking, injury, etc. as soon as possible to avoid infestation. Repeat as necessary.

EAR TICKS ON BEEF AND DAIRY CATTLE: For control spray directly into each ear canal until complete coverage is obtained (approximately 5 seconds). Repeat as necessary.

STORAGE AND DISPOSAL

STORAGE: Store in cool, locked storage area.

DISPOSAL: Do not reuse container. Wrap container in newspaper and put in trash collection.

EPA REG. NO. 28293-X

EPA EST. NO. 28293-TX-1

