

Reg # 28293-91

PM-15

182

UNICORN
COUMAPHOS
LIVESTOCK DUSTER

Controls Screwworms and Ear Ticks
on

Dairy & Beef Cattle, Sheep, Goats, Swine and Horses

ACTIVE INGREDIENTS:

0,0-Diethyl 0-(3-chloro-4-methyl-2-oxo-2H
1-benzopyran-7-yl) phosphorothioate 5.0%

INERT INGREDIENT: 95.5%

KEEP OUT OF REACH OF CHILDREN

WARNING

See Back Panel For Additional Precautionary Statements

Net Weight: 5 OZ.

Manufactured By
UNICORN LABORATORIES
HOUSTON, TX. 77090

NOT REVIEWED
In Accordance with EPA Notice 00-2
Based on Draft Labeling Data JUN 30 1986

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: May be fatal if inhaled. Harmful if absorbed through skin. Avoid inhalation of dust. Avoid contact with skin or eyes. Wash after handling and before eating or smoking.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center Immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if necessary.

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

IF ON SKIN: Wash with soap and water. Remove contaminated clothing.

NOTE TO PHYSICIAN: If symptoms of cholinesterase inhibition are present, atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning equipment or disposal of wastes. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Shake well before using. Open nozzle by turning tip up. Keep nozzle closed when not in use. Squeeze container to expel dust in short, light cloud. Hold nozzle 2 to 4 inches from area to be treated.

SCREWWORM TREATMENT: Treat infested wounds with light but thorough coverage. Be sure all parts of wound are completely coated. New wounds from docking, dehorning, etc. should be dusted at once with light uniform coat to avoid infestation. Repeat as necessary.

EAR TICK TREATMENT: Dust into ear and also treat the adjacent head area. Use short, sharp pressure on container. Repeat as necessary.

For external insecticidal use only on above-specified animals. Do not contaminate feed, troughs, water, or water utensils. Provide thorough ventilation while dusting. Use caution when dusting in area of face to avoid exposure to eyes.

STORAGE & DISPOSAL

BEST AVAILABLE COPY

Do not contaminate food, feedstuffs or water during storage.

Store in original container, in cool locked storage area.

Do not reuse container. Wrap container and dispose in trash collection.

E.P.A. REG. NO. 28293-91
E.P.A. EST. NO. 28293-TX-1



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

... 23 1989

Ms. Linda C. Denbigh
Unicorn Laboratories
1000 18th Avenue North
St. Petersburg, FL 33716

OFFICE OF
PESTICIDES AND TOXIC SUBSTANCES

Dear Ms. Denbigh:

Subject: Coumaphos Registration Standard - 2nd Round Review - Label
Revision
Unicorn Coumaphos Screwworm Spray
EPA Registration No. 28293-88
Unicorn Coumaphos Livestock Duster
EPA Registration No. 28293-91
Unicorn Coumaphos Fly & Louse Dust
EPA Registration No. 28293-122
Your Letter Dated November 29, 1989

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, are acceptable provided that you make the labeling changes indicated below prior to release for shipment of product bearing the amended labeling.

1. For all products under **Note to Physician**, please insert the wording "by injection" in the phrase "Atropine sulfate by injection is antidotal."
2. For the product assigned EPA Registration No. 28293-91, make the following label changes:
 - a. Under the Directions For Use, make the typing correction to the word **eye**.
 - b. All end-use products in Toxicity Category II (except those formulated as aerosol products) must bear the following worker protection clothing statements:

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT DURING MIXING/LOADING, APPLICATION, REPAIR AND CLEANING OF MIXING, LOADING, AND APPLICATION EQUIPMENT, DISPOSAL OF THE PESTICIDE; long-sleeved shirt and long-legged pants; chemical resistant gloves; chemical resistant shoes (or chemical resistant shoe covers or chemical resistant boots). In addition, mixer/loaders and dip tank workers must wear a chemical resistant apron and face shield or goggles, and a NIOSH/MSHA approved respiratory protective device.

- c. The statement listed below contains the exact wording that must appear on the label for pesticide disposal for products in toxicity category II.

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label directions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.


A distinction must be made between the pesticide disposal and container disposal. See PR Notice 83-3 for guidance.

- 3. For the products(s) assigned EPA Reg. No. 28293-88 and 28293-91 qualify the three day preslaughter restriction with sheep and goats, i.e.:

"For sheep and goats do not treat within 3 days of slaughtering."

- 4. For the product under EPA Reg. No. 28293-122:
 - a. Delete the preslaughter restriction since this restriction pertains only to sheep and goats which are not listed on the label.
 - b. Following the dust bag instructions add: **Manage the dispenser bag so as not to apply more than 1 oz dust per animal per day.**
 - c. Following the direct application instruction revise the statement to read, **"Repeat as necessary but not more often than once every 10 days."**

Submit five copies of your final printed labeling before you release the product for shipment. A stamped copy of the labeling is enclosed for your records.

Sincerely,


George T. LaRocca
 Product Manager 15
 Insecticide-Rodenticide Branch
 Registration Division (H7505C)

**UNICORN
COUMAPHOS
LIVESTOCK DUSTER**

**Controls Screwworms and Ear Ticks
on
Dairy and Beef Cattle, Sheep, Goats, Swine and Horses**

ACTIVE INGREDIENT:

0,0-Diethyl 0-(3-chloro-4-methyl-2-oxo-2H
1-benzopyran-7-yl) phosphoratioate..... 5.0%

INERT INGREDIENTS: 95.0%

100.0%

KEEP OUT OF REACH OF CHILDREN

WARNING

See Back Panel for Additional Precautionary Statements

Net Weight: 5 oz.

Manufactured By:

**Unicorn Laboratories
St. Petersburg, FL 33716**

ACQU...
W...
L...
L...

NOV 23 1980

For information...
L...
L...

78293-91

4 8 5

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: May be fatal if swallowed, inhaled or absorbed through skin. Avoid contact with skin or eyes. Avoid breathing dusts.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated. Get medical attention if victim displays signs of poisoning.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes with plenty of water. Call a physician immediately.

NOTE TO PHYSICIAN: If symptoms of cholinesterase inhibition are present, atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and aquatic invertebrates. Do not apply directly to water. Do not contaminate water when disposing of equipment washwater or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Shake well before using. Open nozzle by turning tip up. Keep nozzle closed when not in use. Squeeze container to expel dust in short, light cloud. Hold nozzle 2 to 4 inches from area to be treated.

BEST AVAILABLE COPY

SCREWWORM TREATMENT: Treat infested wounds with light but thorough coverage. Be sure all parts of wound are completely coated. New wounds from docking, dehorning, etc. should be dusted at once with light uniform coat to avoid infestation. Repeat as necessary.

EAR TICK TREATMENT: Dust into ear and also treat the adjacent head area. Use short, sharp pressure on container. Repeat as necessary.

For external insecticidal use only on above-specified animals. Do not contaminate feed, troughs, water or water utensils. Provide thorough ventilation while dusting. Use caution when dusting in area of face to avoid exposure to eyes. **DO NOT TREAT WITHIN THREE (3) DAYS OF SLAUGHTERING.**

STORAGE AND DISPOSAL

Do not contaminate food, feedstuffs or water during storage.

Store in original container, in cool, locked storage area.

Do not reuse container. Wrap container and dispose in trash collection.

EPA Reg. No. 28293-91

EPA Est. No. 28293-FL-1