

UNICORN THERMFOG RTU INSECTICIDE SPRAY

OIL BASE INSECTICIDE 0.20%

A synthetic pyrethroid for control of
Mosquitoes and Gnats in warehouses, restaurants
and industrial institutions, and for small outdoor areas.

ACTIVE INGREDIENT:

Resmethrin * [5-(phenylmethyl)-3-fluranyl] methyl 2,2-dimethyl-3-(2-methyl-1-propenyl) cyclopropanecarboxylate	-----0.20%
--	------------

INERT INGREDIENTS:**	-----99.80%
-----------------------------	-------------

Total:	100.00%
---------------	---------

* cis/trans isomers ratio: Max 30% (±) cis
Min 70% (±) trans


** Contains Petroleum Distillates

KEEP OUT OF REACH OF CHILDREN CAUTION

Read Side Panel for Additional Precautions

NET CONTENTS: 1 GALLON

MANUFACTURED BY:
Unicorn Laboratories
12385 Automobile Blvd.
Clearwater, Florida 33762



PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing mist. Cover or remove exposed foods. Avoid contamination of cooking utensils and food preparation surfaces. Remove pets and cover fish aquariums before spraying.

FIRST AID	
If swallowed	<ul style="list-style-type: none"> • Call poison control center or doctor immediately for treatment advice. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give any liquid to the person. • Do not give anything by mouth to an unconscious person.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. • Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
NOTE TO PHYSICIAN	
Contains petroleum distillate – vomiting may cause aspiration pneumonia.	

Environmental Hazards

This pesticide is highly toxic to fish. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated sites may be hazardous to fish in adjacent waters. Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift from areas treated. Do not spray on turf or plants.

Physical or Chemical Hazards

Extinguish open flame before space spraying. This formulation is combustible. **DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.** Store at room temperatures above 32°F.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR USE IN WAREHOUSES, RESTAURANTS AND INDUSTRIAL INSTITUTIONS AND SMALL OUT DOOR AREAS: This formulation is to be used undiluted in only such portable thermal applicator equipment that can deliver spray particle sizes within the aerosol size range. Food should be removed or carefully covered before treatment. All food processing surfaces should be covered before treatment or thoroughly cleaned before using.

THERMAL APPLICATIONS INDOORS: For the control of flies, mosquitoes and gnats in warehouses, restaurants and industrial institutions. Remove or cover exposed food handling surfaces. Remove animals and plant life. Shut off ventilating systems, air ducts, air conditioning equipment and close off room or area to be treated. Do not apply while food processing plant is occupied or in operation. Extinguish all flames and pilot lights. Apply as a dry fog at the rate of 1-1/3 fluid ounces per 1,000 cubic feet of space. Direct nozzle of thermal applicator toward the upper corners of the room and along the ceiling.

Close off room for at least one half hour. Do not remain in treated areas. Ventilate the area after treatment. Sweep up and destroy fallen insects. Repeat treatment as necessary.

THERMAL APPLICATIONS OUTDOORS: For reduction in annoyance from flies, mosquitoes, and gnats in yards, patios, around swimming pools, picnic areas, camp sites, drive-ins, and horse stables, and other small area applications. Hold thermal applicator at least 5 feet from any object, especially plants and shrubbery. Avoid wetting any plant foliage. Apply undiluted at the rate of 3-3/4 gallons per acre. Fog only when there is no breeze, or the wind velocity is less than 3 miles per hour. The ideal time is generally at dusk when the wind dies down and the air temperature and ground temperature are approximately the same. Under these conditions the fog will linger in the treated area for a longer time. Apply fog while moving away from treated area. Avoid inhalation of the fog. Do not enter the treated area until the fog has dissipated. Repeat application as necessary.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in original container away from heat or open flame, in locked storage area.

4 7 4

**PESTICIDE
DISPOSAL:**

Pesticide, spray mixture, or rinsate that cannot be used or chemically processed, should be disposed of in a landfill approved for pesticides. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER
DISPOSAL:**

Triple rinse (or equivalent). Then offer for recycling or recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

EPA EST. NO. 62475-FL-1A
44015-M0-1B
Subscript used is first letter
of run code on container.