UNICORN

WASP KILLER

Kills Wasps, Hornets, Bees and Yellow Jackets

ACTIVE INGREDIENTS:

1

ACCSPTED

SEP 07 1995

elasticita.

...looten in Act. dog possieldo 28293-97

Pyrethrins	0.075%
Piperonyl Butoxide, Technical*	
Carbaryl (1-Naphthyl-N-methylcarbamate)	0.500%

100.000%

ra 19 21292-02 pp 173

- * Equivalent to 0.150% (butylcarbityl) (6-propylpiperonyl) ether and 0.038% related compounds.
- ** Contains Petroleum Distillates

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Precautions

NET WEIGHT: OUNCES

WARNING: Contains methyl chloroform, a substance which harms public health and environment by destroying ozone in the upper atmosphere.

MANUFACTURED BY:

Unicorn Laboratories 13535 Feather Sound Drive, Suite 400 Clearwater, Florida 34622-5587

EPA REG. NO. 28293-97 (E:9/9/85) (PRN 93-5) EPA EST. NO. 28293-FL-1

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist or contact with skin. Wash thoroughly after using. Avoid storage near food or feed. Do not spray on pets, humans or other animals. Do not use in edible product areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

NOTE TO PHYSICIAN: Carbaryl is a cholinesterase inhibitor. Atropine Sulfate is antidotal.

Physical Hazards

FLAMMABLE: Contents under pressure. Do not use near fire, heated surfaces, sparks or flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

Statement of Practical Treatment

IF ON SKIN: Wash with soap and water.

1

}

Ĵ

- **IF IN EYES:** Flush with plenty of water. If irritation persists get medical attention.
- IF INHALED: Remove victim to fresh air.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To operate, remove protective cap and depress button, being sure to aim spray opening at the location to be sprayed. Direct spray at insects wherever possible and under eaves, into nests, cracks, holes or crevices wherever insects are noticed. Spray for about 10 seconds or until surface is moist from insecticide. To prevent entrance of insects into the house, spray around points where outside plumbing, faucets, enter the house and into any cracks or crevices in foundation as well as along sills and ledges.

KILLS WASPS, HORNETS, BEES AND YELLOW JACKETS: Application should be made in late evening when insects are at rest. For nests, stand a safe distance away (10 to 20 feet) and keep wind at back. Spray until nest is thoroughly wet. Spray liberally into hiding and breeding places contacting as many insects as possible. Repeat as necessary.

EPA REG. NO. 28293-97(E)

... .

74.

STORAGE AND DISPOSAL

<u>Storage:</u> Store in original container in a cool, locked storage area.

<u>Disposal:</u> Replace cap and discard container in trash. Do not incinerate or puncture. Securely wrap original container in several layers of newspaper and discard in trash.

Optional label statement permitting recycling of empty metal aerosol pesticide containers:

This container may be recycled in aerosol recycling centers. At present, there are only a few such centers in the country. Before offering for recycling, empty the can by using the product according to the label (DO NOT PUNCTURE!). If recycling is not available, wrap the container and discard in the trash.

EPA REG. NO. 28293-97(B)

••

)] · /*,