

P/T 10

282 93-98

45

**UNICORN
DOUBLE STRENGTH
INSECT REPELLENT
FOR**

Fishermen, Hunters, and Campers

**Repels Mosquitoes, Biting Flies, Chiggers,
Ticks and other Flying Insects,
Including Fleas on Exposed Skin Surfaces.**



ACTIVE INGREDIENTS:

| | |
|---|--------|
| N,N-diethyl-m-toluamide..... | 25.50% |
| Other isomers..... | 1.35% |
| N-octyl Bicycloheptene Dicarboximide..... | 7.67% |
| Di-n-propyl isocinchomeronate..... | 3.84% |

| | |
|--------------------------------|----------------|
| INERT INGREDIENTS:..... | 61.64% |
| | 100.00% |

Keep Out of Reach of Children

CAUTION

See Back Panel for Additional Precautions

NET WEIGHT: OUNCES

MANUFACTURED BY:

**Unicorn Laboratories
1002 118th Avenue North
St. Petersburg, Florida 33716**

EPA REG. NO. 28293-98-AA(E:7/3/91/LIP)

EPA EST. NO. 28293-FL-1

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes eye irritation. Harmful if swallowed. Avoid contact with eyes or lips. Do not let children rub their eyes if hands have been treated.

Physical Hazards

EXTREMELY FLAMMABLE: Contents under pressure. Do not use near fire, heated surfaces, sparks or flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. May damage some plastics, varnished or painted surfaces. May be used on Nylon, Orlon, wool or cotton. **DO NOT USE** on Rayon, Spandex or Dynel.

Statement of Practical Treatment

IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read all directions before using this product.

- Do not spray in enclosed areas.
- Do not apply over cuts, wounds, or irritated skin.
- Do not apply to eyes and mouth and do not apply to the hands of young children. Do not spray directly on face.
- Use just enough repellent to cover exposed skin and/or clothing. Do not use under clothing. Avoid overexposure. Frequent reapplication and saturation is unnecessary for effectiveness.
- After returning indoors, wash treated skin with soap and water. Wash treated clothing.
- Use of this product may cause skin reactions in rare cases. If you suspect that you or your child is reacting to this product, wash treated skin and call your local poison control center. If you go to a doctor, take this repellent with you.

Remove protective _____, and spray from a distance of 8-12 inches from surface to be protected. Slightly moisten surface-saturation is not necessary. Use low sweeping motion.

For Exposed Skin Areas to repel flies, gnats and mosquitoes: Use as directed above. AVOID CONTACT WITH EYES OR MOUTH. For treating face, spray in palm of hand, rub palms together and rub on face.

For Clothing to repel ticks, fleas and chiggers (See Caution): Make liberal application along all openings of the clothing, such as inside the neck band, the fly and cuffs of trousers, tops of socks, eyelets of shoes and areas of clothing which may contact the ground, weeds or other growth.

STORAGE AND DISPOSAL

Storage: Store in original container in cool, locked storage area away from heat and open flame.

Disposal: Replace cap and discard containers in trash. Do not incinerate or puncture. Securely wrap original container in several layers of newspaper and discard in trash.