

**UNICORN**

**WASP & HORNET KILLER**

**Kills Wasp, Hornets, Yellow Jackets,  
Bees and Spiders**

**Authorized for Use by USDA in All Areas of Official  
Establishments Operating Under the Federal Meat, Poultry,  
Shell Egg Grading and Egg Products Inspection Programs.**

**Contains no CFCs or other ozone depleting substances.  
Federal regulations prohibit CFC propellants in aerosols.**

**ACTIVE INGREDIENTS:**

\* + Resmethrin [5-(phenylmethyl)-3-furanyl methyl 2,  
2-dimethyl-3-(2-methyl-1-propenyl)  
cyclopropanecarboxylate]..... 0.250%

**INERT INGREDIENTS:\*\*..... 99.750%**

100.000%

\* Cis/trans isomers ratio: Max 30% (±) cis  
Min 70% (±) trans

+ U.S. Patent No. 3,465,007

\*\* Contains Petroleum Distillates

**ACCEPTED**  
**20 AUG 1992**  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under  
EPA Reg. No. 28293-100

**Keep Out of Reach of Children**

**CAUTION**

**See Back Panel for Additional Precautions**

**NET WEIGHT: OUNCES Avdp.**

**MANUFACTURED BY:**

Unicorn Laboratories  
1000 118th Avenue North  
St. Petersburg, Florida 33716

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans and Domestic Animals**

**CAUTION:** Harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing vapors. Avoid contact with the eyes, skin or clothing. In case of contact, immediately wash with soap and water. Avoid contamination of food and feedstuff.

**Chemical Hazards**

Avoid excessive wetting of plastic, vinyl, asphalt tile floor surfaces or asphalt shingles. Do not apply to rugs, carpets, draperies, wallpaper, or similar materials that may be stained.

**Statement of Practical Treatment**

**IF SWALLOWED:** Do not induce vomiting unless directed by a physician or Poison Control Center. Vomiting may cause aspiration pneumonia.

**Physical Hazards**

**FLAMMABLE.** Contents under pressure. Do not use near fire, heated surfaces, sparks or flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

**Environmental Hazards**

**THIS PESTICIDE IS HIGHLY TOXIC TO FISH.** Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Drift and runoff from treated sites may be hazardous to fish in adjacent waters. Do not contaminate water when disposing of equipment washwaters.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**OUTDOORS:** Application should be made late in the evening when insects are at rest. Point spout toward nest, crevice or hole where insects are known to exist. Hold container at arms length and spray liberally into hiding places, contacting as many insects as possible. Repeat as necessary. Always spray in direction of wind (with wind at your back).

**INDOORS:** Aim spray directly at nests. Do not spray areas where food and foodstuffs are exposed or handled. Do not remain in treated areas. Ventilate the areas after treatment is completed.



**FOR USE IN ALL AREAS OF USDA ESTABLISHMENTS:** Before using this pesticide compound, exposed food products and packaging materials must be removed from the room or protected. After using this compound, equipment and utensils must be washed with an effective cleaning compound and thoroughly rinsed with potable water before operations are resumed. Before food product may be placed in the area where the material is being used, the area should be sufficiently free of odor to prevent product contamination.

**STORAGE AND DISPOSAL**

**STORAGE:** Store in cool area away from heat or open flame.

**DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Do not reuse empty container. Wrap container and place in trash collection.