

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

15 AUG 1995

Barbara J. Varner
Unicorn Laboratories
13535 Feather Sound Drive, Suite 400
Clearwater, FL 34622-5587

Dear Ms. Varner:

Subject: Revised Labeling
Unicorn Wasp & Hornet Killer
EPA Registration Number 28293-100
Submission Dated July 27, 1995

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below:

- 1. Revise the Ingredients Statement to read as follows:

Table with 2 columns: ACTIVE INGREDIENT, INERT INGREDIENTS. Rows include Resmethrin (0.250%), *INERT INGREDIENTS (99.750%), and Total (100.000%).

*Contains petroleum distillate

- 2. Combine the "Chemical Hazards" statement and the "Physical Hazards" statement into one section with the heading "Physical and Chemical Hazards."
3. Revise the Statement of Practical Treatment to read as follows:

IF SWALLOWED: Call a doctor or get medical attention. Do not induce vomiting. Do not give anything by mouth to an unconscious person. Avoid alcohol.

- 4. Delete the last sentence of the Environmental Hazards Statement.

CONCURRENCES

Table with 8 columns and 3 rows. Rows are labeled SYMBOL, SURNAME, and DATE. The table is mostly empty with dotted lines.

185

2 of 5

-2-

5. Add the sentence "Do not contaminate water, food, or feed by storage and disposal." to the beginning of the Storage and Disposal statement.

Submit three copies of finished labeling prior to releasing the product for shipment.

If you have any questions or comments, please contact me at (703) 305-6788.

Sincerely,

RPK

Richard P. Keigwin, Jr.
Product Manager 10
Insecticide-Rodenticide Branch
Registration Division (7505C)

2

WASP & HORNET KILLER
UNICORN

Kills Wasp, Hornets, Yellow Jackets,
Bees and Spiders

Spray Reaches Up to 20'

Authorized for Use by USDA in All Areas of Official
Establishments Operating Under the Federal Meat, Poultry,
Shell Egg Grading and Egg Products Inspection Programs.

Contains no CFCs or other ozone depleting substances.
Federal regulations prohibit CFC propellants in aerosols.

ACTIVE INGREDIENTS:

* + Resmethrin [5-(phenylmethyl)-3-furanyl methyl 2,
2-dimethyl-3-(2-methyl-1-propenyl)
cyclopropanecarboxylate]..... 0.250%

INERT INGREDIENTS:**..... 99.750%

100.000%

* Cis/trans isomers ratio: Max 30% (±) cis
Min 70% (±) trans

+ U.S. Patent No. 3,465,007

** Contains Petroleum Distillates

ACCEPTED
with COMMENTS
in EPA Letter Dated
15 AUG 1995

Keep Out of Reach of Children

CAUTION

See Back Panel for Additional Precautions

NET WEIGHT: OUNCES Avdp.

MANUFACTURED BY:

Unicorn Laboratories
13535 Feather Sound Drive, Suite 400
Clearwater, Florida 34622-5587

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
EPA Reg. No. 28293-100

4 7 5

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing vapors. Avoid contact with the eyes, skin or clothing. In case of contact, immediately wash with soap and water. Avoid contamination of food and feedstuff.

Chemical Hazards

Avoid excessive wetting of plastic, vinyl, asphalt tile floor surfaces or asphalt shingles. Do not apply to rugs, carpets, draperies, wallpaper, or similar materials that may be stained.

Statement of Practical Treatment

IF SWALLOWED: Do not induce vomiting unless directed by a physician or Poison Control Center. Vomiting may cause aspiration pneumonia.

Physical Hazards

FLAMMABLE. Contents under pressure. Do not use near fire, heated surfaces, sparks or flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

Dielectric Strength is 47 kv.

Environmental Hazards

THIS PESTICIDE IS HIGHLY TOXIC TO FISH. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated sites may be hazardous to fish in adjacent waters. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

OUTDOORS: Application should be made late in the evening when insects are at rest. Point spout toward nest, crevice or hole where insects are known to exist. Hold container at arms length and spray liberally into hiding places, contacting as many insects as possible. Repeat as necessary. Always spray in direction of wind (with wind at your back).

INDOORS: Aim spray directly at nests. Do not spray areas where food and foodstuffs are exposed or handled. Do not remain in treated areas. Ventilate the areas after treatment is completed. Do not spray areas where food and foodstuffs are exposed or handled except as directed under use in USDA Establishments.

5 7 5

FOR USE IN ALL AREAS OF USDA ESTABLISHMENTS: Before using this pesticide compound, exposed food products and packaging materials must be removed from the room or protected. After using this compound, equipment and utensils must be washed with an effective cleaning compound and thoroughly rinsed with potable water before operations are resumed. Before food product may be placed in the area where the material is being used, the area should be sufficiently free of odor to prevent product contamination.

STORAGE AND DISPOSAL

STORAGE: Store in cool area away from heat or open flame.

DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Do not reuse empty container. Wrap container and place in trash collection.

5